

2024

Prescription Drug Guide

Humana Medicare Employer Plan Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN.

1

This formulary was updated on 10/11/2023. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting [Humana.com](https://www.humana.com).

Humana[®]

Welcome to The Humana Medicare Employer Plan!

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us," or "our," it means Humana. When it refers to "plan" or "our plan," it means the Humana Medicare Employer Plan. This document includes a list of the drugs (formulary) for our plan which is current as of January 1, 2024. For an updated formulary, please contact us on our website at [Humana.com/PlanDocuments](https://www.humana.com/PlanDocuments) or you can call the number below to request a paper copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

What is the Humana Medicare Employer formulary?

A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you are a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make

changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

What if you are affected by a Drug List change?

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2024. We will update the printed formularies each month and they will be available on [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).

To get updated information about the drugs that Humana covers, please visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).

How do I use the formulary?

There are two ways to find your drug in the formulary:

Medical condition

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

Alphabetical listing

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 190. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

How much will I pay for covered drugs?

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you do not get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to get more information about the restrictions applied to specific covered drugs.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 6 for information about how to request an exception.

What if my drug is not on the formulary?

If your drug is not included in this list of covered drugs, visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to see if your plan covers your drug. You can also call Group Medicare Customer Care and ask if your drug is covered.

If the Humana Medicare Employer Plan does not cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that the Humana Medicare Employer Plan covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

How do I request an exception to the Humana formulary?

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

Will my plan cover my drugs if they are not on the formulary?

You may take drugs that your plan does not cover, or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary *or*
- You have limited ability to get your drugs *and*
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

Transition extension

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

CenterWell Pharmacy™

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.

For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit www.medicare.gov.

Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 190.

How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

HI - Home Infusion drugs that are covered in the gap.

DL - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

MO - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

LA - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

CI - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

AV - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

PDS - Preferred Diabetic Supplies; BD and HTL- Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANALGESICS		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE DL	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION DL	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET DL	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET DL	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET DL	1	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE DL	4	PA,QL(120 per 30 days)
ANAPROX DS 550 MG TABLET MO	3	
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET DL	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC MO	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM DL	3	QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET DL	3	
BUPRENEX 0.3 MG/ML SOLUTION DL	3	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY DL	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE DL	1	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION DL	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL DL	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION DL	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY DL	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK MO	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION MO	3	
CAMBIA 50 MG POWDER IN PACKET DL	4	ST,QL(9 per 30 days)
cataflam 50 mg TABLET MO	1	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE MO	3	PA,QL(60 per 30 days)
celecoxib 100 mg, 200 mg CAPSULE MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
celecoxib 400 mg, 50 mg CAPSULE MO	1	QL(60 per 30 days)
codeine sulfate 15 mg, 30 mg TABLET DL	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET DL	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE DL	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC DL	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET MO	3	
DEMEROL 50 MG/ML SOLUTION DL	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/2 ML SOLUTION DL	3	QL(360 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE DL	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE DL	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE DL	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE DL	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. MO	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE MO	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET DL	4	
diclofenac potassium 50 mg POWDER IN PACKET MO	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET MO	1	
diclofenac sodium 1 % GEL MO	1	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS MO	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. MO	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC MO	1	
diclofenac sodium 75 mg TABLET, DR/EC MO	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC MO	1	
diflunisal 500 mg TABLET MO	1	
DILAUDID 1 MG/ML LIQUID DL	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET DL	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET DL	3	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET DL	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION DL	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION DL	3	BvsD,QL(3600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dvorah</i> 325-30-16 mg TABLET DL	1	QL(300 per 30 days)
EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC MO	3	PA
<i>ec-naproxen</i> 375 mg TABLET, DR/EC MO	3	PA
<i>ec-naproxen</i> 500 mg TABLET, DR/EC MO	1	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE MO	1	
etodolac 400 mg, 500 mg TABLET MO	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. MO	1	
FELDENE 10 MG, 20 MG CAPSULE MO	3	
<i>fenoprofen</i> 200 mg, 400 mg CAPSULE MO	1	ST
<i>fenoprofen</i> 600 mg TABLET MO	1	ST
<i>fantanyl</i> 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. DL	1	QL(20 per 30 days)
<i>fantanyl citrate</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE DL	4	PA,QL(120 per 30 days)
<i>fantanyl citrate</i> 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
<i>fantanyl citrate</i> 200 mcg LOZENGE DL	1	PA,QL(120 per 30 days)
<i>fantanyl citrate (pf)</i> 50 mcg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT DL	4	PA,QL(120 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. MO	3	PA,QL(60 per 30 days)
<i>flurbiprofen</i> 100 mg TABLET MO	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. DL	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. DL	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET DL	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml(15 ml) SOLUTION DL	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET DL	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION DL	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET DL	1	QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE DL	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID DL	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. DL	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. DL	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET DL	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. DL	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE DL	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET DL	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. DL	1	ST,QL(240 per 30 days)
hydromorphone (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION DL	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION DL	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. DL	3	ST,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET MO	1	
ibuprofen 100 mg/5 ml SUSPENSION MO	1	
ibuprofen 400 mg TABLET MO	1	
ibuprofen 600 mg, 800 mg TABLET MO	1	
ibuprofen-famotidine 800-26.6 mg TABLET MO	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION DL	4	
INDOCIN 50 MG SUPPOSITORY MO	3	
indomethacin 25 mg, 50 mg CAPSULE MO	1	
indomethacin 50 mg SUPPOSITORY MO	1	
indomethacin 75 mg CAPSULE, ER MO	1	
indomethacin sodium 1 mg RECON SOLUTION MO	1	
INFUMORPH P/F 10 MG/ML SOLUTION DL	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION DL	3	BvsD,QL(150 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. MO	1	
ketoprofen 25 mg CAPSULE MO	1	ST
ketoprofen 50 mg, 75 mg CAPSULE MO	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketorolac 10 mg TABLET MO	1	QL(20 per 30 days)
ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION MO	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml CARTRIDGE MO	1	
ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE MO	1	
ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(30 per 30 days)
levorphanol tartrate 2 mg TABLET DL	4	ST,QL(240 per 30 days)
levorphanol tartrate 3 mg TABLET DL	4	ST,QL(150 per 30 days)
LICART 1.3 % PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
LODINE 400 MG TABLET MO	3	PA
lofena 25 mg TABLET DL	4	
loratab elixir 10-300 mg/15 ml SOLUTION DL	1	QL(6000 per 30 days)
meclofenamate 100 mg, 50 mg CAPSULE MO	1	
mefenamic acid 250 mg CAPSULE MO	1	
meloxicam 15 mg TABLET MO	1	QL(30 per 30 days)
meloxicam 7.5 mg TABLET MO	1	QL(60 per 30 days)
meloxicam submicronized 10 mg, 5 mg CAPSULE DL	4	PA,QL(30 per 30 days)
meperidine 10 mg/ml CARTRIDGE DL	1	QL(3600 per 30 days)
meperidine 50 mg TABLET DL	1	QL(480 per 30 days)
meperidine 50 mg/5 ml SOLUTION DL	1	QL(720 per 30 days)
meperidine (pf) 100 mg/ml SOLUTION DL	1	QL(360 per 30 days)
meperidine (pf) 25 mg/ml SOLUTION DL	1	QL(1440 per 30 days)
meperidine (pf) 50 mg/ml SOLUTION DL	1	QL(720 per 30 days)
methadone 10 mg TABLET DL	1	QL(240 per 30 days)
methadone 10 mg/5 ml SOLUTION DL	1	QL(1800 per 30 days)
methadone 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
methadone 10 mg/ml SOLUTION DL	1	QL(360 per 30 days)
methadone 5 mg TABLET DL	1	QL(480 per 30 days)
methadone 5 mg/5 ml SOLUTION DL	1	QL(3600 per 30 days)
methadone intensol 10 mg/ml CONCENTRATE DL	1	QL(360 per 30 days)
METHADOSE 10 MG/ML CONCENTRATE DL	3	QL(360 per 30 days)
mitigo (pf) 10 mg/ml SOLUTION DL	3	BvsD,QL(360 per 30 days)
mitigo (pf) 25 mg/ml SOLUTION DL	3	BvsD,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MOBIC 15 MG TABLET MO	3	PA,QL(30 per 30 days)
MOBIC 7.5 MG TABLET MO	3	PA,QL(60 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS DL	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION DL	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION DL	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE DL	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER DL	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(60 per 30 days)
morphine 15 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 15 mg, 30 mg TABLET DL	1	QL(180 per 30 days)
morphine 2 mg/ml SOLUTION DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE DL	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml SYRINGE DL	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION DL	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER DL	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. DL	1	ST,QL(30 per 30 days)
morphine 30 mg, 60 mg TABLET ER DL	1	QL(120 per 30 days)
morphine 4 mg/ml SOLUTION DL	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE DL	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION DL	1	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION DL	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE DL	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION DL	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION DL	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN DL	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION DL	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER DL	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER DL	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER DL	3	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET MO	1	
nalbuphine 10 mg/ml SOLUTION DL	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION DL	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NALFON 400 MG CAPSULE MO	3	ST
NALFON 600 MG TABLET MO	1	ST
<i>nalocet 2.5-300 mg TABLET</i> DL	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE DL	4	ST,QL(60 per 30 days)
NAPROSYN 500 MG TABLET MO	3	PA
<i>naproxen 125 mg/5 ml SUSPENSION</i> MO	1	
<i>naproxen 250 mg, 375 mg TABLET</i> MO	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC</i> MO	1	
<i>naproxen 500 mg TABLET</i> MO	1	
<i>naproxen sodium 275 mg, 550 mg TABLET</i> MO	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE</i> MO	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC</i> DL	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET DL	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. DL	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. DL	3	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION DL	4	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN DL	4	PA
<i>oxaprozin 600 mg TABLET</i> MO	1	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
<i>oxycodone 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg TABLET, ER 12 HR.</i> DL	3	PA,QL(90 per 30 days)
<i>oxycodone 10 mg, 15 mg, 5 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone 20 mg, 30 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone 20 mg/ml CONCENTRATE</i> DL	1	QL(270 per 30 days)
<i>oxycodone 5 mg CAPSULE</i> DL	1	QL(360 per 30 days)
<i>oxycodone 5 mg/5 ml SOLUTION</i> DL	1	QL(5400 per 30 days)
<i>oxycodone 80 mg TABLET, ER 12 HR.</i> DL	3	PA,QL(120 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> DL	4	PA,QL(390 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION</i> DL	4	PA,QL(900 per 30 days)
<i>oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET</i> DL	1	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>oxycodone-acetaminophen 2.5-300 mg TABLET</i> DL	1	PA,QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-325 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION</i> DL	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. DL	3	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. DL	3	PA,QL(120 per 30 days)
<i>oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR.</i> DL	1	ST,QL(60 per 30 days)
<i>oxymorphone 10 mg, 5 mg TABLET</i> DL	1	QL(360 per 30 days)
<i>oxymorphone 40 mg TABLET, ER 12 HR.</i> DL	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET DL	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP DL	4	PA,QL(224 per 28 days)
<i>pentazocine-naloxone 50-0.5 mg TABLET</i> DL	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET DL	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET DL	1	PA,QL(360 per 30 days)
<i>piroxicam 10 mg, 20 mg CAPSULE</i> MO	1	
<i>primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> DL	4	PA,QL(390 per 30 days)
<i>prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> DL	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION DL	4	PA,QL(900 per 30 days)
RELAFEN 500 MG, 750 MG TABLET DL	4	ST
RELAFEN DS 1,000 MG TABLET DL	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET DL	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET DL	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY DL	4	PA,QL(180 per 30 days)
ROXYBOND 5 MG TABLET, ORAL ONLY DL	4	PA,QL(360 per 30 days)
SEGLENTIS 44-56 MG TABLET DL	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(5 per 30 days)
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL DL	4	PA,QL(120 per 30 days)
<i>sulindac 150 mg, 200 mg TABLET</i> MO	1	
<i>tolmetin 200 mg TABLET</i> MO	1	
<i>tramadol 100 mg TABLET</i> DL	1	QL(120 per 30 days)
<i>tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC</i> DL	1	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. DL	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE DL	1	ST,QL(30 per 30 days)
tramadol 50 mg TABLET DL	1	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET DL	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE DL	1	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET DL	3	QL(240 per 30 days)
ULTRAM 50 MG TABLET DL	3	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC DL	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. DL	2	QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE MO	3	ST,QL(90 per 30 days)
ANESTHETICS		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION MO	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION MO	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	
bupivacaine-epinephrine bitart 0.5 %-1:200,000 CARTRIDGE MO	1	
CARBOCAINE 1 % (10 MG/ML) SOLUTION MO	3	
CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) SOLUTION MO	3	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE MO	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION MO	1	
CLOROTEKAL 10 MG/ML (1 %) SOLUTION MO	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION MO	3	
glydo 2 % JELLY IN APPLICATOR MO	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED MO	1	PA,QL(90 per 30 days)
lidocaine 5 % OINTMENT MO	1	PA
lidocaine (pf) in d7.5w 50 mg/ml (5 %) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION MO	1	
lidocaine hcl 2 % JELLY MO	1	
lidocaine hcl 2 % JELLY IN APPLICATOR MO	1	
lidocaine viscous 2 % SOLUTION MO	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION MO	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE MO	1	
lidocaine-prilocaine 2.5-2.5 % CREAM MO	1	
LIDODERM 5 % ADHESIVE PATCH, MEDICATED DL	4	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE MO	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION MO	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE MO	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION MO	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION MO	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION MO	3	
PLIAGLIS 7-7 % CREAM MO	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION MO	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION MO	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION MO	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION MO	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION MO	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION MO	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION MO	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION MO	1	
SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING DL	4	PA
vivacaine 0.5 %-1:200,000 CARTRIDGE MO	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED MO	3	PA,QL(90 per 30 days)
ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS		
acamprosate 333 mg TABLET, DR/EC MO	1	
BUNAVAIL 4.2-0.7 MG FILM MO	3	PA,QL(60 per 30 days)
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM MO	1	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM MO	1	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET MO	3	PA,QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. MO	1	QL(90 per 30 days)
CHANTIX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET MO	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK MO	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET MO	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
LUCEMYRA 0.18 MG TABLET DL	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml SOLUTION MO	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE MO	1	
naloxone 4 mg/actuation SPRAY, NON-AEROSOL MO	2	QL(2 per 30 days)
naltrexone 50 mg TABLET MO	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE MO	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	PA,QL(2 per 30 days)
SUBOXONE 12-3 MG FILM MO	3	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM MO	3	PA,QL(90 per 30 days)
varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK MO	1	QL(53 per 28 days)
varenicline 0.5 mg, 1 mg TABLET MO	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE MO	3	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET MO	1	QL(30 per 30 days)
ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET MO	1	QL(90 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET MO	1	QL(60 per 30 days)
ANTIBACTERIALS		
acetic acid 2 % SOLUTION MO	1	
ACTICLATE 150 MG TABLET DL	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET DL	4	ST,QL(60 per 30 days)
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION MO	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET MO	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin 250 mg CAPSULE MO	1	
amoxicillin 500 mg CAPSULE MO	1	
amoxicillin 500 mg TABLET MO	1	
amoxicillin 875 mg TABLET MO	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. MO	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET MO	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET MO	1	
amoxicillin-pot clavulanate 875-125 mg TABLET MO	1	
ampicillin 500 mg CAPSULE MO	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION HI,MO	1	
ampicillin sodium 1 gram, 2 gram RECON SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION HI,MO	1	
ampicillin-sulbactam 1.5 gram, 3 gram RECON SOLUTION MO	1	
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION DL	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
AUGMENTIN 500-125 MG TABLET MO	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. MO	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK MO	3	PA
avidoxy 100 mg TABLET MO	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION DL	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION MO	3	PA
azithromycin 1 gram PACKET MO	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
azithromycin 250 mg TABLET MO	1	
azithromycin 500 mg RECON SOLUTION MO	1	
azithromycin 500 mg, 600 mg TABLET MO	1	
aztreonam 1 gram, 2 gram RECON SOLUTION MO	1	
bacitracin 50,000 unit RECON SOLUTION MO	1	
BACTRIM 400-80 MG TABLET MO	3	
BACTRIM DS 800-160 MG TABLET MO	3	
BAXDELA 300 MG RECON SOLUTION DL	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET DL	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION DL	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE HI,MO	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE MO	3	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefaclor 250 mg, 500 mg CAPSULE MO	1	
cefaclor 500 mg TABLET, ER 12 HR. MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefadroxil 1 gram TABLET MO	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefadroxil 500 mg CAPSULE MO	1	
cefazolin 1 gram, 10 gram, 2 gram, 500 mg RECON SOLUTION MO	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION MO	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefdinir 300 mg CAPSULE MO	1	
cefepime 1 gram, 2 gram RECON SOLUTION MO	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK MO	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefixime 400 mg CAPSULE MO	1	
cefotaxime 1 gram RECON SOLUTION MO	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION MO	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefpodoxime 100 mg, 200 mg TABLET MO	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cefprozil 250 mg, 500 mg TABLET MO	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION HI,MO	1	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION MO	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK MO	1	
cefuroxime axetil 250 mg, 500 mg TABLET MO	1	
cefuroxime sodium 1.5 gram, 750 mg RECON SOLUTION HI,MO	1	
cefuroxime sodium 7.5 gram RECON SOLUTION MO	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	
cephalexin 250 mg, 500 mg TABLET MO	1	
cephalexin 250 mg, 750 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>cephalexin 500 mg CAPSULE</i> MO	1	
<i>chloramphenicol sod succinate 1 gram RECON SOLUTION</i> HI,MO	1	
CIPRO 250 MG, 500 MG TABLET MO	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON MO	3	
<i>ciprofloxacin 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON</i> MO	1	
<i>ciprofloxacin hcl 100 mg, 250 mg, 750 mg TABLET</i> MO	1	
<i>ciprofloxacin hcl 500 mg TABLET</i> MO	1	
<i>ciprofloxacin in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK</i> MO	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION MO	3	
<i>clarithromycin 125 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>clarithromycin 250 mg, 500 mg TABLET</i> MO	1	
<i>clarithromycin 250 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>clarithromycin 500 mg TABLET, ER 24 HR.</i> MO	1	
CLEOCIN 100 MG SUPPOSITORY MO	3	
CLEOCIN 150 MG/ML SOLUTION MO	1	
CLEOCIN 2 % CREAM MO	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE MO	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION MO	1	
<i>clindamycin hcl 150 mg, 75 mg CAPSULE</i> MO	1	
<i>clindamycin hcl 300 mg CAPSULE</i> MO	1	
<i>clindamycin in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK</i> MO	1	
<i>clindamycin in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK</i> HI,MO	1	
<i>clindamycin palmitate hcl 75 mg/5 ml RECON SOLUTION</i> MO	1	
<i>clindamycin pediatric 75 mg/5 ml RECON SOLUTION</i> MO	1	
<i>clindamycin phosphate 150 mg/ml SOLUTION</i> MO	1	
<i>clindamycin phosphate 2 % CREAM</i> MO	1	
CLINDESSE 2 % CREAM, ER MO	3	
<i>colistin (colistimethate na) 150 mg RECON SOLUTION</i> MO	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION DL	4	
<i>coremino 135 mg, 45 mg, 90 mg TABLET, ER 24 HR.</i> MO	1	ST,QL(30 per 30 days)
CUBICIN 500 MG RECON SOLUTION DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CUBICIN RF 500 MG RECON SOLUTION DL	4	
DALVANCE 500 MG SOLUTION DL	4	QL(4 per 28 days)
daptomycin 350 mg RECON SOLUTION MO	1	
daptomycin 500 mg RECON SOLUTION DL,HI	4	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK MO	3	
demeclocycline 150 mg TABLET MO	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET MO	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE MO	1	
DIFICID 200 MG TABLET DL	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	
DORYX 200 MG TABLET, DR/EC MO	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC MO	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg CAPSULE MO	1	
doxycycline hyclate 100 mg RECON SOLUTION MO	1	
doxycycline hyclate 100 mg TABLET MO	1	
doxycycline hyclate 100 mg TABLET, DR/EC MO	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC MO	1	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET MO	1	
doxycycline hyclate 200 mg TABLET, DR/EC MO	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE MO	1	
doxycycline hyclate 50 mg TABLET MO	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET MO	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC DL	4	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE MO	1	
doxycycline monohydrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC</i> MO	1	ST,QL(30 per 30 days)
<i>doxycycline monohydrate 75 mg CAPSULE</i> MO	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET MO	1	
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
<i>ertapenem 1 gram RECON SOLUTION</i> HI,MO	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC MO	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	
ERYTHROCIN 500 MG RECON SOLUTION MO	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET MO	1	
<i>erythromycin 250 mg CAPSULE, DR/EC</i> MO	1	
<i>erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC</i> MO	1	
<i>erythromycin 250 mg, 500 mg TABLET</i> MO	1	
<i>erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>erythromycin ethylsuccinate 400 mg TABLET</i> MO	1	
<i>erythromycin lactobionate 500 mg RECON SOLUTION</i> MO	1	
FETROJA 1 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION MO	3	
FLAGYL 375 MG CAPSULE MO	3	QL(320 per 30 days)
<i>fosfomycin tromethamine 3 gram PACKET</i> MO	1	
FURADANTIN 25 MG/5 ML SUSPENSION MO	3	
<i>gentamicin 0.1 % CREAM</i> MO	1	
<i>gentamicin 0.1 % OINTMENT</i> MO	1	
<i>gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION</i> HI,MO	1	
<i>gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK</i> HI,MO	1	
<i>gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION</i> MO	1	
<i>gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION</i> HI,MO	1	
HIPREX 1 GRAM TABLET MO	3	PA
HUMATIN 250 MG CAPSULE DL	4	
<i>imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION</i> HI,MO	1	
INVANZ 1 GRAM RECON SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KEFLEX 750 MG CAPSULE MO	3	
KIMYRSA 1,200 MG RECON SOLUTION DL	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
KLARON 10 % SUSPENSION MO	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION MO	1	
levofloxacin 250 mg, 750 mg TABLET MO	1	
levofloxacin 500 mg TABLET MO	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK HI,MO	1	
LINCOCIN 300 MG/ML SOLUTION MO	3	
lincomycin 300 mg/ml SOLUTION HI,MO	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION DL	4	QL(1800 per 30 days)
linezolid 600 mg TABLET MO	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK HI,MO	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION HI,MO	1	
MACROBID 100 MG CAPSULE MO	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE MO	3	
meropenem 1 gram, 500 mg RECON SOLUTION HI,MO	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK MO	1	
methenamine hippurate 1 gram TABLET MO	1	
METRO I.V. 500 MG/100 ML PIGGYBACK MO	3	
METROCREAM 0.75 % CREAM MO	3	PA
METROGEL 1 % GEL MO	3	ST
METROGEL VAGINAL 0.75 % (37.5MG/5 GRAM) GEL MO	3	
METROLOTION 0.75 % LOTION MO	3	PA
metronidazole 0.75 % CREAM MO	1	
metronidazole 0.75 % LOTION MO	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL MO	1	
metronidazole 1 % GEL WITH PUMP MO	1	
metronidazole 250 mg TABLET MO	1	
metronidazole 375 mg CAPSULE MO	1	QL(320 per 30 days)
metronidazole 500 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK HI,MO	1	
MINOCIN 100 MG RECON SOLUTION DL	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE MO	1	
minocycline 100 mg, 50 mg, 75 mg TABLET MO	1	
minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
MINOLIRA ER 105 MG, 135 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	ST,QL(30 per 30 days)
mondoxyme nl 100 mg CAPSULE MO	1	
mondoxyme nl 75 mg CAPSULE MO	1	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE MO	3	ST
MONODOX 75 MG CAPSULE MO	3	ST,QL(60 per 30 days)
MONUROL 3 GRAM PACKET MO	3	
morgidox 100 mg, 50 mg CAPSULE MO	1	ST
moxifloxacin 400 mg TABLET MO	1	
moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK MO	1	
moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK MO	1	
nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION HI,MO	1	
nafcillin 2 gram RECON SOLUTION MO	1	
nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK DL,HI	4	
neomycin 500 mg TABLET MO	1	
nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION DL	4	
nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE MO	1	
nitrofurantoin monohyd/m-cryst 100 mg CAPSULE MO	1	
NORITATE 1 % CREAM DL	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL MO	3	
NUZYRA 100 MG RECON SOLUTION DL	4	
NUZYRA 150 MG TABLET DL	4	QL(30 per 14 days)
ofloxacin 300 mg, 400 mg TABLET MO	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION DL,HI	4	QL(3 per 28 days)
oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION HI,MO	1	
oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK HI,MO	3	
paromomycin 250 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK HI,MO	3	
penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION HI,MO	1	
penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE MO	1	
penicillin g sodium 5 million unit RECON SOLUTION HI,MO	1	
penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION MO	1	
penicillin v potassium 250 mg, 500 mg TABLET MO	1	
pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION MO	1	
piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION HI,MO	1	
polymyxin b sulfate 500,000 unit RECON SOLUTION HI,MO	1	
PRIMAXIN IV 500 MG RECON SOLUTION MO	3	
PRIMSOL 50 MG/5 ML SOLUTION MO	3	
RECARBRIO 1.25 GRAM RECON SOLUTION DL	4	
rosadan 0.75 % CREAM MO	1	ST
rosadan 0.75 % GEL MO	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET MO	3	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION DL	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET DL	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET MO	3	PA
streptomycin 1 gram RECON SOLUTION DL,HI	4	
sulfacetamide sodium 10 % OINTMENT MO	1	
sulfacetamide sodium (acne) 10 % SUSPENSION MO	1	QL(118 per 30 days)
sulfadiazine 500 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION MO	1	
sulfamethoxazole-trimethoprim 400-80 mg TABLET MO	1	
sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION MO	1	
sulfamethoxazole-trimethoprim 800-160 mg TABLET MO	1	
SULFATRIM 200-40 MG/5 ML SUSPENSION MO	3	
SUPRAX 100 MG, 200 MG CHEWABLE TABLET MO	1	
SUPRAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	1	
SUPRAX 400 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SUPRAX 500 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
SYNERCID 500 MG RECON SOLUTION DL,HI	4	
TARGADOX 50 MG TABLET MO	1	ST,QL(180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION MO	1	
TEFLARO 400 MG, 600 MG RECON SOLUTION DL	4	
tetracycline 250 mg, 500 mg CAPSULE MO	1	
tigecycline 50 mg RECON SOLUTION DL	4	
tinidazole 250 mg, 500 mg TABLET MO	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION DL	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION MO	1	PA
tobramycin sulfate 1.2 gram RECON SOLUTION DL	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION HI,MO	1	
tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION DL	4	PA
trimethoprim 100 mg TABLET MO	1	
TYGACIL 50 MG RECON SOLUTION DL	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION MO	3	
VABOMERE 2 GRAM RECON SOLUTION DL	4	QL(84 per 14 days)
VANCOGIN 125 MG CAPSULE MO	3	PA,QL(120 per 30 days)
VANCOGIN 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg RECON SOLUTION HI,MO	1	
vancomycin 1.25 gram, 1.5 gram, 25 mg/ml, 250 mg, 50 mg/ml RECON SOLUTION MO	1	
vancomycin 125 mg CAPSULE MO	1	PA,QL(120 per 30 days)
vancomycin 250 mg CAPSULE MO	1	PA,QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK MO	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK MO	3	
vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK DL	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK DL	3	
vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL MO	3	
VIBATIV 750 MG RECON SOLUTION DL	4	
VIBRAMYCIN 100 MG CAPSULE MO	3	
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP MO	3	ST
XACIATO 2 % GEL MO	3	
XENLETA 150 MG/15 ML SOLUTION DL	4	QL(210 per 7 days)
XENLETA 600 MG TABLET DL	4	
XERAVA 100 MG, 50 MG RECON SOLUTION MO	3	
XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. DL	4	ST,QL(30 per 30 days)
XIMINO 45 MG CAPSULE, ER 24 HR. MO	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION DL	4	
ZERBAXA 1.5 GRAM RECON SOLUTION DL,HI	4	
ZITHROMAX 1 GRAM PACKET MO	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION MO	3	
ZITHROMAX 250 MG, 500 MG TABLET MO	3	
ZITHROMAX 500 MG RECON SOLUTION MO	3	
ZITHROMAX TRI-PAK 500 MG TABLET MO	3	
ZITHROMAX Z-PAK 250 MG TABLET MO	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK MO	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK MO	3	
ZYVOX 600 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTICONVULSANTS		
APTIOM 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET DL	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET DL	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION DL	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET DL	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET DL	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION DL	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
carbamazepine 100 mg CHEWABLE TABLET MO	1	
carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. MO	1	
carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION MO	1	
carbamazepine 200 mg TABLET MO	1	
carbamazepine 400 mg TABLET, ER 12 HR. MO	1	QL(225 per 30 days)
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	
CELONTIN 300 MG CAPSULE MO	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION MO	3	
clobazam 10 mg, 20 mg TABLET DL	1	PA
clobazam 2.5 mg/ml SUSPENSION DL	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC MO	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. MO	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE MO	3	
DIACOMIT 250 MG, 500 MG CAPSULE DL	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT DL	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT DL	3	PA
diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT DL	1	
DILANTIN 30 MG CAPSULE MO	1	
DILANTIN EXTENDED 100 MG CAPSULE MO	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET MO	1	
DILANTIN-125 125 MG/5 ML SUSPENSION MO	3	
divalproex 125 mg CAPSULE, DR SPRINKLE MO	1	
divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC MO	1	
divalproex 250 mg, 500 mg TABLET, ER 24 HR. MO	1	
EPIDIOLEX 100 MG/ML SOLUTION DL	4	PA
epitol 200 mg TABLET MO	1	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. MO	3	PA
ethosuximide 250 mg CAPSULE MO	1	
ethosuximide 250 mg/5 ml SOLUTION MO	1	
felbamate 400 mg, 600 mg TABLET MO	1	
felbamate 600 mg/5 ml SUSPENSION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FELBATOL 400 MG, 600 MG TABLET DL	4	PA
FELBATOL 600 MG/5 ML SUSPENSION DL	4	PA
FINTEPLA 2.2 MG/ML SOLUTION DL,LA	4	PA,QL(360 per 30 days)
<i>fosphe</i> nytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION MO	1	
FYCOMPA 0.5 MG/ML SUSPENSION DL	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET DL	4	PA,QL(30 per 30 days)
FYCOMPA 2 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>gabapentin</i> 100 mg, 300 mg, 400 mg CAPSULE MO	1	QL(270 per 30 days)
<i>gabapentin</i> 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION MO	1	QL(2250 per 30 days)
<i>gabapentin</i> 600 mg, 800 mg TABLET MO	1	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET DL	4	PA
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET DL	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION DL	4	PA
KEPPRA 250 MG TABLET MO	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. DL	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. DL	4	PA,QL(120 per 30 days)
<i>lacosamide</i> 10 mg/ml SOLUTION MO	1	QL(1395 per 30 days)
<i>lacosamide</i> 100 mg, 150 mg, 200 mg, 50 mg TABLET MO	1	QL(60 per 30 days)
<i>lacosamide</i> 200 mg/20 ml SOLUTION MO	1	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET DL	4	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE DL	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING DL	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK DL	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK MO	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. DL	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK MO	3	
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK MO	3	
lamotrigine 100 mg, 200 mg TABLET MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. MO	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING MO	1	
lamotrigine 150 mg, 25 mg TABLET MO	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK MO	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE MO	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET MO	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION MO	1	
levetiracetam 500 mg TABLET MO	1	
levetiracetam 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION MO	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK MO	1	
methsuximide 300 mg CAPSULE MO	1	
MYSOLINE 250 MG, 50 MG TABLET DL	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	3	QL(10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML SOLUTION MO	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE MO	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION DL	4	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET DL	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ONFI 2.5 MG/ML SUSPENSION DL	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET MO	1	
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION MO	1	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR. DL	4	ST
pentobarbital sodium 50 mg/ml SOLUTION MO	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET MO	1	QL(90 per 30 days)
phenobarbital 15 mg, 60 mg TABLET MO	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR MO	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET MO	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION DL	4	
PHENYTEK 200 MG, 300 MG CAPSULE MO	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION MO	1	
phenytoin 50 mg CHEWABLE TABLET MO	1	
phenytoin sodium 50 mg/ml SOLUTION MO	1	
phenytoin sodium 50 mg/ml SYRINGE MO	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE MO	1	
primidone 125 mg, 250 mg TABLET MO	1	
primidone 50 mg TABLET MO	1	
roweepra 1,000 mg, 500 mg, 750 mg TABLET MO	1	
roweepra xr 500 mg TABLET, ER 24 HR. MO	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
rufinamide 200 mg TABLET MO	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION MO	1	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET MO	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET DL	4	PA,QL(180 per 30 days)
SECONAL SODIUM 100 MG CAPSULE DL	4	QL(90 per 30 days)
SEZABY 100 MG RECON SOLUTION DL	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION MO	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION MO	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION MO	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION MO	3	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK MO	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK MO	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK MO	1	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM DL	4	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION MO	3	
TEGRETOL 200 MG TABLET MO	3	
TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. MO	3	QL(120 per 30 days)
TEGRETOL XR 400 MG TABLET, ER 12 HR. MO	3	QL(225 per 30 days)
tiagabine 12 mg, 16 mg, 2 mg, 4 mg TABLET MO	1	
TRILEPTAL 150 MG TABLET MO	3	PA
TRILEPTAL 300 MG, 600 MG TABLET DL	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION DL	4	PA
valproate sodium 500 mg/5 ml (100 mg/ml) SOLUTION MO	1	
valproic acid 250 mg CAPSULE MO	1	
valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) SOLUTION MO	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL DL	4	QL(10 per 30 days)
vigabatrin 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigabatrin 500 mg TABLET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
vigadrone 500 mg TABLET DL	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION DL	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION DL	4	PA
VIMPAT 50 MG TABLET MO	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 50 MG TABLET DL	4	QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET DL	4	QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET DL	4	QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK MO	3	QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK DL	4	QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZARONTIN 250 MG/5 ML SOLUTION MO	1	
ZONEGRAN 100 MG, 25 MG CAPSULE DL	4	PA
ZONISADE 100 MG/5 ML SUSPENSION MO	3	PA,QL(900 per 30 days)
zonisamide 100 mg, 25 mg, 50 mg CAPSULE MO	1	
ZTALMY 50 MG/ML SUSPENSION DL	4	PA,QL(1080 per 30 days)
ANTIDEMENTIA AGENTS		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY MO	3	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET MO	3	PA,QL(60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
donepezil 10 mg TABLET MO	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
donepezil 23 mg TABLET MO	1	QL(30 per 30 days)
donepezil 5 mg TABLET MO	1	QL(30 per 30 days)
ergoloid 1 mg TABLET MO	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET MO	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. MO	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION MO	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET MO	1	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. MO	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION MO	1	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK MO	1	PA,QL(98 per 30 days)
NAMENDA 10 MG, 5 MG TABLET MO	3	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK MO	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. MO	2	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. MO	2	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. MO	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE MO	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE MO	1	QL(60 per 30 days)
ANTIDEPRESSANTS		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET MO	1	
amitriptyline 25 mg TABLET MO	1	
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET DL	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET MO	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE DL	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC MO	3	PA,QL(60 per 30 days)
BRISDELLE 7.5 MG CAPSULE MO	3	QL(30 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. MO	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET MO	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. MO	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. MO	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET MO	3	PA,QL(60 per 30 days)
citalopram 10 mg, 40 mg TABLET MO	1	QL(30 per 30 days)
citalopram 10 mg/5 ml SOLUTION MO	1	
citalopram 20 mg TABLET MO	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE MO	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE MO	1	
CYMBALTA 20 MG CAPSULE, DR/EC MO	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC MO	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET MO	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE MO	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
duloxetine 20 mg CAPSULE, DR/EC MO	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC MO	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. MO	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
escitalopram oxalate 10 mg TABLET MO	1	QL(45 per 30 days)
escitalopram oxalate 20 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
escitalopram oxalate 5 mg/5 ml SOLUTION MO	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. MO	3	PA,QL(28 per 28 days)
fluoxetine 10 mg CAPSULE MO	1	QL(60 per 30 days)
fluoxetine 10 mg TABLET MO	1	QL(240 per 30 days)
fluoxetine 20 mg CAPSULE MO	1	QL(120 per 30 days)
fluoxetine 20 mg TABLET MO	1	QL(120 per 30 days)
fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION MO	1	
fluoxetine 40 mg CAPSULE MO	1	QL(60 per 30 days)
fluoxetine 60 mg TABLET MO	1	QL(30 per 30 days)
fluoxetine 90 mg CAPSULE, DR/EC MO	1	QL(4 per 28 days)
fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
fluvoxamine 100 mg, 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
imipramine hcl 10 mg TABLET MO	1	
imipramine hcl 25 mg, 50 mg TABLET MO	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE MO	1	
LEXAPRO 10 MG TABLET MO	3	PA,QL(45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET MO	3	
mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
mirtazapine 15 mg, 30 mg, 7.5 mg TABLET MO	1	
mirtazapine 45 mg TABLET MO	1	
NARDIL 15 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET</i> MO	1	
NORPRAMIN 10 MG, 25 MG TABLET MO	3	
<i>nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE</i> MO	1	
<i>nortriptyline 10 mg/5 ml SOLUTION</i> MO	1	
<i>olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE</i> MO	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE DL	4	
PARNATE 10 MG TABLET DL	4	
<i>paroxetine hcl 10 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>paroxetine hcl 10 mg/5 ml SUSPENSION</i> MO	1	
<i>paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR.</i> MO	1	QL(60 per 30 days)
<i>paroxetine hcl 20 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>paroxetine hcl 25 mg TABLET, ER 24 HR.</i> MO	1	QL(90 per 30 days)
<i>paroxetine hcl 30 mg, 40 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>paroxetine mesylate(menop.sym) 7.5 mg CAPSULE</i> MO	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET MO	3	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION MO	3	PA
PAXIL 30 MG, 40 MG TABLET MO	3	QL(60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. MO	3	QL(90 per 30 days)
<i>perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET</i> MO	1	
PEXEVA 10 MG, 20 MG TABLET MO	3	QL(30 per 30 days)
PEXEVA 30 MG, 40 MG TABLET MO	3	QL(60 per 30 days)
<i>phenelzine 15 mg TABLET</i> MO	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
<i>protriptyline 10 mg, 5 mg TABLET</i> MO	1	
PROZAC 10 MG, 40 MG CAPSULE DL	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET MO	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
<i>sertraline 100 mg TABLET</i> MO	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE MO	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sertraline 20 mg/ml CONCENTRATE MO	1	
sertraline 25 mg, 50 mg TABLET MO	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE MO	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET MO	1	
trazodone 100 mg, 150 mg, 50 mg TABLET MO	1	
trazodone 300 mg TABLET MO	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE MO	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET MO	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET MO	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. MO	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)
VIIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK MO	3	PA,QL(30 per 30 days)
VIIIBRYD 10 MG, 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET MO	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. MO	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. MO	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. MO	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET MO	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE MO	3	PA
ZOLOFT 25 MG, 50 MG TABLET MO	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION DL	4	PA,QL(100 per 365 days)
ANTIEMETICS		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION DL	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION DL	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE DL	4	PA
ANTIVERT 25 MG CHEWABLE TABLET MO	3	
ANTIVERT 50 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANZEMET 50 MG TABLET MO	3	BvsD,QL(4 per 28 days)
APONVIE 7.2 MG/ML EMULSION MO	3	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK MO	1	BvsD
aprepitant 125 mg, 40 mg CAPSULE MO	1	BvsD,QL(2 per 28 days)
aprepitant 80 mg CAPSULE MO	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO	3	QL(60 per 30 days)
COMPAZINE 10 MG, 5 MG TABLET MO	3	BvsD
COMPAZINE 25 MG SUPPOSITORY MO	1	
compro 25 mg SUPPOSITORY MO	1	
DICLEGIS 10-10 MG TABLET, DR/EC MO	3	QL(120 per 30 days)
dimenhydrinate 50 mg/ml SOLUTION MO	1	
doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC MO	1	QL(120 per 30 days)
dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE MO	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE MO	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO	3	PA
fosaprepitant 150 mg RECON SOLUTION MO	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION MO	1	
granisetron hcl 1 mg TABLET MO	1	BvsD,QL(28 per 28 days)
granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION MO	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
meclizine 12.5 mg TABLET MO	1	
meclizine 25 mg TABLET MO	1	
meclizine 50 mg TABLET MO	3	
metoclopramide hcl 10 mg TABLET, DISINTEGRATING MO	1	QL(180 per 30 days)
metoclopramide hcl 10 mg, 5 mg TABLET MO	1	
metoclopramide hcl 5 mg TABLET, DISINTEGRATING MO	1	QL(360 per 30 days)
metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION MO	1	
metoclopramide hcl 5 mg/ml SYRINGE MO	1	
ondansetron 4 mg TABLET, DISINTEGRATING MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ondansetron 8 mg TABLET, DISINTEGRATING MO	1	BvsD
ondansetron hcl 2 mg/ml SOLUTION MO	1	
ondansetron hcl 4 mg TABLET MO	1	BvsD
ondansetron hcl 4 mg/5 ml SOLUTION MO	1	BvsD,QL(450 per 30 days)
ondansetron hcl 8 mg TABLET MO	1	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION MO	1	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE MO	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION MO	1	
prochlorperazine 25 mg SUPPOSITORY MO	1	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION MO	1	
prochlorperazine maleate 10 mg, 5 mg TABLET MO	1	BvsD
promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO	1	
promethazine 12.5 mg, 50 mg TABLET MO	1	
promethazine 25 mg TABLET MO	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION MO	1	
promethazine 6.25 mg/5 ml SYRUP MO	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY MO	1	
REGLAN 10 MG, 5 MG TABLET MO	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY DL	4	QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY MO	1	QL(10 per 30 days)
SYNDROS 5 MG/ML SOLUTION DL	4	PA
TIGAN 100 MG/ML SOLUTION MO	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY MO	3	QL(10 per 30 days)
trimethobenzamide 300 mg CAPSULE MO	1	BvsD
VARUBI 90 MG TABLET DL	4	PA
ZOFRAN 4 MG TABLET DL	4	BvsD
ANTIFUNGALS		
ABELCET 5 MG/ML SUSPENSION MO	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION DL	4	BvsD
amphotericin b 50 mg RECON SOLUTION MO	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION DL	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE MO	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>caspofungin 50 mg RECON SOLUTION</i> DL,HI	4	
<i>caspofungin 70 mg RECON SOLUTION</i> HI,MO	1	
<i>ciclodan 8 % SOLUTION</i> MO	1	QL(13.2 per 30 days)
<i>ciclopirox 0.77 % CREAM</i> MO	1	QL(90 per 30 days)
<i>ciclopirox 0.77 % GEL</i> MO	1	QL(100 per 30 days)
<i>ciclopirox 0.77 % SUSPENSION</i> MO	1	QL(60 per 30 days)
<i>ciclopirox 1 % SHAMPOO</i> MO	1	QL(120 per 30 days)
<i>ciclopirox 8 % SOLUTION</i> MO	1	QL(13.2 per 30 days)
<i>clotrimazole 1 % CREAM</i> MO	1	
<i>clotrimazole 1 % SOLUTION</i> MO	1	
<i>clotrimazole 10 mg TROCHE</i> MO	1	
<i>clotrimazole-betamethasone 1-0.05 % CREAM</i> MO	1	QL(180 per 30 days)
<i>clotrimazole-betamethasone 1-0.05 % LOTION</i> MO	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE DL	4	PA
CRESEMBA 372 MG RECON SOLUTION DL	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET MO	3	PA
<i>econazole 1 % CREAM</i> MO	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION DL	4	
ERTACZO 2 % CREAM DL	4	QL(60 per 30 days)
EXELDERM 1 % CREAM MO	3	
EXELDERM 1 % SOLUTION MO	3	QL(60 per 30 days)
EXTINA 2 % FOAM MO	3	QL(100 per 30 days)
<i>fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION</i> MO	1	
<i>fluconazole 100 mg, 200 mg, 50 mg TABLET</i> MO	1	
<i>fluconazole 150 mg TABLET</i> MO	1	
<i>fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK</i> HI,MO	1	
<i>flucytosine 250 mg, 500 mg CAPSULE</i> DL	4	
<i>griseofulvin microsize 125 mg/5 ml SUSPENSION</i> MO	1	
<i>griseofulvin microsize 500 mg TABLET</i> MO	1	
<i>griseofulvin ultramicrosize 125 mg, 250 mg TABLET</i> MO	1	
<i>gynazole-1 2 % CREAM</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>itraconazole 10 mg/ml SOLUTION</i> MO	1	
<i>itraconazole 100 mg CAPSULE</i> MO	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR DL	4	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR MO	3	PA,QL(10 per 30 days)
<i>ketoconazole 2 % CREAM</i> MO	1	QL(60 per 30 days)
<i>ketoconazole 2 % FOAM</i> MO	1	QL(100 per 30 days)
<i>ketoconazole 2 % SHAMPOO</i> MO	1	QL(120 per 30 days)
<i>ketoconazole 200 mg TABLET</i> MO	1	PA
<i>ketodan 2 % FOAM</i> MO	1	QL(100 per 30 days)
LOPROX 1 % SHAMPOO MO	3	PA,QL(120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % CREAM MO	3	PA,QL(90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % SUSPENSION MO	3	PA,QL(60 per 30 days)
<i>luliconazole 1 % CREAM</i> MO	1	ST,QL(60 per 28 days)
LUZU 1 % CREAM MO	3	ST,QL(60 per 28 days)
MENTAX 1 % CREAM MO	3	QL(30 per 30 days)
<i>miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT</i> MO	1	
<i>miconazole-3 200 mg SUPPOSITORY</i> MO	1	
MYCAMINE 100 MG, 50 MG RECON SOLUTION DL	4	
<i>naftifine 1 % CREAM</i> MO	1	ST,QL(90 per 30 days)
<i>naftifine 1 % GEL</i> MO	1	ST,QL(90 per 30 days)
<i>naftifine 2 % CREAM</i> MO	1	ST,QL(120 per 30 days)
<i>naftifine 2 % GEL</i> MO	1	ST,QL(120 per 30 days)
NAFTIN 1 % GEL MO	3	ST,QL(90 per 30 days)
NAFTIN 2 % GEL MO	3	ST,QL(120 per 30 days)
NOXAFIL 100 MG TABLET, DR/EC DL	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION DL	4	PA,QL(840 per 28 days)
NOXAFIL 300 MG SUSPENSION, DR FOR RECON DL	4	PA,QL(32 per 30 days)
NOXAFIL 300 MG/16.7 ML SOLUTION DL	4	PA
<i>nyamyc 100,000 unit/gram POWDER</i> MO	1	PA
<i>nystatin 100,000 unit/gram CREAM</i> MO	1	
<i>nystatin 100,000 unit/gram OINTMENT</i> MO	1	
<i>nystatin 100,000 unit/gram POWDER</i> MO	1	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nystatin 100,000 unit/ml SUSPENSION</i> MO	1	
<i>nystatin 500,000 unit TABLET</i> MO	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM</i> MO	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT</i> MO	1	
<i>nystop 100,000 unit/gram POWDER</i> MO	1	PA
<i>oxiconazole 1 % CREAM</i> MO	1	PA,QL(60 per 30 days)
OXISTAT 1 % CREAM MO	3	QL(60 per 30 days)
OXISTAT 1 % LOTION MO	3	PA
<i>posaconazole 100 mg TABLET, DR/EC</i> DL	4	PA
<i>posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION</i> DL	4	PA,QL(840 per 28 days)
<i>posaconazole 300 mg/16.7 ml SOLUTION</i> DL	4	PA
REZZAYO 200 MG RECON SOLUTION DL	4	PA
SPORANOX 10 MG/ML SOLUTION DL	4	
SPORANOX 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE MO	3	PA,QL(120 per 30 days)
<i>tavaborole 5 % SOLUTION W/APPLICATOR</i> MO	1	PA,QL(10 per 30 days)
<i>terbinafine hcl 250 mg TABLET</i> MO	1	
<i>terconazole 0.4 %, 0.8 % CREAM</i> MO	1	
<i>terconazole 80 mg SUPPOSITORY</i> MO	1	
TOLSURA 65 MG CAPSULE, SOLID DISPERSION DL	4	PA,QL(120 per 30 days)
VFEND 200 MG, 50 MG TABLET MO	3	PA,QL(120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(400 per 30 days)
VFEND IV 200 MG RECON SOLUTION MO	3	PA
VIVJOA 150 MG CAPSULE MO	3	PA
<i>voriconazole 200 mg RECON SOLUTION</i> HI,MO	1	PA
<i>voriconazole 200 mg, 50 mg TABLET</i> MO	1	PA,QL(120 per 30 days)
<i>voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION</i> DL	4	PA,QL(400 per 30 days)
VUSION 0.25-15-81.35 % OINTMENT MO	3	
XOLEGEL 2 % GEL MO	3	
ANTIGOUT AGENTS		
<i>allopurinol 100 mg, 300 mg TABLET</i> MO	1	
<i>allopurinol 200 mg TABLET</i> MO	3	
<i>allopurinol sodium 500 mg RECON SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALOPRIM 500 MG RECON SOLUTION MO	3	
<i>colchicine (gout) 0.6 mg TABLET</i> MO	2	QL(120 per 30 days)
DUZALLO 200-200 MG, 200-300 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>febuxostat 40 mg, 80 mg TABLET</i> MO	1	ST,QL(30 per 30 days)
GLOPERBA 0.6 MG/5 ML SOLUTION MO	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE MO	2	
<i>probenecid 500 mg TABLET</i> MO	1	
<i>probenecid-colchicine 500-0.5 mg TABLET</i> MO	1	
ULORIC 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET MO	3	
ANTIMIGRAINE AGENTS		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR MO	3	PA,QL(1 per 30 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR MO	3	PA,QL(2 per 30 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR MO	3	PA,QL(1.5 per 30 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE MO	3	PA,QL(1.5 per 30 days)
<i>almotriptan malate 12.5 mg, 6.25 mg TABLET</i> MO	1	ST,QL(9 per 30 days)
AMERGE 1 MG, 2.5 MG TABLET MO	3	PA,QL(9 per 30 days)
CAFERGOT 1-100 MG TABLET MO	1	PA,QL(40 per 30 days)
D.H.E.45 1 MG/ML SOLUTION DL	4	
<i>dihydroergotamine 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL</i> DL	4	PA,QL(8 per 30 days)
<i>dihydroergotamine 1 mg/ml SOLUTION</i> DL	4	PA
<i>eletriptan 20 mg, 40 mg TABLET</i> MO	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE MO	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE MO	3	PA,QL(3 per 30 days)
EPRONTIA 25 MG/ML SOLUTION MO	3	PA,QL(480 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET DL	4	QL(20 per 28 days)
<i>ergotamine-caffeine 1-100 mg TABLET</i> MO	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET DL	4	ST,QL(12 per 30 days)
<i>frovatriptan 2.5 mg TABLET</i> MO	1	ST,QL(12 per 30 days)
IMITREX 100 MG TABLET DL	4	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(12 per 30 days)
IMITREX 25 MG, 50 MG TABLET MO	3	PA,QL(9 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IMITREX 6 MG/0.5 ML SOLUTION DL	4	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR MO	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE DL	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET MO	3	PA,QL(12 per 30 days)
MAXALT-MLT 10 MG TABLET, DISINTEGRATING MO	3	PA,QL(12 per 30 days)
<i>migergot</i> 2-100 mg SUPPOSITORY DL	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	QL(8 per 30 days)
<i>naratriptan</i> 1 mg, 2.5 mg TABLET MO	1	QL(9 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(16 per 30 days)
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. DL	4	PA,QL(90 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)
RELPAX 20 MG, 40 MG TABLET DL	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET MO	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET MO	3	PA,QL(4 per 30 days)
<i>rizatriptan</i> 10 mg TABLET MO	1	QL(12 per 30 days)
<i>rizatriptan</i> 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(12 per 30 days)
<i>rizatriptan</i> 5 mg TABLET MO	1	QL(12 per 30 days)
<i>sumatriptan</i> 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL MO	1	QL(12 per 30 days)
<i>sumatriptan succinate</i> 100 mg TABLET MO	1	QL(9 per 30 days)
<i>sumatriptan succinate</i> 25 mg, 50 mg TABLET MO	1	QL(9 per 30 days)
<i>sumatriptan succinate</i> 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE MO	3	QL(6 per 30 days)
<i>sumatriptan succinate</i> 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR MO	1	QL(6 per 30 days)
<i>sumatriptan succinate</i> 6 mg/0.5 ml SOLUTION MO	1	QL(6 per 30 days)
<i>sumatriptan succinate</i> 6 mg/0.5 ml SYRINGE MO	1	QL(6 per 30 days)
<i>sumatriptan-naproxen</i> 85-500 mg TABLET MO	1	ST,QL(18 per 30 days)
TOPAMAX 100 MG, 200 MG, 50 MG TABLET DL	4	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE DL	4	
TOPAMAX 25 MG TABLET MO	3	QL(90 per 30 days)
<i>topiramate</i> 100 mg, 200 mg TABLET MO	1	QL(120 per 30 days)
<i>topiramate</i> 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(30 per 30 days)
<i>topiramate</i> 100 mg, 50 mg CAPSULE, ER 24 HR. MO	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
topiramate 15 mg, 25 mg CAPSULE, SPRINKLE MO	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. MO	3	PA,QL(90 per 30 days)
topiramate 25 mg CAPSULE, ER 24 HR. MO	1	PA,QL(90 per 30 days)
topiramate 25 mg TABLET MO	1	QL(90 per 30 days)
topiramate 50 mg TABLET MO	1	QL(120 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET DL	4	ST,QL(18 per 30 days)
TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. DL	4	PA,QL(90 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
VYEPTI 100 MG/ML SOLUTION MO	3	PA,QL(3 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR DL	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING MO	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL MO	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET MO	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET DL	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG TABLET DL	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL MO	3	ST,QL(12 per 30 days)
ZOMIG 5 MG TABLET DL	4	ST,QL(6 per 30 days)
zomia 5 mg TABLET DL	4	ST,QL(6 per 30 days)
ANTIMYASTHENIC AGENTS		
MESTINON 60 MG TABLET DL	4	PA
MESTINON 60 MG/5 ML SYRUP DL	4	
MESTINON TIMESPAN 180 MG TABLET ER DL	4	PA
pyridostigmine bromide 180 mg TABLET ER MO	1	
pyridostigmine bromide 30 mg, 60 mg TABLET MO	1	
pyridostigmine bromide 60 mg/5 ml SYRUP MO	1	
REGONOL 5 MG/ML SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANTIMYCOBACTERIALS		
<i>cycloserine 250 mg CAPSULE</i> DL	4	
<i>dapsone 100 mg, 25 mg TABLET</i> MO	1	
<i>ethambutol 100 mg, 400 mg TABLET</i> MO	1	
<i>isoniazid 100 mg, 300 mg TABLET</i> MO	1	
<i>isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION</i> MO	1	
MYAMBUTOL 400 MG TABLET MO	3	
MYCOBUTIN 150 MG CAPSULE MO	3	
PASER 4 GRAM DR GRANULES IN PACKET MO	1	
PRETOMANID 200 MG TABLET MO	3	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET MO	3	
<i>pyrazinamide 500 mg TABLET</i> MO	1	
<i>rifabutin 150 mg CAPSULE</i> MO	1	
RIFADIN 600 MG RECON SOLUTION MO	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> MO	1	
<i>rifampin 600 mg RECON SOLUTION</i> MO	1	
SIRTURO 100 MG, 20 MG TABLET DL	4	PA
TRECTOR 250 MG TABLET MO	3	
ANTINEOPLASTICS		
<i>abiraterone 250 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
ADCETRIS 50 MG RECON SOLUTION DL	4	PA
<i>adriamycin 10 mg RECON SOLUTION</i> MO	1	BvsD
<i>adriamycin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION</i> MO	1	BvsD
ADRIAMYCIN 50 MG RECON SOLUTION MO	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> MO	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET DL	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION DL	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET DL	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE DL	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION DL	4	PA
ALIQOPA 60 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALKERAN 2 MG TABLET MO	3	BvsD
ALKERAN (AS HCL) 50 MG RECON SOLUTION MO	3	
ALUNBRIG 180 MG, 90 MG TABLET DL	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET DL	4	PA,QL(180 per 30 days)
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK DL	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION DL	4	PA
<i>anastrozole 1 mg TABLET MO</i>	1	QL(30 per 30 days)
ARIMIDEX 1 MG TABLET DL	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET DL	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION DL	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION DL</i>	4	PA
ASPARLAS 750 UNIT/ML SOLUTION DL	4	PA
AVASTIN 25 MG/ML SOLUTION DL	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION DL</i>	4	PA
BALVERSA 3 MG TABLET DL	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET DL	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET DL	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION DL	4	PA
BELEODAQ 500 MG RECON SOLUTION DL	4	PA
BELRAPZO 25 MG/ML SOLUTION DL	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION DL</i>	4	PA
<i>bendamustine 25 mg/ml SOLUTION DL</i>	4	PA
BENDEKA 25 MG/ML SOLUTION DL	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION DL	4	PA
<i>bexarotene 1 % GEL DL</i>	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE DL</i>	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET MO</i>	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION MO	3	
<i>bleomycin 15 unit, 30 unit RECON SOLUTION MO</i>	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION DL	4	PA
<i>bortezomib 3.5 mg RECON SOLUTION DL</i>	4	PA
BOSULIF 100 MG TABLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BOSULIF 400 MG, 500 MG TABLET DL	4	PA,QL(30 per 30 days)
BRAFTOVI 75 MG CAPSULE DL	4	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i> MO	1	
BUSULFEX 60 MG/10 ML SOLUTION MO	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET DL	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION DL	4	
CAPRELSA 100 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i> MO	1	
<i>carmustine 100 mg RECON SOLUTION</i> MO	1	
CASODEX 50 MG TABLET DL	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i> MO	1	
<i>cladribine 10 mg/10 ml SOLUTION</i> DL	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION</i> DL	4	
CLOLAR 1 MG/ML SOLUTION DL	4	
COLUMVI 1 MG/ML SOLUTION DL	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE DL	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE DL	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE DL	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE DL	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION DL	4	
COTELLIC 20 MG TABLET DL	4	PA,QL(63 per 28 days)
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i> MO	1	BvsD
CYCLOPHOSPHAMIDE 200 MG/ML SOLUTION MO	1	BvsD
<i>cyclophosphamide 200 mg/ml, 500 mg/ml SOLUTION</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> MO	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i> MO	1	BvsD
CYRAMZA 10 MG/ML SOLUTION DL	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i> MO	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION MO	1	BvsD
dacarbazine 100 mg, 200 mg RECON SOLUTION MO	1	
DACOGEN 50 MG RECON SOLUTION DL	4	PA
dactinomycin 0.5 mg RECON SOLUTION DL	4	
DANYELZA 4 MG/ML SOLUTION DL	4	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION DL	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION DL	4	PA
daunorubicin 5 mg/ml SOLUTION MO	1	
DAURISMO 100 MG TABLET DL	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET DL	4	PA,QL(60 per 30 days)
decitabine 50 mg RECON SOLUTION DL	4	PA
dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION MO	1	
DOCEFREZ 20 MG RECON SOLUTION MO	3	
DOCEFREZ 80 MG RECON SOLUTION DL	4	
docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION MO	1	
DOXIL 2 MG/ML SUSPENSION DL	4	PA
doxorubicin 10 mg, 50 mg RECON SOLUTION MO	1	BvsD
doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION MO	1	BvsD
doxorubicin, peg-liposomal 2 mg/ml SUSPENSION DL	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION DL	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION DL	4	
ELREXFIO 40 MG/ML SOLUTION DL	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION DL	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE MO	3	
EMPLICITI 300 MG, 400 MG RECON SOLUTION DL	4	PA
ENHERTU 100 MG RECON SOLUTION DL	4	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION MO	1	
epirubicin 50 mg RECON SOLUTION MO	3	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION DL	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION DL	4	PA
ERIVEDGE 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ERLEADA 240 MG TABLET DL	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET DL	4	PA,QL(120 per 30 days)
erlotinib 100 mg, 150 mg TABLET MO	1	PA,QL(30 per 30 days)
erlotinib 25 mg TABLET MO	1	PA,QL(90 per 30 days)
ETHYOL 500 MG RECON SOLUTION DL	4	
ETOPOPHOS 100 MG RECON SOLUTION MO	3	
etoposide 20 mg/ml SOLUTION MO	1	
EULEXIN 125 MG CAPSULE DL	4	PA
everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET DL	4	PA,QL(30 per 30 days)
everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION DL	4	PA
EVOMELA 50 MG RECON SOLUTION DL	4	
exemestane 25 mg TABLET MO	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET DL	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE DL	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET MO	3	PA,QL(30 per 30 days)
flouxuridine 0.5 gram RECON SOLUTION MO	1	BvsD
fludarabine 50 mg RECON SOLUTION MO	1	
fludarabine 50 mg/2 ml SOLUTION DL	4	
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION MO	1	BvsD
flutamide 125 mg CAPSULE MO	1	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION DL	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE DL	4	PA,QL(21 per 28 days)
fulvestrant 250 mg/5 ml SYRINGE MO	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION DL	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION DL	4	PA
GAVRETO 100 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION DL	4	PA,QL(120 per 28 days)
gefitinib 250 mg TABLET DL	4	PA,QL(30 per 30 days)
gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION MO	1	
gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GILOTRIF 20 MG, 30 MG, 40 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET DL	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET DL	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG, 40 MG CAPSULE	4	PA
GLEOSTINE 100 MG CAPSULE DL	4	PA
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION DL	4	
HERCEPTIN 150 MG, 420 MG RECON SOLUTION DL	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION DL	4	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION DL	4	PA
HYCANTIN 4 MG RECON SOLUTION DL	4	
HYDREA 500 MG CAPSULE MO	3	
<i>hydroxyurea 500 mg CAPSULE MO</i>	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE DL	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET DL	4	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET DL	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION DL	4	
<i>idarubicin 1 mg/ml SOLUTION DL</i>	4	
IDHIFA 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION MO	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION MO</i>	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION MO</i>	1	
<i>imatinib 100 mg TABLET DL</i>	4	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET DL</i>	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE DL	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION DL	4	PA
IMFINZI 50 MG/ML SOLUTION DL	4	PA
IMJUDO 20 MG/ML SOLUTION DL	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION DL	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK DL	4	
INLYTA 1 MG TABLET DL	4	PA,QL(180 per 30 days)
INLYTA 5 MG TABLET DL	4	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET DL	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET DL	4	PA,QL(30 per 30 days)
ir inotecan 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION MO	1	
ISTODAX 10 MG/2 ML RECON SOLUTION DL	4	PA
IXEMPRA 15 MG, 45 MG RECON SOLUTION DL	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET DL	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION DL	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION DL	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION DL	4	PA
KEYTRUDA 25 MG/ML SOLUTION DL	4	PA
KHAPZORY 175 MG, 300 MG RECON SOLUTION DL	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION DL	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET DL	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET DL	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET DL	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET DL	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET DL	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE DL	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE DL	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET DL	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KYPROLIS 60 MG RECON SOLUTION DL	4	PA,QL(12 per 28 days)
<i>lapatinib 250 mg TABLET DL</i>	4	PA,QL(180 per 30 days)
<i>lenalidomide 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE DL</i>	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE DL	4	PA,QL(30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE DL	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE DL	4	PA,QL(60 per 30 days)
<i>letrozole 2.5 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET MO</i>	1	
<i>leucovorin calcium 10 mg/ml SOLUTION MO</i>	1	
<i>leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION MO</i>	1	
LEUKERAN 2 MG TABLET DL	4	
<i>levoleucovorin calcium 10 mg/ml SOLUTION MO</i>	1	PA
<i>levoleucovorin calcium 50 mg RECON SOLUTION MO</i>	1	PA
LEVULAN 20 % SOLUTION MO	3	
LIBTAYO 50 MG/ML SOLUTION DL	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET DL	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET DL	4	PA,QL(80 per 30 days)
LORBRENA 100 MG TABLET DL	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET DL	4	PA,QL(240 per 30 days)
LUMAKRAS 320 MG TABLET DL	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION DL	4	PA
LYNPARZA 100 MG, 150 MG TABLET DL	4	PA,QL(120 per 30 days)
LYTGOBI 4 MG TABLET DL	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION DL	4	PA
MATULANE 50 MG CAPSULE DL	4	
MEKINIST 0.05 MG/ML RECON SOLUTION DL	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET DL	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET DL	4	PA,QL(180 per 30 days)
<i>melphalan 2 mg TABLET MO</i>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>melphalan hcl 50 mg RECON SOLUTION</i> MO	1	
<i>mercaptopurine 50 mg TABLET</i> MO	1	
<i>mesna 100 mg/ml SOLUTION</i> MO	1	
MESNEX 100 MG/ML SOLUTION DL	4	
MESNEX 400 MG TABLET MO	3	
<i>mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION</i> DL	4	
<i>mitoxantrone 2 mg/ml CONCENTRATE</i> MO	1	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION DL	4	
MVASI 25 MG/ML SOLUTION DL	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION DL	4	PA
<i>nelarabine 250 mg/50 ml SOLUTION</i> DL	4	
NERLYNX 40 MG TABLET DL	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET DL	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>nilutamide 150 mg TABLET</i> DL	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION DL	4	
NUBEQA 300 MG TABLET DL	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE DL	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION DL	4	PA
ONCASPAR 750 UNIT/ML SOLUTION DL	4	PA
ONIVYDE 4.3 MG/ML DISPERSION DL	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION DL	4	PA
ONUREG 200 MG, 300 MG TABLET DL	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION DL	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION DL	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION DL	4	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION DL	4	PA,QL(40 per 28 days)
ORSERDU 345 MG TABLET DL	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET DL	4	PA,QL(90 per 30 days)
<i>oxaliplatin 100 mg, 50 mg RECON SOLUTION</i> MO	1	
<i>oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION</i> MO	1	
<i>paclitaxel 6 mg/ml CONCENTRATE</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION</i> DL	4	PA
PADCEV 20 MG RECON SOLUTION DL	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION DL	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL DL	4	PA
<i>paraplatin 10 mg/ml SOLUTION</i> MO	1	
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION</i> DL	4	PA
<i>pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION</i> DL	4	PA
<i>pemetrexed disodium 25 mg/ml SOLUTION</i> DL	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION DL	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION DL	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION DL	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET DL	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET DL	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION DL	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION DL	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE DL	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION DL	4	PA,QL(100 per 21 days)
POTELIGE0 4 MG/ML SOLUTION DL	4	PA
PROLEUKIN 22 MILLION UNIT RECON SOLUTION DL	4	
PURIXAN 20 MG/ML SUSPENSION DL	4	QL(300 per 30 days)
QINLOCK 50 MG TABLET DL	4	PA,QL(90 per 30 days)
RETEVMO 40 MG CAPSULE DL	4	PA,QL(180 per 30 days)
RETEVMO 80 MG CAPSULE DL	4	PA,QL(120 per 30 days)
REZLIDHIA 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION DL	4	PA
RITUXAN 10 MG/ML CONCENTRATE DL	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION DL	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION DL	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> DL	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ROZLYTREK 100 MG CAPSULE DL	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET DL	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION DL	4	PA
RYBREVANT 50 MG/ML SOLUTION DL	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE DL	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION DL	4	PA
SARCLISA 20 MG/ML SOLUTION DL	4	PA
SCEMBLIX 20 MG TABLET DL	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET DL	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION DL	4	
<i>sorafenib 200 mg TABLET</i> DL	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET DL	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET DL	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET DL	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET DL	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> DL	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION DL	4	PA
TABLOID 40 MG TABLET MO	3	
TABRECTA 150 MG, 200 MG TABLET DL	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION DL	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE DL	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET DL	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION DL	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE DL	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE DL	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET</i> MO	1	
TARCEVA 100 MG, 150 MG TABLET DL	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET DL	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL DL	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE DL	4	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET DL	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION DL	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION DL	4	PA,QL(28 per 28 days)
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION DL	4	PA
TEMODAR 100 MG RECON SOLUTION DL	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION</i> DL	4	PA,QL(8 per 28 days)
<i>teniposide 50 mg/5 ml SOLUTION</i> MO	1	
TEPADINA 100 MG, 15 MG RECON SOLUTION DL	4	
TEPMETKO 225 MG TABLET DL	4	PA,QL(60 per 30 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE DL	4	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE DL	4	PA,QL(60 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> DL	4	
<i>thiotepa 15 mg RECON SOLUTION</i> MO	1	
TIBSOVO 250 MG TABLET DL	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION DL	4	PA,QL(5 per 21 days)
<i>toposar 20 mg/ml SOLUTION</i> MO	1	
<i>topotecan 4 mg RECON SOLUTION</i> MO	1	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i> MO	1	
<i>toremifene 60 mg TABLET</i> DL	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION DL	4	PA,QL(8 per 28 days)
TOTECT 500 MG RECON SOLUTION DL	4	
TRAZIMERA 150 MG, 420 MG RECON SOLUTION DL	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION DL	4	PA
<i>tretinoin (antineoplastic) 10 mg CAPSULE</i> DL	4	
TRISENOX 2 MG/ML SOLUTION DL	4	PA
TRODELVY 180 MG RECON SOLUTION DL	4	PA
TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE DL	4	PA,QL(21 per 28 days)
TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE DL	4	PA,QL(42 per 28 days)
TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE DL	4	PA,QL(63 per 28 days)
TRUXIMA 10 MG/ML SOLUTION DL	4	PA
TUKYSA 150 MG TABLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TUKYSA 50 MG TABLET DL	4	PA,QL(300 per 30 days)
TURALIO 125 MG, 200 MG CAPSULE DL,LA	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET DL	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION DL	4	PA
VALCHLOR 0.016 % GEL DL	4	PA,QL(60 per 28 days)
<i>valrubicin</i> 40 mg/ml SOLUTION DL	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION DL	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET DL	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION DL	4	PA
VEGZELMA 25 MG/ML SOLUTION DL	4	PA
VELCADE 3.5 MG RECON SOLUTION DL	4	PA
VENCLEXTA 10 MG TABLET MO	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET DL	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET MO	2	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK DL	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION DL	4	PA
<i>vinblastine</i> 1 mg/ml SOLUTION MO	1	BvsD
<i>vincasar pfs</i> 1 mg/ml, 2 mg/2 ml SOLUTION MO	1	BvsD
<i>vincristine</i> 1 mg/ml, 2 mg/2 ml SOLUTION MO	1	BvsD
<i>vinorelbine</i> 10 mg/ml, 50 mg/5 ml SOLUTION MO	1	
VISTOGARD 10 GRAM GRANULES IN PACKET DL	4	QL(20 per 365 days)
VITRAKVI 100 MG CAPSULE DL	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE DL	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET DL	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
VOTRIENT 200 MG TABLET DL	4	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION DL	4	PA
WELIREG 40 MG TABLET DL	4	PA,QL(90 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XOSPATA 40 MG TABLET DL	4	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET DL	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET DL	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET DL	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET DL	4	PA,QL(32 per 28 days)
XTANDI 40 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET DL	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET DL	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION DL	4	PA
YONDELIS 1 MG RECON SOLUTION DL	4	PA
YONSA 125 MG TABLET DL	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION DL	4	PA
ZANOSAR 1 GRAM RECON SOLUTION MO	3	
ZEJULA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET DL	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION DL	4	PA
ZIRABEV 25 MG/ML SOLUTION DL	4	PA
ZOLINZA 100 MG CAPSULE DL	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET DL	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION DL	4	PA
ZYNYZ 500 MG/20 ML SOLUTION DL	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET DL	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET DL	4	PA,QL(60 per 30 days)
ANTIPARASITICS		
<i>albendazole 200 mg TABLET MO</i>	1	
ALBENZA 200 MG TABLET DL	4	
<i>atovaquone 750 mg/5 ml SUSPENSION MO</i>	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET MO</i>	1	
<i>benznidazole 100 mg, 12.5 mg TABLET MO</i>	3	
BILTRICIDE 600 MG TABLET DL	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COARTEM 20-120 MG TABLET MO	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET DL	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET MO	3	
emverm 100 mg CHEWABLE TABLET DL	4	
hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET MO	1	
hydroxychloroquine 200 mg TABLET MO	1	
IMPAVIDO 50 MG CAPSULE DL	4	QL(84 per 28 days)
ivermectin 3 mg TABLET MO	1	
KRINTAFEL 150 MG TABLET MO	2	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET MO	3	
MALARONE 250-100 MG TABLET MO	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET MO	3	PA
mefloquine 250 mg TABLET MO	1	
MEPRON 750 MG/5 ML SUSPENSION DL	4	
NEBUPENT 300 MG RECON SOLUTION MO	3	BvsD
nitazoxanide 500 mg TABLET DL	4	
PENTAM 300 MG RECON SOLUTION MO	3	
pentamidine 300 mg RECON SOLUTION MO	1	BvsD
pentamidine 300 mg RECON SOLUTION MO	1	
PLAQUENIL 200 MG TABLET MO	3	PA
praziquantel 600 mg TABLET MO	1	
primaquine 26.3 mg TABLET MO	1	
pyrimethamine 25 mg TABLET DL	4	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE MO	3	PA,QL(42 per 7 days)
quinine sulfate 324 mg CAPSULE MO	1	PA,QL(42 per 7 days)
SKLICE 0.5 % LOTION MO	3	QL(117 per 30 days)
STROMEKTOL 3 MG TABLET MO	3	PA
ANTIPARKINSON AGENTS		
amantadine hcl 100 mg CAPSULE MO	1	
amantadine hcl 100 mg TABLET MO	1	
amantadine hcl 50 mg/5 ml SOLUTION MO	1	
APOKYN 10 MG/ML CARTRIDGE DL	4	PA,QL(84 per 28 days)
apomorphine 10 mg/ml CARTRIDGE DL	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZILECT 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
benztropine 0.5 mg, 1 mg, 2 mg TABLET MO	1	
benztropine 1 mg/ml SOLUTION MO	1	
bromocriptine 2.5 mg TABLET MO	1	
bromocriptine 5 mg CAPSULE MO	1	QL(600 per 30 days)
carbidopa 25 mg TABLET MO	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING MO	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg TABLET MO	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER MO	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET MO	1	QL(240 per 30 days)
carbidopa-levodopa-entacapone 50-200-200 mg TABLET MO	1	
COMTAN 200 MG TABLET MO	3	PA,QL(300 per 30 days)
DHIVY 25-100 MG TABLET MO	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION DL	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET MO	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE DL	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET DL	4	PA
MIRAPEX 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG TABLET MO	3	ST
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. MO	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET DL	4	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC MO	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET MO	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PARLODEL 5 MG CAPSULE MO	3	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET MO	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET MO	1	PA,QL(30 per 30 days)
ropinirole 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET MO	1	
ropinirole 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. MO	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG CAPSULE, ER MO	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER MO	3	ST,QL(270 per 30 days)
RYTARY 48.75-195 MG CAPSULE, ER MO	3	ST,QL(360 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER MO	3	ST,QL(300 per 30 days)
selegiline hcl 5 mg CAPSULE MO	1	
selegiline hcl 5 mg TABLET MO	1	
SINEMET 10-100 MG, 25-100 MG TABLET MO	3	PA
STALEVO 100 25-100-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 125 31.25-125-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 150 37.5-150-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 200 50-200-200 MG TABLET DL	4	PA
STALEVO 50 12.5-50-200 MG TABLET DL	4	PA,QL(240 per 30 days)
STALEVO 75 18.75-75-200 MG TABLET DL	4	PA,QL(240 per 30 days)
TASMAR 100 MG TABLET DL	4	PA
tolcapone 100 mg TABLET DL	4	PA
trihexyphenidyl 0.4 mg/ml ELIXIR MO	1	
trihexyphenidyl 2 mg, 5 mg TABLET MO	1	
XADAGO 100 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING DL	4	
ANTIPSYCHOTICS		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET MO	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON DL	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND PATCH DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE 30 MG TABLET WITH SENSOR AND PATCH DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD DL	4	PA,QL(30 per 30 days)
<i>aripiprazole 1 mg/ml SOLUTION</i> MO	1	QL(750 per 30 days)
<i>aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING</i> MO	1	QL(60 per 30 days)
<i>aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET</i> MO	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE DL	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE DL	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE DL	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE DL	4	QL(2.4 per 42 days)
<i>asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET</i> MO	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>chlorpromazine 10 mg, 25 mg TABLET</i> MO	1	BvsD
<i>chlorpromazine 100 mg, 200 mg, 50 mg TABLET</i> MO	1	
<i>chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE</i> MO	1	
<i>chlorpromazine 25 mg/ml SOLUTION</i> MO	1	
<i>clozapine 100 mg TABLET</i> MO	1	QL(270 per 30 days)
<i>clozapine 100 mg TABLET, DISINTEGRATING</i> MO	1	PA,QL(270 per 30 days)
<i>clozapine 12.5 mg TABLET, DISINTEGRATING</i> MO	1	PA
<i>clozapine 150 mg TABLET, DISINTEGRATING</i> MO	1	PA,QL(180 per 30 days)
<i>clozapine 200 mg TABLET</i> MO	1	QL(135 per 30 days)
<i>clozapine 200 mg TABLET, DISINTEGRATING</i> MO	1	PA,QL(135 per 30 days)
<i>clozapine 25 mg TABLET</i> MO	1	QL(1080 per 30 days)
<i>clozapine 25 mg TABLET, DISINTEGRATING</i> MO	1	PA,QL(1080 per 30 days)
<i>clozapine 50 mg TABLET</i> MO	1	
CLOZARIL 100 MG TABLET DL	4	QL(270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLOZARIL 200 MG TABLET DL	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET DL	4	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET DL	4	
droperidol 2.5 mg/ml SOLUTION MO	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET DL	4	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK MO	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION MO	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET MO	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR MO	1	
fluphenazine hcl 2.5 mg/ml SOLUTION MO	1	
fluphenazine hcl 5 mg/ml CONCENTRATE MO	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION MO	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION MO	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET MO	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION MO	1	
haloperidol lactate 2 mg/ml CONCENTRATE MO	1	
haloperidol lactate 5 mg/ml SOLUTION MO	1	
haloperidol lactate 5 mg/ml SYRINGE MO	1	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE DL	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE DL	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE MO	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET DL	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE MO	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET MO	1	QL(30 per 30 days)
lurasidone 80 mg TABLET MO	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET DL	4	PA,QL(30 per 30 days)
molindone 10 mg TABLET MO	1	PA,QL(240 per 30 days)
molindone 25 mg TABLET MO	1	PA,QL(270 per 30 days)
molindone 5 mg TABLET MO	1	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET DL	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE DL	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION MO	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET MO	1	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING MO	1	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING MO	1	QL(60 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET MO	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE DL	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET MO	1	
quetiapine 100 mg TABLET MO	1	QL(90 per 30 days)
quetiapine 150 mg TABLET MO	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. MO	1	QL(90 per 30 days)
quetiapine 200 mg TABLET MO	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET MO	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET MO	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET MO	3	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET MO	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG TABLET MO	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION DL	4	
RISPERDAL 3 MG, 4 MG TABLET DL	4	QL(60 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON MO	3	QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON DL	4	QL(2 per 28 days)
<i>risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING</i> MO	1	ST,QL(60 per 30 days)
<i>risperidone 0.5 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>risperidone 0.5 mg TABLET, DISINTEGRATING</i> MO	1	ST,QL(120 per 30 days)
<i>risperidone 1 mg/ml SOLUTION</i> MO	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET DL	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. DL	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET MO	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET MO	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET MO	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. MO	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. MO	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK MO	3	PA,QL(15 per 30 days)
<i>thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET</i> MO	1	
<i>thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE</i> MO	1	
<i>trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET</i> MO	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE DL	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION DL	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK MO	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE</i> MO	1	
<i>ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYPREXA 10 MG RECON SOLUTION MO	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET DL	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION MO	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION DL	4	QL(2 per 28 days)
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION DL	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING DL	4	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING DL	4	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING MO	3	QL(30 per 30 days)
ANTISPASTICITY AGENTS		
baclofen 10 mg TABLET MO	1	
baclofen 20 mg TABLET MO	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION DL	4	QL(480 per 30 days)
baclofen 5 mg TABLET MO	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION MO	3	
DANTRIUM 25 MG, 50 MG CAPSULE MO	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE MO	1	
dantrolene 20 mg RECON SOLUTION MO	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION DL	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET DL	4	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET MO	3	ST,QL(270 per 30 days)
revonto 20 mg RECON SOLUTION MO	1	
tizanidine 2 mg, 4 mg TABLET MO	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE MO	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE MO	3	ST
ZANAFLEX 4 MG TABLET MO	3	ST
ANTIVIRALS		
abacavir 20 mg/ml SOLUTION MO	1	QL(960 per 30 days)
abacavir 300 mg TABLET MO	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET MO	1	QL(30 per 30 days)
abacavir-lamivudine-zidovudine 300-150-300 mg TABLET DL	4	QL(60 per 30 days)
acyclovir 200 mg CAPSULE MO	1	
acyclovir 200 mg/5 ml SUSPENSION MO	1	
acyclovir 400 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
acyclovir 5 % CREAM MO	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT MO	1	PA,QL(30 per 30 days)
acyclovir 800 mg TABLET MO	1	
acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION MO	1	BvsD
acyclovir sodium 50 mg/ml SOLUTION MO	1	BvsD
adefovir 10 mg TABLET MO	1	
APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER DL	4	QL(21 per 365 days)
APTIVUS 250 MG CAPSULE DL	4	QL(120 per 30 days)
atazanavir 150 mg, 200 mg CAPSULE MO	1	QL(60 per 30 days)
atazanavir 300 mg CAPSULE MO	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET DL	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION MO	3	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET DL	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET DL	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML - 600 MG/2 ML, 600 MG/3 ML - 900 MG/3 ML SUSPENSION, ER DL	4	QL(50 per 365 days)
cidofovir 75 mg/ml SOLUTION DL	4	
CIMDUO 300-300 MG TABLET DL	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET DL	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET DL	4	QL(30 per 30 days)
darunavir ethanolate 600 mg TABLET DL	4	QL(60 per 30 days)
darunavir ethanolate 800 mg TABLET DL	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET DL	4	QL(30 per 30 days)
DENAVIR 1 % CREAM MO	3	PA
DESCOVY 120-15 MG TABLET DL	4	QL(30 per 30 days)
DESCOVY 200-25 MG TABLET DL	4	QL(30 per 30 days)
didanosine 250 mg, 400 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET DL	4	QL(30 per 30 days)
EDURANT 25 MG TABLET DL	4	QL(30 per 30 days)
efavirenz 200 mg CAPSULE MO	1	QL(120 per 30 days)
efavirenz 50 mg CAPSULE MO	1	QL(480 per 30 days)
efavirenz 600 mg TABLET MO	1	QL(30 per 30 days)
efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET DL	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>efavirenz-lamivu-tenofovir disoproxil fumarate</i> 400-300-300 mg, 600-300-300 mg TABLET DL	4	QL(30 per 30 days)
<i>emtricitabine</i> 200 mg CAPSULE MO	1	QL(30 per 30 days)
<i>emtricitabine-tenofovir (tdf)</i> 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET MO	1	QL(30 per 30 days)
EMTRIVA 10 MG/ML SOLUTION MO	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE MO	3	QL(30 per 30 days)
<i>entecavir</i> 0.5 mg, 1 mg TABLET MO	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET DL	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION MO	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET MO	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET MO	3	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET MO	3	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION MO	3	
EPZICOM 600-300 MG TABLET DL	4	QL(30 per 30 days)
<i>etravirine</i> 100 mg TABLET DL	4	QL(120 per 30 days)
<i>etravirine</i> 200 mg TABLET DL	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET DL	4	QL(30 per 30 days)
<i>famciclovir</i> 125 mg, 250 mg, 500 mg TABLET MO	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET MO	3	
<i>fosamprenavir</i> 700 mg TABLET DL	4	QL(120 per 30 days)
<i>foscarnet</i> 24 mg/ml SOLUTION MO	1	BvsD
FOSCAVIR 24 MG/ML SOLUTION MO	3	BvsD
FUZEON 90 MG RECON SOLUTION DL	4	QL(60 per 30 days)
<i>ganciclovir sodium</i> 50 mg/ml SOLUTION MO	1	BvsD
<i>ganciclovir sodium</i> 500 mg RECON SOLUTION MO	1	BvsD
GENVOYA 150-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG TABLET DL	4	PA,QL(28 per 28 days)
HARVONI 90-400 MG TABLET DL	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INTELENCE 100 MG TABLET DL	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET DL	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET MO	3	QL(120 per 30 days)
INVIRASE 500 MG TABLET MO	3	QL(120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET DL	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET MO	2	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET MO	3	QL(180 per 30 days)
ISENTRESS 400 MG TABLET DL	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET DL	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET DL	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET MO	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET MO	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION DL	4	
<i>lamivudine 10 mg/ml SOLUTION</i> MO	1	QL(900 per 30 days)
<i>lamivudine 100 mg TABLET</i> MO	1	QL(90 per 30 days)
<i>lamivudine 150 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>lamivudine 300 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>lamivudine-zidovudine 150-300 mg TABLET</i> MO	1	QL(60 per 30 days)
LEXIVA 50 MG/ML SUSPENSION MO	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET DL	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET DL	4	PA,QL(120 per 30 days)
<i>lopinavir-ritonavir 100-25 mg TABLET</i> MO	1	QL(300 per 30 days)
<i>lopinavir-ritonavir 200-50 mg TABLET</i> MO	1	QL(150 per 30 days)
<i>lopinavir-ritonavir 400-100 mg/5 ml SOLUTION</i> MO	1	
<i>maraviroc 150 mg TABLET</i> DL	4	QL(240 per 30 days)
<i>maraviroc 300 mg TABLET</i> DL	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET DL	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET DL	4	PA,QL(150 per 30 days)
<i>nevirapine 100 mg TABLET, ER 24 HR.</i> MO	1	QL(120 per 30 days)
<i>nevirapine 200 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>nevirapine 400 mg TABLET, ER 24 HR.</i> MO	1	QL(30 per 30 days)
<i>nevirapine 50 mg/5 ml SUSPENSION</i> MO	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET MO	3	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NORVIR 100 MG TABLET MO	3	QL(360 per 30 days)
NORVIR 80 MG/ML SOLUTION MO	3	QL(480 per 30 days)
ODEFSEY 200-25-25 MG TABLET DL	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE MO	1	QL(224 per 365 days)
oseltamivir 45 mg, 75 mg CAPSULE MO	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION MO	1	QL(1440 per 365 days)
penciclovir 1 % CREAM MO	1	PA
PIFELTRO 100 MG TABLET DL	4	QL(60 per 30 days)
PREVYMIS 240 MG TABLET DL	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION DL	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET DL	4	PA
PREVYMIS 480 MG/24 ML SOLUTION DL	4	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET DL	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION DL	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET DL	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET DL	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET MO	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET DL	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE MO	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION MO	3	
RETROVIR 10 MG/ML SYRUP MO	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE MO	3	QL(180 per 30 days)
REYATAZ 150 MG, 200 MG CAPSULE DL	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE DL	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET MO	3	
ribavirin 200 mg CAPSULE MO	1	QL(168 per 28 days)
ribavirin 200 mg TABLET MO	1	QL(168 per 28 days)
rimantadine 100 mg TABLET MO	1	
ritonavir 100 mg TABLET MO	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. DL	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET DL	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION DL	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET MO	3	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SELZENTRY 300 MG, 75 MG TABLET DL	4	QL(120 per 30 days)
SITAVIG 50 MG MUCO-ADHESIVE BUCCAL TABLET MO	3	PA,QL(1 per 28 days)
SOVALDI 150 MG PELLETS IN PACKET DL	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET DL	4	PA,QL(56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i> MO	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i> MO	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET DL	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET DL	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SUSTIVA 200 MG CAPSULE DL	4	QL(120 per 30 days)
SUSTIVA 50 MG CAPSULE DL	4	QL(480 per 30 days)
SUSTIVA 600 MG TABLET DL	4	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET DL	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET DL	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE MO	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE MO	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION MO	3	PA,QL(1440 per 365 days)
TEMIXYS 300-300 MG TABLET MO	3	QL(30 per 30 days)
<i>tenofovir disoproxil fumarate 300 mg TABLET</i> MO	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET MO	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET DL	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET DL	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION DL	4	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET DL	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION DL	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET DL	4	QL(30 per 30 days)
TYBOST 150 MG TABLET MO	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET</i> MO	1	
VALCYTE 450 MG TABLET DL	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION DL	4	PA,QL(1056 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
valganciclovir 450 mg TABLET MO	1	QL(120 per 30 days)
valganciclovir 50 mg/ml RECON SOLUTION DL	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET MO	3	PA
VEMLIDY 25 MG TABLET DL	4	QL(30 per 30 days)
VIEKIRA PAK 12.5 MG-75 MG -50 MG/250 MG TABLET, DOSE PACK DL	4	PA,QL(112 per 28 days)
VIRACEPT 250 MG TABLET DL	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET DL	4	QL(120 per 30 days)
VIRAMUNE XR 400 MG TABLET, ER 24 HR. DL	4	QL(30 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET DL	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER DL	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET DL	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET DL	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM DL	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET MO	3	
ZEPATIER 50-100 MG TABLET DL	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION MO	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET MO	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP MO	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE MO	1	QL(180 per 30 days)
zidovudine 300 mg TABLET MO	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL MO	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION MO	3	PA
ZOVIRAX 5 % CREAM MO	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT DL	4	PA,QL(30 per 30 days)
ANXIOLYTICS		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET DL	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. DL	1	QL(60 per 30 days)
alprazolam 2 mg TABLET DL	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE DL	1	
ATIVAN 0.5 MG, 1 MG TABLET DL	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET DL	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION DL	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
buspirone 10 mg, 15 mg, 5 mg TABLET MO	1	
buspirone 30 mg, 7.5 mg TABLET MO	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE DL	1	QL(120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING DL	1	
clonazepam 0.5 mg, 1 mg TABLET DL	1	
clonazepam 2 mg TABLET DL	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET DL	1	
diazepam 10 mg TABLET DL	1	QL(120 per 30 days)
diazepam 2 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg TABLET DL	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION DL	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION DL	1	
diazepam 5 mg/ml SYRINGE DL	1	
diazepam intensol 5 mg/ml CONCENTRATE DL	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE MO	1	
doxepin 10 mg/ml CONCENTRATE MO	1	
hydroxyzine hcl 10 mg, 50 mg TABLET MO	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION MO	1	
hydroxyzine hcl 25 mg TABLET MO	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET DL	3	PA
lorazepam 0.5 mg, 1 mg TABLET DL	1	QL(90 per 30 days)
lorazepam 2 mg TABLET DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
lorazepam 2 mg/ml, 4 mg/ml SOLUTION DL	1	
lorazepam 2 mg/ml, 4 mg/ml SYRINGE DL	1	
lorazepam intensol 2 mg/ml CONCENTRATE DL	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. DL	4	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. DL	4	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. DL	4	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET MO	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRANXENE T-TAB 7.5 MG TABLET DL	3	PA
VALIUM 10 MG TABLET DL	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET DL	3	PA,QL(90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET DL	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET DL	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. DL	3	PA,QL(60 per 30 days)
BIPOLAR AGENTS		
<i>lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE</i> MO	1	
<i>lithium carbonate 300 mg TABLET</i> MO	1	
<i>lithium carbonate 300 mg, 450 mg TABLET ER</i> MO	1	
<i>lithium citrate 8 meq/5 ml SOLUTION</i> MO	1	
LITHOBID 300 MG TABLET ER MO	3	
BLOOD GLUCOSE REGULATORS		
<i>acarbose 100 mg, 25 mg, 50 mg TABLET</i> MO	1	
ACTOPLUS MET 15-500 MG, 15-850 MG TABLET MO	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET MO	3	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR MO	3	ST,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER CI,DL	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER CI,DL	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER CI,MO	3	PA,QL(90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET MO	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL MO	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR MO	3	QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR MO	3	ST,QL(2.4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYCLOSET 0.8 MG TABLET MO	3	ST,QL(180 per 30 days)
diazoxide 50 mg/ml SUSPENSION MO	1	
DUETACT 30-2 MG, 30-4 MG TABLET MO	3	QL(30 per 30 days)
FARXIGA 10 MG TABLET MO	3	QL(30 per 30 days)
FARXIGA 5 MG TABLET MO	3	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE CI,MO	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
glimepiride 1 mg TABLET MO	1	
glimepiride 2 mg, 4 mg TABLET MO	1	
glipizide 10 mg TABLET, ER 24 HR. MO	1	
glipizide 10 mg, 5 mg TABLET MO	1	
glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET MO	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION MO	2	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION MO	3	ST
glucagon emergency kit (human) 1 mg RECON SOLUTION MO	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION MO	3	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. MO	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg TABLET MO	1	
glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET MO	1	
glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET MO	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET MO	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET MO	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION MO	2	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR MO	2	
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	2	
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE MO	2	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION CI,MO	2	
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN CI,MO	2	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN CI,MO	2	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION CI,MO	2	
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN CI,MO	2	
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	2	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	2	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	2	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION CI,MO	2	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION CI,DL	4	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN CI,DL	4	
INPEFA 200 MG TABLET MO	3	PA,QL(30 per 30 days)
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE CI,MO	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION CI,MO	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION CI,MO	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN CI,MO	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT CI,MO	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION CI,MO	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN CI,MO	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET MO	2	QL(60 per 30 days)
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET MO	2	QL(30 per 30 days)
JANUMET 50-1,000 MG TABLET MO	2	QL(60 per 30 days)
JANUMET 50-500 MG TABLET MO	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(60 per 30 days)
JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE MO	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET MO	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET MO	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	PA
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN CI,MO	2	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
LYUMJEV TEMPO PEN(U-100)INSULIN 100 UNIT/ML INSULIN PEN CI,MO	2	
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
metformin 1,000 mg TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(60 per 30 days)
metformin 1,000 mg, 500 mg TABLET MO	1	
metformin 500 mg TABLET, ER 24 HR. MO	1	QL(120 per 30 days)
metformin 500 mg TABLET, ER 24 HR. MO	3	ST,QL(150 per 30 days)
metformin 500 mg TABLET, GAST. RETENTION 24 HR. DL	4	ST,QL(120 per 30 days)
metformin 500 mg/5 ml SOLUTION MO	1	QL(750 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metformin 625 mg TABLET DL	4	ST,QL(120 per 30 days)
metformin 750 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
metformin 850 mg TABLET MO	1	
migliitol 100 mg, 25 mg, 50 mg TABLET MO	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR MO	2	QL(2 per 28 days)
nateglinide 120 mg, 60 mg TABLET MO	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET MO	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION CI,MO	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION CI,MO	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION CI,MO	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN CI,MO	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE CI,MO	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION CI,MO	2	
OSENI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET MO	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (2 MG/1.5 ML) PEN INJECTOR MO	2	QL(3 per 28 days)
OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR MO	2	QL(1.5 per 28 days)
OZEMPIC 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR MO	2	QL(3 per 28 days)
pioglitazone 15 mg, 30 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone 45 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET MO	1	QL(30 per 30 days)
pioglitazone-metformin 15-500 mg, 15-850 mg TABLET MO	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET MO	3	
PROGLYCEM 50 MG/ML SUSPENSION DL	4	PA
QTERN 10-5 MG, 5-5 MG TABLET MO	3	PA,QL(30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
RIOMET 500 MG/5 ML SOLUTION MO	3	QL(750 per 30 days)
RIOMET ER 500 MG/5 ML SUSPENSION, ER, RECON MO	3	QL(750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET MO	2	QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE MO	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET MO	3	PA,QL(60 per 30 days)
SEMGLEE PEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
SEMGLEE U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	3	PA
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION CI,MO	3	PA
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN CI,MO	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET MO	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR DL	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR DL	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET MO	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN CI,MO	2	
TRADJENTA 5 MG TABLET MO	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN CI,MO	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION CI,MO	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR MO	2	QL(2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	2	QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR MO	2	QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(60 per 30 days)
XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG/ML (3 ML) INSULIN PEN CI,MO	2	QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR MO	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE MO	2	
BLOOD PRODUCTS AND MODIFIERS		
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE MO	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION MO	3	
AGRYLIN 0.5 MG CAPSULE MO	3	PA
AMICAR 1,000 MG, 500 MG TABLET DL	4	PA
AMICAR 250 MG/ML (25 %) SOLUTION DL	4	PA
<i>aminocaproic acid 1,000 mg TABLET DL</i>	4	
<i>aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION MO</i>	1	
<i>aminocaproic acid 500 mg TABLET MO</i>	1	
<i>anagrelide 0.5 mg, 1 mg CAPSULE MO</i>	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE DL	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE MO	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION MO	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE DL	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE DL	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIXTRA 10 MG/0.8 ML SYRINGE DL	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
ARIXTRA 7.5 MG/0.6 ML SYRINGE DL	4	PA,QL(18 per 30 days)
<i>aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. MO</i>	1	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET MO	2	QL(60 per 30 days)
CABLIVI 11 MG KIT DL	4	PA,QL(30 per 30 days)
<i>cilostazol 100 mg, 50 mg TABLET MO</i>	1	
<i>clopidogrel 300 mg TABLET MO</i>	1	
<i>clopidogrel 75 mg TABLET MO</i>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION DL	4	PA
<i>dabigatran etexilate 150 mg, 75 mg CAPSULE MO</i>	1	QL(60 per 30 days)
<i>dipyridamole 25 mg, 50 mg, 75 mg TABLET MO</i>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET DL	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET MO	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET MO	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK MO	2	QL(74 per 30 days)
<i>enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE HI,MO</i>	1	
<i>enoxaparin 300 mg/3 ml SOLUTION MO</i>	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION MO	3	PA,QL(28 per 30 days)
<i>eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION MO</i>	1	
<i>fondaparinux 10 mg/0.8 ml SYRINGE DL</i>	4	QL(24 per 30 days)
<i>fondaparinux 2.5 mg/0.5 ml SYRINGE DL</i>	4	QL(15 per 30 days)
<i>fondaparinux 5 mg/0.4 ml SYRINGE DL</i>	4	QL(12 per 30 days)
<i>fondaparinux 7.5 mg/0.6 ml SYRINGE DL</i>	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE DL	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE DL	4	QL(15 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE DL	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE DL	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE DL	4	QL(6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION DL	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION DL	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE DL	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION HI,MO	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE HI,MO	1	
heparin (porcine) 5,000 unit/ml SYRINGE HI,MO	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION HI,MO	1	
heparin, porcine (pf) 5,000 unit/0.5 ml SYRINGE HI,MO	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE MO	1	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET MO	1	
KENREAL 50 MG RECON SOLUTION DL	4	
LEUKINE 250 MCG RECON SOLUTION DL	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE DL	4	PA
LOVENOX 300 MG/3 ML SOLUTION DL	4	PA
LYSTEDA 650 MG TABLET MO	3	QL(30 per 5 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION DL	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET DL	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR DL	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NEUPOGEN 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEUPOGEN 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET MO	3	PA,QL(30 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE MO	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET DL	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET DL	4	PA,QL(60 per 30 days)
<i>prasugrel 10 mg, 5 mg</i> TABLET MO	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION DL	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION DL	3	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET DL,LA	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 75 MG TABLET DL,LA	4	PA,QL(60 per 30 days)
PROMACTA 25 MG POWDER IN PACKET DL,LA	4	PA,QL(180 per 30 days)
PROMACTA 25 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
PROMACTA 50 MG TABLET DL,LA	4	PA,QL(90 per 30 days)
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK DL	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET DL	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION DL	4	PA
RELEUKO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION DL	4	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION DL	4	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION MO	3	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION MO	3	
ROLVEDON 13.2 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TAVALISSE 100 MG, 150 MG TABLET DL	4	PA,QL(60 per 30 days)
tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION MO	1	
tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION MO	1	PA
tranexamic acid 650 mg TABLET MO	1	QL(30 per 5 days)
UDENYCA 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR DL	4	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET MO	1	
warfarin 5 mg TABLET MO	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION MO	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET MO	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK MO	2	QL(51 per 30 days)
YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC MO	3	PA,QL(30 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE DL	4	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE DL	4	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET MO	3	QL(30 per 30 days)
CARDIOVASCULAR AGENTS		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
acebutolol 200 mg, 400 mg CAPSULE MO	1	
acetazolamide 125 mg, 250 mg TABLET MO	1	
acetazolamide 500 mg CAPSULE, ER MO	1	
acetazolamide sodium 500 mg RECON SOLUTION MO	1	
adenosine 3 mg/ml SOLUTION MO	1	
adenosine 3 mg/ml SYRINGE MO	1	
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET MO	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET MO	3	
aliskiren 150 mg, 300 mg TABLET MO	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE MO	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. DL	4	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amiloride 5 mg TABLET MO	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET MO	1	
amiodarone 100 mg TABLET MO	1	
amiodarone 150 mg/3 ml SYRINGE MO	1	
amiodarone 200 mg TABLET MO	1	
amiodarone 400 mg TABLET MO	1	QL(60 per 30 days)
amiodarone 50 mg/ml SOLUTION MO	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET MO	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE MO	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE MO	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET MO	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET MO	1	QL(30 per 30 days)
ANTARA 30 MG, 90 MG CAPSULE MO	3	QL(30 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET MO	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET MO	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET MO	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET MO	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET MO	1	
atenolol 25 mg, 50 mg TABLET MO	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET MO	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION MO	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO	1	
AVALIDE 150-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET MO	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET MO	1	
BENICAR 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENICAR 5 MG TABLET MO	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET MO	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET DL	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET DL	4	PA
<i>betaxolol 10 mg, 20 mg TABLET MO</i>	1	
BIDIL 20-37.5 MG TABLET MO	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION MO	3	
<i>bisoprolol fumarate 10 mg, 5 mg TABLET MO</i>	1	
<i>bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET MO</i>	1	
<i>bretylum tosylate 50 mg/ml SOLUTION MO</i>	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION MO	3	
BREVIBLOC IN NA CL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION MO	3	
<i>bumetanide 0.25 mg/ml SOLUTION MO</i>	1	
<i>bumetanide 0.5 mg, 2 mg TABLET MO</i>	1	
<i>bumetanide 1 mg TABLET MO</i>	1	
BYSTOLIC 10 MG TABLET MO	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET MO	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET MO	3	PA,QL(30 per 30 days)
CALAN SR 120 MG, 240 MG TABLET ER MO	3	
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
<i>candesartan 16 mg, 4 mg, 8 mg TABLET MO</i>	1	QL(60 per 30 days)
<i>candesartan 32 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET MO</i>	1	
<i>captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET MO</i>	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET MO	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. DL	4	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. DL	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. MO	3	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET MO	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION MO	3	PA,QL(450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
cartia xt 300 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET MO	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. MO	1	QL(30 per 30 days)
CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY MO	3	PA,QL(4 per 28 days)
chlorothiazide sodium 500 mg RECON SOLUTION MO	1	
chlorthalidone 25 mg TABLET MO	1	
chlorthalidone 50 mg TABLET MO	1	
cholestyramine (with sugar) 4 gram POWDER MO	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET MO	1	
cholestyramine light 4 gram POWDER MO	1	
cholestyramine light 4 gram POWDER IN PACKET MO	1	
cholestyramine-aspartame 4 gram POWDER IN PACKET MO	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION MO	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY MO	1	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET MO	1	
clonidine hcl 0.2 mg, 0.3 mg TABLET MO	1	
colesevelam 3.75 gram POWDER IN PACKET MO	1	QL(30 per 30 days)
colesevelam 625 mg TABLET MO	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET MO	3	
COLESTID 5 GRAM GRANULES MO	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET MO	3	
COLESTID FLAVORED 5 GRAM GRANULES MO	3	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET MO	3	
colestipol 1 gram TABLET MO	1	
colestipol 5 gram GRANULES MO	1	QL(1000 per 30 days)
colestipol 5 gram PACKET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CONJUPRI 2.5 MG, 5 MG TABLET MO	3	QL(30 per 30 days)
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET MO	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET MO	3	PA
CORLANOR 5 MG, 7.5 MG TABLET MO	3	PA,QL(60 per 30 days)
CORLANOR 5 MG/5 ML SOLUTION MO	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION MO	3	
CORVERT 0.1 MG/ML SOLUTION MO	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET MO	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET MO	3	PA
DEMSER 250 MG CAPSULE DL	4	
DIBENZYLIN 10 MG CAPSULE DL	4	
<i>digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO</i>	1	QL(30 per 30 days)
<i>digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET MO</i>	1	QL(30 per 30 days)
<i>digoxin 125 mcg (0.125 mg) TABLET MO</i>	1	QL(30 per 30 days)
<i>digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET MO</i>	1	QL(30 per 30 days)
<i>digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION MO</i>	1	
<i>dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>diltiazem hcl 100 mg RECON SOLUTION MO</i>	1	
<i>diltiazem hcl 120 mg CAPSULE, ER 12 HR. MO</i>	1	QL(90 per 30 days)
<i>diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET MO</i>	1	
<i>diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
<i>diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO</i>	1	QL(30 per 30 days)
<i>diltiazem hcl 5 mg/ml SOLUTION MO</i>	1	
<i>diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. MO</i>	1	QL(180 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET MO	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>disopyramide phosphate 100 mg, 150 mg CAPSULE MO</i>	1	
DIURIL 250 MG/5 ML SUSPENSION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION MO	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION MO	1	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE MO	1	
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION MO	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION MO	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET MO	1	
droxidopa 100 mg, 200 mg CAPSULE MO	1	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE MO	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE MO	3	
EDARBI 40 MG, 80 MG TABLET MO	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET MO	3	ST,QL(30 per 30 days)
EDECRIIN 25 MG TABLET DL	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION MO	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET MO	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET MO	1	
enalaprilat 1.25 mg/ml SOLUTION MO	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET MO	2	QL(60 per 30 days)
EPANED 1 MG/ML SOLUTION DL	4	
eplerenone 25 mg, 50 mg TABLET MO	1	PA
eprosartan 600 mg TABLET MO	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION MO	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION MO	1	
ethacrynate sodium 50 mg RECON SOLUTION MO	1	
ethacrynic acid 25 mg TABLET MO	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION DL	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET MO	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET MO	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE MO	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET MO	1	QL(30 per 30 days)
ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO	1	ST,QL(30 per 30 days)
ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET MO	3	ST,QL(30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET MO	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
fenofibrate 120 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET MO	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE MO	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE MO	1	QL(30 per 30 days)
fenofibrate micronized 30 mg, 90 mg CAPSULE MO	3	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE MO	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET MO	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET MO	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET MO	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC MO	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET MO	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET MO	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET MO	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET MO	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION MO	3	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE MO	1	ST,QL(60 per 30 days)
fluvastatin 80 mg TABLET, ER 24 HR. MO	1	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET MO	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET MO	1	
FUROSCIX 80 MG/10 ML KIT MO	3	PA
furosemide 10 mg/ml SOLUTION HI,MO	1	
furosemide 10 mg/ml SYRINGE MO	1	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	
furosemide 20 mg, 40 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
furosemide 80 mg TABLET MO	1	
gemfibrozil 600 mg TABLET MO	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET MO	3	
guanfacine 1 mg TABLET MO	1	
guanfacine 2 mg TABLET MO	1	
HEMANGEOL 4.28 MG/ML SOLUTION MO	3	
hydralazine 10 mg, 100 mg TABLET MO	1	
hydralazine 20 mg/ml SOLUTION MO	1	
hydralazine 25 mg, 50 mg TABLET MO	1	
hydrochlorothiazide 12.5 mg CAPSULE MO	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET MO	1	
hydrochlorothiazide 50 mg TABLET MO	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION MO	1	
indapamide 1.25 mg, 2.5 mg TABLET MO	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. DL	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. DL	4	
INSPRA 25 MG, 50 MG TABLET MO	3	PA
irbesartan 150 mg, 75 mg TABLET MO	1	QL(30 per 30 days)
irbesartan 300 mg TABLET MO	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET MO	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET MO	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET DL	4	
ISORDIL TITRADOSE 5 MG TABLET DL	4	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET MO	1	
isosorbide mononitrate 10 mg, 20 mg TABLET MO	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. MO	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. MO	1	
isosorbide-hydralazine 20-37.5 mg TABLET MO	1	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE MO	1	
ISUPREL 0.2 MG/ML SOLUTION MO	3	
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE DL	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE DL	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. MO	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION MO	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET MO	2	PA,QL(30 per 30 days)
<i>labetalol 100 mg, 200 mg, 300 mg TABLET</i> MO	1	
<i>labetalol 5 mg/ml SOLUTION</i> MO	1	
LABELALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION MO	1	
LABELALOL IN NAACL (ISO-OSMOT) 1 MG/ ML SOLUTION MO	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET MO	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION MO	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION MO	3	
LASIX 20 MG, 40 MG, 80 MG TABLET MO	3	
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
<i>levamlodipine 2.5 mg, 5 mg TABLET</i> MO	3	QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION MO	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i> MO	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION</i> MO	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO	3	PA
LIPOFEN 150 MG CAPSULE MO	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE MO	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET</i> MO	1	
<i>lisinopril 30 mg TABLET</i> MO	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET</i> MO	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET MO	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET MO	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET MO	3	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET MO	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET</i> MO	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET</i> MO	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LOTENSIN 10 MG, 20 MG, 40 MG TABLET MO	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE MO	3	PA,QL(30 per 30 days)
lovastatin 10 mg TABLET MO	1	
lovastatin 20 mg, 40 mg TABLET MO	1	
LOVAZA 1 GRAM CAPSULE MO	3	PA,QL(120 per 30 days)
mannitol 10 % 10 % PARENTERAL SOLUTION MO	1	
mannitol 20 % 20 % PARENTERAL SOLUTION MO	1	
mannitol 25 % 25 % SOLUTION MO	1	
mannitol 5 % 5 % PARENTERAL SOLUTION MO	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET MO	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET MO	3	PA
methazolamide 25 mg, 50 mg TABLET MO	1	
methyl dopa 250 mg, 500 mg TABLET MO	1	
methyl dopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET MO	1	
methyl dopate 250 mg/5 ml SOLUTION MO	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET MO	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. MO	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. MO	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET MO	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET MO	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET MO	1	
metoprolol tartrate 5 mg/5 ml SOLUTION MO	1	
metyrosine 250 mg CAPSULE DL	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE MO	1	
MICARDIS 20 MG, 40 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET MO	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET MO	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET MO	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>milrinone 1 mg/ml SOLUTION</i> MO	1	BvsD
<i>milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK</i> MO	1	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE MO	3	
<i>minitran 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR.</i> MO	1	
<i>minoxidil 10 mg, 2.5 mg TABLET</i> MO	1	
<i>moexipril 15 mg, 7.5 mg TABLET</i> MO	1	
MULTAQ 400 MG TABLET MO	2	QL(60 per 30 days)
<i>nadolol 20 mg, 40 mg, 80 mg TABLET</i> MO	1	
<i>nebivolol 10 mg TABLET</i> MO	1	QL(120 per 30 days)
<i>nebivolol 2.5 mg, 5 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>nebivolol 20 mg TABLET</i> MO	1	QL(60 per 30 days)
NEXLETOL 180 MG TABLET MO	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET MO	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION MO	3	
<i>niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR.</i> MO	1	
<i>niacin 500 mg TABLET</i> MO	1	
<i>niacor 500 mg TABLET</i> MO	1	
NIASPAN EXTENDED-RELEASE 500 MG, 750 MG TABLET, ER 24 HR. MO	3	PA
<i>nicardipine 20 mg, 30 mg CAPSULE</i> MO	1	
<i>nicardipine 25 mg/10 ml SOLUTION</i> MO	1	
<i>nifedipine 10 mg, 20 mg CAPSULE</i> MO	1	
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET ER</i> MO	1	QL(60 per 30 days)
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR.</i> MO	1	QL(60 per 30 days)
<i>nimodipine 30 mg CAPSULE</i> MO	1	
<i>nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR.</i> MO	1	QL(30 per 30 days)
<i>nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR.</i> MO	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT MO	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. MO	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR. DL	4	
<i>nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR.</i> MO	1	
<i>nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nitroglycerin 0.4 mg SUBLINGUAL TABLET MO	1	
nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL MO	1	
nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION MO	1	
nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml) SOLUTION MO	1	
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET MO	2	
norepinephrine bitartrate 1 mg/ml SOLUTION MO	1	
NORLIQVA 1 MG/ML SOLUTION DL	4	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE MO	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER MO	3	
NORTHERA 100 MG, 200 MG CAPSULE DL	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE DL	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA
NYMALIZE 30 MG/5 ML SYRINGE DL	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION DL	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE DL	4	QL(1260 per 28 days)
olmesartan 20 mg TABLET MO	1	QL(30 per 30 days)
olmesartan 40 mg TABLET MO	1	QL(30 per 30 days)
olmesartan 5 mg TABLET MO	1	QL(60 per 30 days)
olmesartan-amlodipin-hcthiazid 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET MO	1	QL(30 per 30 days)
olmesartan-hydrochlorothiazide 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET MO	1	QL(30 per 30 days)
omega-3 acid ethyl esters 1 gram CAPSULE MO	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION MO	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION MO	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION MO	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION MO	3	
PACERONE 100 MG TABLET MO	1	
pacerone 200 mg TABLET MO	1	
PACERONE 400 MG TABLET MO	1	QL(60 per 30 days)
pentoxifylline 400 mg TABLET ER MO	1	
perindopril erbumine 2 mg, 4 mg, 8 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
phenoxybenzamine 10 mg CAPSULE DL	4	
phenylephrine hcl 10 mg/ml SOLUTION MO	1	
pindolol 10 mg, 5 mg TABLET MO	1	
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR MO	3	PA,QL(2 per 28 days)
pravastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET MO	1	
prazosin 1 mg, 2 mg, 5 mg CAPSULE MO	1	
PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET MO	3	QL(30 per 30 days)
prevalite 4 gram POWDER MO	1	
prevalite 4 gram POWDER IN PACKET MO	1	
PRINIVIL 20 MG TABLET MO	3	
procainamide 100 mg/ml, 500 mg/ml SOLUTION MO	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET MO	1	
propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. MO	1	QL(60 per 30 days)
propafenone 425 mg CAPSULE, ER 12 HR. MO	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION MO	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET MO	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. MO	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET MO	1	
QBRELIS 1 MG/ML SOLUTION DL	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER MO	1	
QUESTRAN 4 GRAM POWDER IN PACKET MO	1	
QUESTRAN LIGHT 4 GRAM POWDER MO	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET MO	1	
quinidine gluconate 324 mg TABLET ER MO	1	
quinidine sulfate 200 mg, 300 mg TABLET MO	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE MO	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. MO	3	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. MO	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR MO	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR MO	2	PA,QL(3 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REPATHA SYRINGE 140 MG/ML SYRINGE MO	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET MO	1	
ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET MO	3	ST,QL(30 per 30 days)
RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. MO	3	PA,QL(60 per 30 days)
RYTHMOL SR 425 MG CAPSULE, ER 12 HR. MO	3	PA
simvastatin 10 mg, 20 mg, 40 mg TABLET MO	1	
simvastatin 5 mg, 80 mg TABLET MO	1	
SOAAZ 20 MG, 40 MG, 60 MG TABLET MO	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION MO	3	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET MO	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET MO	1	
sotalol 150 mg/10 ml (15 mg/ml) SOLUTION MO	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET MO	1	
SOTYLIZE 5 MG/ML SOLUTION MO	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET MO	1	
spironolactone 100 mg TABLET MO	1	
spironolactone 25 mg, 50 mg TABLET MO	1	
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TEKURNA 150 MG, 300 MG TABLET MO	3	PA,QL(30 per 30 days)
TEKURNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET MO	3	ST,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET MO	1	QL(30 per 30 days)
telmisartan 80 mg TABLET MO	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET MO	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET MO	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET MO	3	
TENORETIC 50 50-25 MG TABLET MO	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET MO	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE MO	1	
THALITONE 15 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. MO	3	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. MO	3	QL(30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE MO	3	PA
timolol maleate 10 mg, 20 mg, 5 mg TABLET MO	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. MO	3	
torse mide 10 mg, 100 mg, 5 mg TABLET MO	1	
torse mide 20 mg TABLET MO	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET MO	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC MO	1	
triamterene 100 mg, 50 mg CAPSULE MO	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE MO	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET MO	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET MO	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET MO	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET MO	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC MO	3	PA,QL(30 per 30 days)
TWYNSTA 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG TABLET MO	3	PA,QL(30 per 30 days)
valsartan 160 mg TABLET MO	1	QL(60 per 30 days)
valsartan 320 mg, 40 mg, 80 mg TABLET MO	1	QL(60 per 30 days)
VALSARTAN 4 MG/ML SOLUTION DL	4	ST,QL(2400 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET MO	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE MO	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE MO	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET MO	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET DL	4	PA
VAZCULEP 10 MG/ML SOLUTION MO	3	
vecamyl 2.5 mg TABLET DL	4	QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. MO	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER MO	1	
verapamil 120 mg, 40 mg, 80 mg TABLET MO	1	QL(120 per 30 days)
verapamil 2.5 mg/ml SOLUTION MO	1	
verapamil 2.5 mg/ml SYRINGE MO	1	
verapamil 360 mg CAPSULE ER PELLETS 24 HR. MO	1	QL(60 per 30 days)
VERELAN 120 MG, 180 MG, 240 MG CAPSULE ER PELLETS 24 HR. MO	3	
VERELAN 360 MG CAPSULE ER PELLETS 24 HR. MO	3	QL(60 per 30 days)
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. MO	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET MO	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET MO	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET MO	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET MO	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET MO	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET MO	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET MO	3	PA
ZETIA 10 MG TABLET MO	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET MO	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET MO	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET MO	2	ST,QL(30 per 30 days)
CENTRAL NERVOUS SYSTEM AGENTS		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET MO	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET MO	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC MO	3	QL(450 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET MO	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
<i>atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>atomoxetine 100 mg, 60 mg, 80 mg CAPSULE</i> MO	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET DL	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET DL	4	PA,QL(120 per 30 days)
AUSTEDO 6 MG TABLET DL	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. DL	4	PA,QL(90 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. DL	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK DL	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT DL	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT DL	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE MO	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR.</i> MO	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE DL	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE DL	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH MO	3	QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR.</i> MO	1	PA,QL(60 per 30 days)
DAYBUE 200 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. MO	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET DL	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER DL	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER DL	4	PA,QL(120 per 30 days)
DEXEDRINE SPANSULE 5 MG CAPSULE, ER DL	4	PA,QL(60 per 30 days)
<i>dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC</i> MO	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 10 mg CAPSULE, ER MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 10 mg TABLET MO	1	QL(180 per 30 days)
dextroamphetamine sulfate 15 mg CAPSULE, ER MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 15 mg TABLET MO	1	QL(120 per 30 days)
dextroamphetamine sulfate 20 mg TABLET MO	1	QL(90 per 30 days)
dextroamphetamine sulfate 30 mg TABLET MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg CAPSULE, ER MO	1	QL(60 per 30 days)
dextroamphetamine sulfate 5 mg TABLET MO	1	QL(150 per 30 days)
dextroamphetamine sulfate 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET MO	1	QL(90 per 30 days)
dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR. MO	1	QL(60 per 30 days)
dextroamphetamine-amphetamine 30 mg TABLET MO	1	QL(60 per 30 days)
dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC MO	1	PA,QL(60 per 30 days)
dimethyl fumarate 120 mg CAPSULE, DR/EC MO	1	PA,QL(14 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC MO	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC MO	3	QL(240 per 30 days)
EVEKEO 10 MG, 5 MG TABLET MO	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING MO	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING MO	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM DL	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT DL	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION DL	4	PA,QL(15 per 30 days)
fingolimod 0.5 mg CAPSULE MO	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET DL	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET MO	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC MO	3	QL(30 per 30 days)
GILENYA 0.25 MG CAPSULE DL	4	PA,QL(30 per 30 days)
GILENYA 0.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
glatiramer 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
glatiramer 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
glatopa 20 mg/ml SYRINGE DL	4	PA,QL(30 per 30 days)
glatopa 40 mg/ml SYRINGE DL	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. MO	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. MO	3	ST,QL(90 per 30 days)
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. MO	3	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER MO	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE DL	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PACK 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE MO	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. MO	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION DL	4	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET MO	1	PA,QL(30 per 30 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE MO	1	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE MO	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION MO	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE MO	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET DL	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET DL	4	PA
MAYZENT 0.25 MG TABLET DL	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAYZENT 1 MG, 2 MG TABLET DL	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK DL	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK DL	4	PA,QL(12 per 30 days)
metadate er 20 mg TABLET ER MO	1	QL(90 per 30 days)
methamphetamine 5 mg TABLET DL	4	QL(150 per 30 days)
METHYLIN 10 MG/5 ML SOLUTION MO	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION MO	3	PA,QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER MO	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC MO	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC MO	1	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET MO	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION MO	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET MO	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER MO	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC MO	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. MO	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION MO	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. MO	3	QL(30 per 30 days)
NUJEDEXTA 20-10 MG CAPSULE DL	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE DL	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET DL	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK DL	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE MO	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. MO	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION MO	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE MO	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE MO	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. MO	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION DL	4	QL(1800 per 30 days)
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION DL	4	PA
QELBREE 100 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. MO	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE MO	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON MO	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION DL	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION DL	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR DL	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR DL	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE DL	4	PA,QL(4.2 per 28 days)
RELEXXII 45 MG, 63 MG TABLET, ER 24 HR. MO	3	QL(30 per 30 days)
relexxii 72 mg TABLET, ER 24 HR. MO	1	QL(30 per 30 days)
RELYVRIO 3-1 GRAM POWDER IN PACKET DL	4	PA,QL(56 per 28 days)
RILUTEK 50 MG TABLET DL	4	
riluzole 50 mg TABLET MO	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET MO	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC MO	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET MO	2	QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK MO	2	QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE DL	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE MO	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE MO	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC DL	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC DL	4	PA,QL(14 per 30 days)
teriflunomide 14 mg, 7 mg TABLET MO	1	PA,QL(30 per 30 days)
tetrabenazine 12.5 mg TABLET MO	1	PA,QL(240 per 30 days)
tetrabenazine 25 mg TABLET MO	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION DL	4	PA,QL(600 per 30 days)
TYSABRI 300 MG/15 ML SOLUTION DL	4	PA,QL(15 per 28 days)
VUMERITY 231 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE MO	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. MO	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET DL	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET DL	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET MO	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET MO	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET MO	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET MO	1	QL(60 per 30 days)
zenzedi 5 mg TABLET MO	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK DL	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK	4	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK DL	4	PA,QL(7 per 7 days)
DENTAL & ORAL AGENTS		
cevimeline 30 mg CAPSULE MO	1	
chlorhexidine gluconate 0.12 % MOUTHWASH MO	1	
EVOXAC 30 MG CAPSULE MO	3	PA
KEPIVANCE 6.25 MG RECON SOLUTION DL	4	
kourzeq 0.1 % PASTE MO	1	
oralone 0.1 % PASTE MO	1	
paroex oral rinse 0.12 % MOUTHWASH MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>periogard 0.12 % MOUTHWASH</i> MO	1	
<i>pilocarpine hcl 5 mg, 7.5 mg TABLET</i> MO	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET MO	3	
<i>triamcinolone acetonide 0.1 % PASTE</i> MO	1	
DERMATOLOGICAL AGENTS		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE DL	4	ST,QL(60 per 30 days)
ABSORICA 40 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE DL	4	ST,QL(60 per 30 days)
ABSORICA LD 32 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ACANYA 1.2-2.5 % GEL WITH PUMP MO	3	QL(50 per 30 days)
<i>accutane 10 mg, 20 mg, 30 mg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>accutane 40 mg CAPSULE</i> MO	1	QL(120 per 30 days)
<i>acitretin 10 mg CAPSULE</i> MO	1	PA,QL(90 per 30 days)
<i>acitretin 17.5 mg CAPSULE</i> MO	1	PA,QL(60 per 30 days)
<i>acitretin 25 mg CAPSULE</i> MO	1	PA
ACZONE 5 % GEL MO	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP MO	3	QL(90 per 30 days)
<i>adapalene 0.1 % CREAM</i> MO	1	QL(45 per 30 days)
<i>adapalene 0.1 % SOLUTION</i> DL	4	QL(60 per 30 days)
<i>adapalene 0.1 % SWAB</i> MO	1	QL(30 per 30 days)
<i>adapalene 0.3 % GEL</i> MO	1	QL(45 per 30 days)
<i>adapalene 0.3 % GEL WITH PUMP</i> MO	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP</i> MO	1	QL(45 per 30 days)
<i>adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP</i> MO	1	QL(60 per 30 days)
AKLIEF 0.005 % CREAM MO	3	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM MO	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION MO	1	QL(236.8 per 30 days)
<i>alclometasone 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>alclometasone 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
ALDARA 5 % CREAM IN PACKET MO	3	PA,QL(12 per 30 days)
ALTABAX 1 % OINTMENT MO	3	
ALTRENO 0.05 % LOTION MO	3	PA,QL(90 per 30 days)
<i>amcinonide 0.1 % CREAM</i> MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amcinonide 0.1 % OINTMENT DL	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM MO	1	
ammonium lactate 12 % LOTION MO	1	
amnestem 10 mg, 20 mg CAPSULE MO	1	QL(60 per 30 days)
amnestem 40 mg CAPSULE MO	1	QL(120 per 30 days)
AMZEEQ 4 % FOAM MO	3	PA,QL(30 per 30 days)
anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
apexicon e 0.05 % CREAM MO	1	QL(60 per 30 days)
ARAZLO 0.045 % LOTION MO	3	PA
ATRALIN 0.05 % GEL MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % CREAM MO	3	PA,QL(45 per 30 days)
AVITA 0.025 % GEL MO	3	PA,QL(45 per 30 days)
azelaic acid 15 % GEL MO	1	ST,QL(50 per 30 days)
AZELEX 20 % CREAM MO	3	QL(50 per 30 days)
BENZACLIN 1-5 % GEL MO	3	QL(50 per 30 days)
BENZACLIN PUMP 1-5 % GEL WITH PUMP MO	3	QL(50 per 30 days)
BENZAMYCIN 3-5 % GEL MO	3	QL(46.6 per 30 days)
bese 0.05 % LOTION MO	1	QL(240 per 30 days)
betamethasone dipropionate 0.05 % CREAM MO	1	QL(90 per 30 days)
betamethasone dipropionate 0.05 % LOTION MO	1	QL(120 per 30 days)
betamethasone dipropionate 0.05 % OINTMENT MO	1	QL(90 per 30 days)
betamethasone valerate 0.1 % CREAM MO	1	QL(180 per 30 days)
betamethasone valerate 0.1 % LOTION MO	1	QL(120 per 30 days)
betamethasone valerate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
betamethasone valerate 0.12 % FOAM MO	1	QL(200 per 30 days)
betamethasone, augmented 0.05 % CREAM MO	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % GEL MO	1	QL(100 per 30 days)
betamethasone, augmented 0.05 % LOTION MO	1	QL(120 per 30 days)
betamethasone, augmented 0.05 % OINTMENT MO	1	QL(100 per 30 days)
brimonidine 0.33 % GEL WITH PUMP MO	1	ST,QL(30 per 30 days)
BRYHALI 0.01 % LOTION MO	3	ST,QL(200 per 30 days)
calcipotriene 0.005 % CREAM MO	1	PA,QL(120 per 30 days)
calcipotriene 0.005 % FOAM MO	1	ST,QL(120 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
calcipotriene 0.005 % OINTMENT MO	1	QL(240 per 30 days)
calcipotriene 0.005 % SOLUTION MO	1	QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % OINTMENT MO	1	PA,QL(60 per 30 days)
calcipotriene-betamethasone 0.005-0.064 % SUSPENSION MO	1	PA,QL(420 per 30 days)
calcitriol 3 mcg/gram OINTMENT MO	1	ST,QL(800 per 28 days)
calsodore 0.005 % CREAM DL	4	PA,QL(120 per 30 days)
CAPEX 0.01 % SHAMPOO MO	3	QL(840 per 30 days)
CARAC 0.5 % CREAM DL	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT MO	3	
claravis 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
claravis 40 mg CAPSULE MO	1	QL(120 per 30 days)
CLEOCIN T 1 % LOTION MO	3	QL(60 per 30 days)
CLEOCIN T 1 % SOLUTION MO	3	QL(60 per 30 days)
clindacin 1 % FOAM MO	1	QL(100 per 30 days)
clindacin etz 1 % SWAB MO	1	
clindacin p 1 % SWAB MO	1	
CLINDAGEL 1 % GEL, ONCE DAILY DL	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM MO	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY MO	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION MO	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB MO	1	
clindamycin-benzoyl peroxide 1-5 % GEL MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP MO	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL MO	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM MO	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM MO	1	QL(100 per 28 days)
clobetasol 0.05 % GEL MO	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION MO	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT MO	1	QL(120 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>clobetasol 0.05 % SHAMPOO</i> MO	1	QL(240 per 30 days)
<i>clobetasol 0.05 % SOLUTION</i> MO	1	QL(100 per 30 days)
<i>clobetasol 0.05 % SPRAY, NON-AEROSOL</i> MO	1	QL(240 per 30 days)
<i>clobetasol-emollient 0.05 % CREAM</i> MO	1	QL(120 per 30 days)
<i>clobetasol-emollient 0.05 % FOAM</i> MO	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION MO	3	ST,QL(240 per 28 days)
CLOBEX 0.05 % SHAMPOO MO	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL MO	3	ST,QL(240 per 30 days)
<i>clocortolone pivalate 0.1 % CREAM</i> MO	1	QL(180 per 30 days)
<i>clodan 0.05 % SHAMPOO</i> MO	1	QL(240 per 30 days)
CLODERM 0.1 % CREAM MO	3	PA,QL(180 per 30 days)
CONDYLOX 0.5 % GEL MO	3	
CORDRAN 0.025 % CREAM MO	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION DL	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT MO	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE MO	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET MO	3	
<i>croton 10 % LOTION</i> DL	4	PA,QL(454 per 30 days)
<i>dapsone 5 % GEL</i> MO	1	QL(90 per 30 days)
<i>dapsone 7.5 % GEL WITH PUMP</i> MO	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL MO	3	QL(118.28 per 30 days)
<i>desonide 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % LOTION</i> MO	1	QL(240 per 30 days)
<i>desonide 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM MO	3	QL(240 per 30 days)
<i>desoximetasone 0.05 % CREAM</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % OINTMENT</i> MO	1	QL(240 per 30 days)
<i>desoximetasone 0.25 % CREAM</i> MO	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % OINTMENT</i> MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>desoximetasone 0.25 % SPRAY, NON-AEROSOL</i> MO	1	QL(100 per 30 days)
<i>desrx 0.05 % GEL</i> MO	1	QL(240 per 30 days)
<i>diclofenac sodium 3 % GEL</i> MO	1	PA
DIFFERIN 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION MO	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP MO	3	QL(45 per 30 days)
<i>diflorasone 0.05 % CREAM</i> DL	4	QL(120 per 30 days)
<i>diflorasone 0.05 % OINTMENT</i> MO	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT MO	3	QL(100 per 30 days)
DOVONEX 0.005 % CREAM MO	3	PA,QL(120 per 30 days)
<i>doxepin 5 % CREAM</i> DL	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION MO	3	PA,QL(200 per 28 days)
EFUDEX 5 % CREAM MO	3	PA
ELIDEL 1 % CREAM MO	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM MO	3	
ENSTILAR 0.005-0.064 % FOAM MO	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP MO	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP MO	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM MO	1	
EPSOLAY 5 % CREAM MO	3	ST,QL(30 per 30 days)
<i>ery pads 2 % SWAB</i> MO	1	QL(60 per 30 days)
ERYGEL 2 % GEL MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % GEL</i> MO	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % SOLUTION</i> MO	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide 3-5 % GEL</i> MO	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT MO	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM MO	3	PA
EURAX 10 % LOTION MO	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM MO	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM MO	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM MO	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL MO	3	ST,QL(50 per 30 days)
<i>fluocinolone 0.01 % OIL</i> MO	1	QL(118.28 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinolone 0.01 % SOLUTION MO	1	QL(180 per 30 days)
fluocinolone 0.01 %, 0.025 % CREAM MO	1	QL(120 per 30 days)
fluocinolone 0.025 % OINTMENT MO	1	QL(120 per 30 days)
fluocinolone and shower cap 0.01 % OIL MO	1	QL(118.28 per 30 days)
fluocinonide 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide 0.05 % GEL MO	1	QL(120 per 30 days)
fluocinonide 0.05 % OINTMENT MO	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION MO	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM MO	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM MO	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM MO	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM DL	4	
fluorouracil 0.5 % CREAM DL	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION MO	1	QL(30 per 30 days)
fluorouracil 5 % CREAM MO	1	
fluorouracil 5 % SOLUTION MO	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM MO	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION MO	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM MO	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION MO	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM MO	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM MO	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT MO	1	QL(100 per 30 days)
HALOG 0.1 % CREAM DL	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT MO	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION MO	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR MO	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT MO	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION MO	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT MO	1	QL(180 per 30 days)
hydrocortisone butyrate 0.1 % SOLUTION MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM MO	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT MO	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL DL	4	PA
imiquimod 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET MO	1	QL(12 per 30 days)
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP DL	4	ST,QL(136 per 28 days)
isotretinoin 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
isotretinoin 25 mg, 35 mg CAPSULE DL	4	QL(60 per 30 days)
isotretinoin 40 mg CAPSULE MO	1	QL(120 per 30 days)
ivermectin 1 % CREAM MO	1	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET DL	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
lindane 1 % SHAMPOO MO	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION MO	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM MO	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM MO	3	ST,QL(200 per 30 days)
mafenide acetate 50 gram PACKET MO	1	
malathion 0.5 % LOTION MO	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL MO	1	
MIRVASO 0.33 % GEL WITH PUMP MO	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM MO	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT MO	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION MO	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT MO	1	
mupirocin calcium 2 % CREAM MO	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
myorisan 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
myorisan 40 mg CAPSULE MO	1	QL(120 per 30 days)
NATROBA 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM MO	3	
neuac 1.2 %(1 % base) -5 % GEL MO	1	QL(45 per 30 days)
nolix 0.05 % CREAM MO	1	QL(240 per 30 days)
nolix 0.05 % LOTION MO	1	QL(240 per 30 days)
OLUX 0.05 % FOAM MO	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM MO	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL MO	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP MO	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM DL	4	PA,QL(240 per 28 days)
OTEZLA 30 MG TABLET DL	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK DL	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK DL	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION MO	3	PA
PANDEL 0.1 % CREAM DL	4	QL(160 per 30 days)
permethrin 5 % CREAM MO	1	
pimecrolimus 1 % CREAM MO	1	PA,QL(100 per 30 days)
podofilox 0.5 % SOLUTION MO	1	QL(7 per 30 days)
prednicarbate 0.1 % CREAM MO	1	QL(240 per 30 days)
prednicarbate 0.1 % OINTMENT MO	1	QL(240 per 30 days)
procto-med hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
proctosol hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
proctozone-hc 2.5 % CREAM W/PERINEAL APPLICATOR MO	1	QL(60 per 30 days)
PROTOPIC 0.03 %, 0.1 % OINTMENT MO	3	QL(200 per 30 days)
PRUDOXIN 5 % CREAM DL	4	PA,QL(45 per 30 days)
QBREXZA 2.4 % TOWELETTE MO	3	PA,QL(30 per 30 days)
REG GRANEX 0.01 % GEL DL	4	PA
RETIN-A 0.01 %, 0.025 % GEL MO	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM MO	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL DL	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL MO	3	PA,QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP DL	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP MO	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM MO	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT MO	3	QL(180 per 30 days)
<i>selenium sulfide</i> 2.5 % LOTION MO	1	QL(120 per 30 days)
SILVADENE 1 % CREAM MO	2	
<i>silver sulfadiazine</i> 1 % CREAM MO	1	
SOOLANTRA 1 % CREAM MO	3	ST,QL(45 per 30 days)
SORIATANE 10 MG CAPSULE DL	4	PA,QL(90 per 30 days)
SORIATANE 25 MG CAPSULE DL	4	PA
SORILUX 0.005 % FOAM DL	4	ST,QL(120 per 28 days)
<i>spinosad</i> 0.9 % SUSPENSION MO	3	QL(240 per 30 days)
SSD 1 % CREAM MO	1	
SULFAMYLON 50 GRAM PACKET MO	3	
SULFAMYLON 85 MG/G CREAM MO	3	
SYNALAR 0.01 % SOLUTION MO	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT DL	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION DL	4	PA,QL(420 per 30 days)
<i>tacrolimus</i> 0.03 %, 0.1 % OINTMENT MO	1	QL(200 per 30 days)
<i>tazarotene</i> 0.05 %, 0.1 % GEL MO	1	PA,QL(200 per 30 days)
<i>tazarotene</i> 0.1 % CREAM MO	1	PA,QL(120 per 30 days)
<i>tazarotene</i> 0.1 % FOAM DL	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM MO	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL MO	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT MO	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION MO	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM MO	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL MO	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT MO	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM MO	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT MO	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL MO	3	QL(100 per 30 days)
<i>tovet emollient</i> 0.05 % FOAM MO	1	QL(100 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tretinoin 0.01 %, 0.025 %, 0.05 % GEL MO	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM MO	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP MO	1	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL MO	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM MO	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION MO	3	QL(120 per 30 days)
UVADEX 20 MCG/ML SOLUTION MO	3	
VANOS 0.1 % CREAM MO	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT DL	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM DL	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT DL	4	QL(30 per 30 days)
VTAMA 1 % CREAM DL	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM MO	3	PA
XEPI 1 % CREAM MO	3	PA
zenatane 10 mg, 20 mg, 30 mg CAPSULE MO	1	QL(60 per 30 days)
zenatane 40 mg CAPSULE MO	1	QL(120 per 30 days)
ZIANA 1.2-0.025 % GEL MO	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM MO	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM MO	3	PA,QL(45 per 30 days)
ZORYVE 0.3 % CREAM DL	4	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP DL	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET MO	3	ST,QL(28 per 28 days)
ELECTROLYTES/MINERALS/METALS/VITAMINS		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-HBC 7% 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION MO	3	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION MO	3	BvsD
AURYXIA 210 MG IRON TABLET MO	3	PA,QL(360 per 30 days)
<i>bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP</i> MO	1	
<i>c-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> MO	1	
<i>calcium acetate(phosphat bind) 667 mg CAPSULE</i> MO	1	
<i>calcium acetate(phosphat bind) 667 mg TABLET</i> MO	1	
<i>calcium chloride 100 mg/ml (10 %) SOLUTION</i> MO	1	
<i>calcium chloride 100 mg/ml (10 %) SYRINGE</i> MO	1	
<i>calcium gluconate 100 mg/ml (10%) SOLUTION</i> MO	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE DL	4	PA
<i>carglumic acid 200 mg TABLET, DISPERSIBLE</i> DL	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION MO	3	
CARNITOR 330 MG TABLET MO	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION MO	3	
CHEMET 100 MG CAPSULE DL	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL MO	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION MO	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION MO	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION MO	1	BvsD
CLINOLIPID 20 % EMULSION MO	3	BvsD
complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
CUPRIMINE 250 MG CAPSULE DL	4	PA,QL(600 per 30 days)
CUVRIOR 300 MG TABLET DL	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION MO	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION MO	1	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET DL	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET MO	1	PA
deferiprone 1,000 mg TABLET DL	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET DL	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION MO	1	BvsD
DEPEN TITRATABS 250 MG TABLET DL	4	PA
DESFERAL 500 MG RECON SOLUTION MO	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION MO	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION MO	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION MO	1	
dextrose 25 % in water (d25w) SYRINGE MO	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION MO	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION MO	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK MO	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION MO	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION MO	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION MO	1	
dextrose 50 % in water (d50w) SYRINGE MO	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK MO	3	
<i>electrolyte-148</i> PARENTERAL SOLUTION MO	1	
<i>electrolyte-48 in d5w</i> PARENTERAL SOLUTION MO	1	
<i>electrolyte-a</i> PARENTERAL SOLUTION MO	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE DL	4	PA
FERRIPROX 1,000 MG TABLET DL	4	PA,QL(300 per 30 days)
FERRIPROX 100 MG/ML SOLUTION DL	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET DL	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE DL	4	PA,QL(300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET DL	4	ST
FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET DL	4	ST
GLYCOPHOS 1 MMOL/ML SOLUTION MO	1	
INTRALIPID 20 %, 30 % EMULSION MO	3	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION MO	3	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION MO	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
ISOLYTE-S PARENTERAL SOLUTION MO	3	
JADENU 180 MG, 360 MG, 90 MG TABLET DL	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET DL	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
K-TAB 10 MEQ, 20 MEQ, 8 MEQ TABLET ER MO	3	
KABIVEN 3.31-9.8-3.9 % EMULSION MO	3	BvsD
<i>klor-con 20 meq</i> PACKET MO	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER MO	1	
KLOR-CON 8 8 MEQ TABLET ER MO	1	
<i>klor-con m10 10 meq</i> TABLET, ER PARTICLES/CRYSTALS MO	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS MO	1	
<i>klor-con m20 20 meq</i> TABLET, ER PARTICLES/CRYSTALS MO	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lactated ringers</i> PARENTERAL SOLUTION MO	1	
lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET DL	4	ST
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION MO	1	
levocarnitine 330 mg TABLET MO	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION MO	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET MO	3	PA,QL(30 per 30 days)
<i>m-natal plus</i> 27 mg iron- 1 mg TABLET MO	1	
magnesium sulfate 4 meq/ml (50 %) SOLUTION MO	1	
magnesium sulfate 4 meq/ml SYRINGE MO	1	
magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK MO	1	
magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK MO	1	
magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION MO	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET MO	3	
NEONATAL COMPLETE 29-1 MG TABLET MO	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET MO	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK MO	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION MO	3	
NORMOSOL-R PARENTERAL SOLUTION MO	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION MO	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION MO	3	
NUTRILIPID 20 % EMULSION MO	3	BvsD
O-CAL PRENATAL 15 MG IRON- 1,000 MCG TABLET MO	1	
OB COMPLETE ONE 40-10-1-300 MG CAPSULE MO	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE MO	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET MO	3	
OMEGAIVEN 10 % EMULSION DL	4	BvsD
<i>penicillamine</i> 250 mg CAPSULE DL	4	PA,QL(600 per 30 days)
<i>penicillamine</i> 250 mg TABLET DL	4	
PERIKABIVEN 2.36-6.8-3.5 % EMULSION MO	3	BvsD
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION MO	3	ST
PLASMA-LYTE 148 PARENTERAL SOLUTION MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PLASMA-LYTE A PARENTERAL SOLUTION MO	3	
PLENAMINE 15 % PARENTERAL SOLUTION MO	1	BvsD
<i>pnv-dha 27 mg iron-1 mg -300 mg CAPSULE MO</i>	1	
<i>pnv-omega 28-1-300 mg CAPSULE MO</i>	1	
<i>potassium acetate 2 meq/ml SOLUTION MO</i>	1	
<i>potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride 10 meq CAPSULE, ER MO</i>	1	
<i>potassium chloride 10 meq, 20 meq TABLET ER MO</i>	1	
<i>potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS MO</i>	1	
<i>potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS MO</i>	1	
<i>potassium chloride 2 meq/ml SOLUTION MO</i>	1	
<i>potassium chloride 20 meq PACKET MO</i>	1	QL(240 per 30 days)
<i>potassium chloride 20 meq/15 ml LIQUID MO</i>	1	QL(1125 per 30 days)
<i>potassium chloride 40 meq/15 ml LIQUID MO</i>	1	
<i>potassium chloride 8 meq CAPSULE, ER MO</i>	1	
<i>potassium chloride 8 meq TABLET ER MO</i>	1	
<i>potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride in Ir-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK MO</i>	1	
<i>potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION MO</i>	1	
<i>potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER MO</i>	1	
<i>pr natal 400 29-1-400 mg COMBO PACK MO</i>	1	
<i>pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP MO</i>	1	
<i>pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK MO</i>	1	
<i>pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP MO</i>	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION MO	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRENATABS FA 29-1 MG TABLET MO	1	
<i>prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET MO</i>	1	
<i>prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK MO</i>	3	
<i>prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET MO</i>	1	
<i>prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET MO</i>	1	
<i>prenatal-u 106.5-1 mg CAPSULE MO</i>	1	
PRENATE ELITE 26 MG IRON- 1 MG TABLET MO	1	
<i>preplus 27 mg iron- 1 mg TABLET MO</i>	1	
PROCALAMINE 3% 3 % PARENTERAL SOLUTION MO	3	BvsD
PROSOL 20 % PARENTERAL SOLUTION MO	3	BvsD
RENAGEL 800 MG TABLET DL	4	ST
REVELA 0.8 GRAM POWDER IN PACKET DL	4	PA,QL(540 per 30 days)
REVELA 2.4 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
REVELA 800 MG TABLET DL	4	PA,QL(540 per 30 days)
<i>ringer's PARENTERAL SOLUTION MO</i>	1	
SAMSCA 15 MG, 30 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET MO</i>	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET MO	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK MO	3	
<i>sevelamer carbonate 0.8 gram POWDER IN PACKET MO</i>	1	QL(540 per 30 days)
<i>sevelamer carbonate 2.4 gram POWDER IN PACKET MO</i>	1	QL(180 per 30 days)
<i>sevelamer carbonate 800 mg TABLET MO</i>	1	QL(540 per 30 days)
<i>sevelamer hcl 400 mg, 800 mg TABLET MO</i>	1	ST
SMOFLIPID 20 % EMULSION MO	3	BvsD
<i>sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE MO</i>	1	
<i>sodium chloride 2.5 meq/ml PARENTERAL SOLUTION MO</i>	1	
<i>sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION MO</i>	1	
<i>sodium chloride 0.9 % PARENTERAL SOLUTION MO</i>	1	
<i>sodium chloride 0.9 % PIGGYBACK MO</i>	1	
<i>sodium chloride 0.9 % SOLUTION MO</i>	1	
<i>sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION MO</i>	1	
<i>sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sodium phosphate 3 mmol/ml SOLUTION MO	1	
sodium polystyrene sulfonate POWDER MO	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION MO	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA MO	1	
SYPRINE 250 MG CAPSULE DL	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION MO	3	
tolvaptan 15 mg, 30 mg TABLET DL	4	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION MO	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET MO	1	
trientine 250 mg CAPSULE DL	4	QL(240 per 30 days)
trinatal rx 1 60 mg iron-1 mg TABLET MO	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE MO	3	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION MO	3	BvsD
UROKIT-K 10 10 MEQ (1,080 MG) TABLET ER MO	3	
UROKIT-K 15 15 MEQ TABLET ER MO	3	
UROKIT-K 5 5 MEQ (540 MG) TABLET ER MO	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION MO	3	
VELPHORO 500 MG CHEWABLE TABLET DL	4	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET MO	2	QL(30 per 30 days)
virt-c dha 35-1-200 mg CAPSULE MO	1	
virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
virt-pn plus 28-1-300 mg CAPSULE MO	1	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET MO	3	
VITAFOL NANO 18 MG IRON- 1 MG TABLET MO	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAFOL-OB 65-1 MG TABLET MO	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK MO	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE MO	3	
VITAMED MD ONE RX 30 MG IRON-1MG -200 MG CAPSULE MO	3	
VP-PNV-DHA 28 MG IRON- 1 MG-200 MG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
wesnata dha complete 29 mg iron- 1 mg-200 mg COMBO PACK MO	1	
wesnata dha 28 mg iron-1 mg -200 mg CAPSULE MO	1	
westab plus 27 mg iron- 1 mg TABLET MO	1	
westgel dha 31 mg iron- 1 mg-200 mg CAPSULE MO	1	
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE MO	1	
zatean-pn plus 28-1-300 mg CAPSULE MO	1	
GASTROINTESTINAL AGENTS		
ACIPHEX 20 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE DL	4	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE DL	4	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC MO	3	PA,QL(12 per 30 days)
alosetron 0.5 mg, 1 mg TABLET MO	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE MO	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK MO	1	ST
atropine 0.05 mg/ml, 0.1 mg/ml SYRINGE MO	1	
atropine in 0.9 % sod chloride 0.25 mg/5 ml (0.05 mg/ml) SYRINGE MO	1	
BENTYL 10 MG/ML SOLUTION MO	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE MO	1	QL(120 per 30 days)
CARAFATE 1 GRAM TABLET MO	3	
CARAFATE 100 MG/ML SUSPENSION MO	3	
CHENODAL 250 MG TABLET DL	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET MO	1	
cimetidine hcl 300 mg/5 ml SOLUTION MO	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION MO	2	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION MO	2	
constulose 10 gram/15 ml SOLUTION MO	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION MO	3	
CYTOTEC 100 MCG, 200 MCG TABLET DL	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING MO	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC MO	3	ST,QL(30 per 30 days)
dicyclomine 10 mg CAPSULE MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION MO	1	
dicyclomine 20 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET MO	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID MO	1	
ENDARI 5 GRAM POWDER IN PACKET DL	4	PA,QL(180 per 30 days)
enulose 10 gram/15 ml SOLUTION MO	1	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET MO	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC MO	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION MO	1	
ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC MO	3	QL(30 per 30 days)
famotidine 10 mg/ml SOLUTION MO	1	
famotidine 20 mg, 40 mg TABLET MO	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION MO	1	
famotidine (pf) 20 mg/2 ml SOLUTION MO	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK MO	1	
GATTEX 30-VIAL 5 MG KIT DL,LA	4	PA
GATTEX ONE-VIAL 5 MG KIT DL,LA	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION MO	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION MO	1	
gavilyte-n 420 gram RECON SOLUTION MO	1	
generlac 10 gram/15 ml SOLUTION MO	1	
GLYCATE 1.5 MG TABLET MO	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION MO	1	
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET MO	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE MO	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE MO	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION MO	3	ST
IBSRELA 50 MG TABLET DL	4	PA,QL(60 per 30 days)
KONVOMEPE 2-84 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET MO	1	
lactulose 10 gram PACKET DL	4	
lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>lactulose 10 gram/15 ml SOLUTION</i> MO	1	
<i>lansoprazole 15 mg, 30 mg CAPSULE, DR/EC</i> MO	1	QL(60 per 30 days)
<i>lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR</i> MO	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE MO	2	QL(30 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET MO	3	
<i>loperamide 2 mg CAPSULE</i> MO	1	
LOTRONEX 0.5 MG, 1 MG TABLET DL	4	PA,QL(60 per 30 days)
<i>lubiprostone 24 mcg, 8 mcg CAPSULE</i> MO	1	QL(60 per 30 days)
<i>methscopolamine 2.5 mg, 5 mg TABLET</i> MO	1	
<i>misoprostol 100 mcg TABLET</i> MO	1	
<i>misoprostol 200 mcg TABLET</i> MO	1	
MOTEGRITY 1 MG, 2 MG TABLET MO	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET MO	3	
MOVANTIK 12.5 MG, 25 MG TABLET MO	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET MO	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION DL	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC DL	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION MO	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
<i>nizatidine 150 mg, 300 mg CAPSULE</i> MO	1	
<i>nizatidine 150 mg/10 ml SOLUTION</i> MO	1	
NULYTELY LEMON-LIME 420 GRAM RECON SOLUTION MO	3	ST
OICALIVA 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK MO	3	ST
<i>omeprazole 10 mg CAPSULE, DR/EC</i> MO	1	QL(60 per 30 days)
<i>omeprazole 20 mg, 40 mg CAPSULE, DR/EC</i> MO	1	QL(60 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET</i> DL	4	ST,QL(30 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE</i> MO	1	ST,QL(30 per 30 days)
<i>opium tincture 10 mg/ml (morphine) TINCTURE</i> MO	3	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>pantoprazole 20 mg, 40 mg TABLET, DR/EC</i> MO	1	QL(60 per 30 days)
<i>pantoprazole 40 mg DR GRANULES IN PACKET</i> MO	1	QL(30 per 30 days)
<i>pantoprazole 40 mg RECON SOLUTION</i> MO	1	
<i>peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION</i> MO	1	
<i>peg-electrolyte soln 420 gram RECON SOLUTION</i> MO	1	
<i>peg-prep 5-210 mg-gram KIT</i> MO	1	
<i>peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET</i> MO	1	ST
<i>pepcid 20 mg, 40 mg TABLET</i> MO	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL MO	3	ST
PREVACID 30 MG CAPSULE, DR/EC MO	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR MO	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON MO	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC MO	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET MO	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION MO	3	PA
PYLERA 140-125-125 MG CAPSULE MO	3	ST,QL(120 per 30 days)
<i>rabeprazole 20 mg TABLET, DR/EC</i> MO	1	QL(60 per 30 days)
RELISTOR 12 MG/0.6 ML SOLUTION DL	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE DL	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET DL	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE DL	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE DL	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE DL	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET MO	3	PA
ROBINUL FORTE 2 MG TABLET MO	3	PA
<i>sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION</i> MO	1	
<i>sucralfate 1 gram TABLET</i> MO	1	
<i>sucralfate 100 mg/ml SUSPENSION</i> MO	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION MO	3	ST
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION MO	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET MO	3	ST
SYMPROIC 0.2 MG TABLET MO	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC MO	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI – Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRULANCE 3 MG TABLET MO	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET MO	3	PA
URSO FORTE 500 MG TABLET MO	3	PA
<i>ursodiol 200 mg CAPSULE</i> DL	4	PA,QL(150 per 30 days)
<i>ursodiol 250 mg, 500 mg TABLET</i> MO	1	
<i>ursodiol 300 mg CAPSULE</i> MO	1	
<i>ursodiol 400 mg CAPSULE</i> DL	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET DL	4	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK MO	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK MO	3	ST,QL(112 per 30 days)
XERMELO 250 MG TABLET DL	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET MO	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET DL	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET DL	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE DL	4	ST,QL(30 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION DL	4	PA
GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT		
ALDURAZYME 2.9 MG/5 ML SOLUTION DL	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION DL	4	PA
<i>betaine 1 gram/scoop POWDER</i> DL	4	
BUPHENYL 0.94 GRAM/GRAM POWDER DL	4	PA
BUPHENYL 500 MG TABLET DL	4	PA
CERDELGA 84 MG CAPSULE DL	4	PA
CEREZYME 400 UNIT RECON SOLUTION DL	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE DL	4	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC MO	2	
CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC MO	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION DL	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION DL	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYSTAGON 150 MG, 50 MG CAPSULE MO	3	
<i>dichlorphenamide</i> 50 mg TABLET DL	4	PA,QL(120 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION DL	4	PA
ELELYSO 200 UNIT RECON SOLUTION DL	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION DL	4	PA
ELFABRIO 2 MG/ML SOLUTION DL	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION DL	4	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION DL	4	PA
GALAFOLD 123 MG CAPSULE DL	4	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION DL	4	PA
<i>javygtor</i> 100 mg TABLET, SOLUBLE DL	4	PA
<i>javygtor</i> 100 mg, 500 mg POWDER IN PACKET DL	4	PA
JOENJA 70 MG TABLET DL	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION DL	4	PA
KEVEYIS 50 MG TABLET DL	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE DL	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET DL	4	PA
LAMZEDE 10 MG RECON SOLUTION DL	4	PA
LUMIZYME 50 MG RECON SOLUTION DL	4	PA
MEPSEVII 2 MG/ML SOLUTION DL	4	PA
<i>miglustat</i> 100 mg CAPSULE DL	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION DL	4	PA
NEXVIAZYME 100 MG RECON SOLUTION DL	4	PA
<i>nitisinone</i> 10 mg, 2 mg, 20 mg, 5 mg CAPSULE DL	4	
NITYR 10 MG, 2 MG, 5 MG TABLET DL	4	
NULIBRY 9.5 MG RECON SOLUTION DL	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET DL	4	PA
ONPATTRO 2 MG/ML SOLUTION DL	4	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE DL	4	
ORFADIN 4 MG/ML SUSPENSION DL	4	
PALYNZIQ 10 MG/0.5 ML SYRINGE DL	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE DL	4	PA,QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PALYNZIQ 20 MG/ML SYRINGE DL	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC MO	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC DL	4	ST
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC DL	4	ST
PHEBURANE 483 MG/GRAM GRANULES DL	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET DL	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE DL	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET DL	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION DL	4	PA
PROLASTIN-C 1,000 MG RECON SOLUTION DL	4	PA
RAVICTI 1.1 GRAM/ML LIQUID DL	4	PA,QL(525 per 30 days)
REVCOSI 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION DL	4	
sapropterin 100 mg TABLET, SOLUBLE DL	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET DL	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER DL	4	
sodium phenylbutyrate 500 mg TABLET DL	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION DL	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION DL	4	
TEGSEDI 284 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET DL	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET DL	4	PA,QL(56 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET DL	4	ST
VPRIV 400 UNIT RECON SOLUTION DL	4	PA
VYNDAMAX 61 MG CAPSULE DL	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE DL	4	PA,QL(120 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XURIDEN 2 GRAM GRANULES IN PACKET DL	4	PA,QL(120 per 30 days)
ZAVESCA 100 MG CAPSULE DL	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION DL	4	PA
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT CAPSULE, DR/EC MO	3	
ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC MO	3	
ZOKINVY 50 MG, 75 MG CAPSULE DL	4	PA,QL(120 per 30 days)
GENITOURINARY AGENTS		
<i>alfuzosin 10 mg TABLET, ER 24 HR. MO</i>	1	
AVODART 0.5 MG CAPSULE MO	3	PA,QL(30 per 30 days)
<i>bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET MO</i>	1	
CIALIS 2.5 MG, 5 MG TABLET MO	3	PA
<i>darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET MO	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. MO	3	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. MO	3	PA,QL(60 per 30 days)
<i>dutasteride 0.5 mg CAPSULE MO</i>	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. MO</i>	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE MO	3	QL(90 per 30 days)
ENTADFI 5-5 MG CAPSULE MO	3	PA,QL(182 per 365 days)
<i>fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. MO</i>	1	QL(30 per 30 days)
<i>finasteride 5 mg TABLET MO</i>	1	QL(30 per 30 days)
<i>flavoxate 100 mg TABLET MO</i>	1	
FLOMAX 0.4 MG CAPSULE MO	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET MO	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET MO	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. MO	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. MO	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON MO	2	QL(300 per 30 days)
<i>oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 15 mg TABLET, ER 24 HR. MO</i>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oxybutynin chloride 2.5 mg TABLET MO	1	QL(90 per 30 days)
oxybutynin chloride 5 mg TABLET MO	1	
oxybutynin chloride 5 mg/5 ml SYRUP MO	1	
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY MO	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET MO	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE MO	3	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE MO	1	QL(30 per 30 days)
solifenacin 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET MO	1	PA
tamsulosin 0.4 mg CAPSULE MO	1	
THIOLA 100 MG TABLET DL	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC DL	4	
tiopronin 100 mg TABLET DL	4	
tolterodine 1 mg, 2 mg TABLET MO	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. MO	3	PA,QL(30 per 30 days)
tropium 20 mg TABLET MO	1	
tropium 60 mg CAPSULE, ER 24 HR. MO	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. MO	3	
VESICARE 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION MO	3	PA,QL(300 per 30 days)
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)		
ACTHAR 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE DL	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION MO	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION MO	3	
CORTROPHIN GEL 80 UNIT/ML GEL DL	4	PA,QL(30 per 30 days)
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION MO	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK MO	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET MO	1	
dexamethasone 0.5 mg/5 ml ELIXIR MO	1	
dexamethasone 0.5 mg/5 ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK MO	1	
dexamethasone intensol 1 mg/ml DROPS MO	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION MO	1	
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE MO	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION MO	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE MO	1	
DXEVO 1.5 MG (39 TABS) TABLET, DOSE PACK MO	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET DL	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION DL	4	PA
fludrocortisone 0.1 mg TABLET MO	1	
HEMADY 20 MG TABLET MO	3	PA,QL(24 per 28 days)
KENALOG 0.147 MG/GRAM AEROSOL MO	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION MO	3	
KENALOG-80 80 MG/ML SUSPENSION MO	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET MO	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK MO	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET MO	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK MO	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION HI,MO	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg RECON SOLUTION HI,MO	1	
methylprednisolone sodium succ 500 mg RECON SOLUTION MO	1	
millipred 5 mg TABLET MO	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK MO	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING MO	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION MO	3	
prednisolone 15 mg/5 ml SOLUTION MO	1	
prednisolone 5 mg TABLET MO	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING MO	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
prednisone 1 mg, 2.5 mg, 50 mg TABLET MO	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET MO	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK MO	1	
prednisone 5 mg/5 ml SOLUTION MO	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE MO	1	BvsD
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC DL	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION MO	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION MO	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION MO	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION HI,MO	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK MO	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT MO	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION MO	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM MO	1	
triamcinolone acetonide 0.1 % CREAM MO	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL MO	1	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION MO	1	
trianex 0.05 % OINTMENT MO	1	
triderm 0.1 %, 0.5 % CREAM MO	1	
tritocin 0.05 % OINTMENT MO	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION MO	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK MO	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON MO	3	PA
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION MO	3	PA
DDAVP 0.1 MG TABLET MO	3	PA
DDAVP 0.2 MG TABLET DL	4	PA
DDAVP 4 MCG/ML SOLUTION MO	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET MO	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP MO	1	PA,QL(25 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL</i> MO	1	PA,QL(25 per 30 days)
<i>desmopressin 4 mcg/ml SOLUTION</i> DL	4	
EGRIFTA SV 2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE DL	4	PA
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE DL	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE DL	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION DL	4	PA
INCRELEX 10 MG/ML SOLUTION DL	4	PA
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR DL	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING MO	3	PA,QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING MO	3	PA,QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA
NOVAREL 10,000 UNIT, 5,000 UNIT RECON SOLUTION MO	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR DL	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE DL	4	PA
OMNITROPE 5.8 MG RECON SOLUTION DL	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION MO	3	PA
SAIZEN 5 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION DL	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE DL	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE DL	4	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE DL	4	PA,QL(4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR DL	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION DL	4	PA
ZOMACTON 5 MG RECON SOLUTION DL	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)		
carboprost tromethamine 250 mcg/ml SOLUTION MO	1	
HEMABATE 250 MCG/ML SOLUTION MO	3	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)		
ACTIVELLA 1-0.5 MG TABLET MO	3	
afirmelle 0.1-20 mg-mcg TABLET MO	1	
altavera (28) 0.15-0.03 mg TABLET MO	1	
alyacen 1/35 (28) 1-35 mg-mcg TABLET MO	1	
alyacen 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
amabelz 0.5-0.1 mg, 1-0.5 mg TABLET MO	1	
amethia 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
amethyst (28) 90-20 mcg (28) TABLET MO	1	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. MO	3	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. MO	3	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET MO	3	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET DL	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET DL	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP DL	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET MO	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING MO	3	QL(1 per 365 days)
apri 0.15-0.03 mg TABLET MO	1	
aranelle (28) 0.5/1/0.5-35 mg-mcg TABLET MO	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
aubra 0.1-20 mg-mcg TABLET MO	1	
aubra eq 0.1-20 mg-mcg TABLET MO	1	
aurovela 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
aurovela 1/20 (21) 1-20 mg-mcg TABLET MO	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION DL	4	PA
aviane 0.1-20 mg-mcg TABLET MO	1	
AYGESTIN 5 MG TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ayuna 0.15-0.03 mg TABLET MO	1	
azurette (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET MO	3	
balziva (28) 0.4-35 mg-mcg TABLET MO	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET MO	3	
BIJUVA 1-100 MG CAPSULE MO	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
briellyn 0.4-35 mg-mcg TABLET MO	1	
camila 0.35 mg TABLET MO	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
caziant (28) 0.1/.125/.15-25 mg-mcg TABLET MO	1	
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
chateal (28) 0.15-0.03 mg TABLET MO	1	
chateal eq (28) 0.15-0.03 mg TABLET MO	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY MO	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL MO	3	
cryselle (28) 0.3-30 mg-mcg TABLET MO	1	
cyclafem 1/35 (28) 1-35 mg-mcg TABLET MO	1	
cyclafem 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
cyred 0.15-0.03 mg TABLET MO	1	
cyred eq 0.15-0.03 mg TABLET MO	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE MO	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET MO	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL MO	3	
DEPO-ESTRADIOL 5 MG/ML OIL MO	1	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION MO	3	QL(1 per 90 days)
DEPO-PROVERA 150 MG/ML SYRINGE MO	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE MO	3	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL MO	1	
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET MO	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET MO	3	
dolishale 90-20 mcg (28) TABLET MO	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.fa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET MO	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET MO	1	
DUAVEE 0.45-20 MG TABLET MO	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET MO	1	
ELLA 30 MG TABLET MO	2	QL(1 per 30 days)
eluryng 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
emoquette 0.15-0.03 mg TABLET MO	1	
ENDOMETRIN 100 MG INSERT MO	3	
enilloring 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
enskyce 0.15-0.03 mg TABLET MO	1	
errin 0.35 mg TABLET MO	1	
estarylla 0.25-35 mg-mcg TABLET MO	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM MO	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET MO	1	
estradiol 0.01 % (0.1 mg/gram) CREAM MO	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY MO	1	QL(4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET MO	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET MO	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL MO	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET MO	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING MO	3	QL(1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET MO	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL MO	3	
EVISTA 60 MG TABLET MO	3	PA,QL(30 per 30 days)
falmina (28) 0.1-20 mg-mcg TABLET MO	1	
FEMHRT LOW DOSE 0.5-2.5 MG-MCG TABLET MO	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING MO	3	QL(1 per 90 days)
femynor 0.25-35 mg-mcg TABLET MO	1	
finzala 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP MO	3	PA,QL(120 per 30 days)
fyavolv 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET MO	1	
gemmily 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO	3	
hailey 1.5-30 mg-mcg TABLET MO	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
haloette 0.12-0.015 mg/24 hr RING MO	1	QL(1 per 28 days)
heather 0.35 mg TABLET MO	1	
iclevia 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
incassia 0.35 mg TABLET MO	1	
isibloom 0.15-0.03 mg TABLET MO	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
jasmiel (28) 3-0.02 mg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JATENZO 158 MG, 198 MG CAPSULE MO	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE MO	3	PA,QL(60 per 30 days)
jencycla 0.35 mg TABLET MO	1	
jinteli 1-5 mg-mcg TABLET MO	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET MO	1	
juleber 0.15-0.03 mg TABLET MO	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
junel 1/20 (21) 1-20 mg-mcg TABLET MO	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO	1	
kalliga 0.15-0.03 mg TABLET MO	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
kelnor 1-50 (28) 1-50 mg-mcg TABLET MO	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET MO	1	
kurvelo (28) 0.15-0.03 mg TABLET MO	1	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	
larin 1/20 (21) 1-20 mg-mcg TABLET MO	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
larissia 0.1-20 mg-mcg TABLET MO	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET MO	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET MO	1	
lessina 0.1-20 mg-mcg TABLET MO	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
levora-28 0.15-0.03 mg TABLET MO	1	
lillow (28) 0.15-0.03 mg TABLET MO	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET MO	3	
lo-zumandimine (28) 3-0.02 mg TABLET MO	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET MO	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET MO	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET MO	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET MO	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET MO	1	
LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
low-ogestrel (28) 0.3-30 mg-mcg TABLET MO	1	
lutera (28) 0.1-20 mg-mcg TABLET MO	1	
lyleq 0.35 mg TABLET MO	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY MO	1	QL(8 per 28 days)
lyza 0.35 mg TABLET MO	1	
marlissa (28) 0.15-0.03 mg TABLET MO	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET MO	1	
medroxyprogesterone 150 mg/ml SUSPENSION MO	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE MO	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET MO	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION MO	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET MO	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY MO	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
METHITEST 10 MG TABLET DL	4	
methyltestosterone 10 mg CAPSULE DL	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>microgestin 1/20 (21) 1-20 mg-mcg TABLET MO</i>	1	
<i>microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO</i>	1	
<i>microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO</i>	1	
<i>microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO</i>	1	
<i>mili 0.25-35 mg-mcg TABLET MO</i>	1	
<i>mimvey 1-0.5 mg TABLET MO</i>	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET MO	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET MO	1	
<i>mono-lynyah 0.25-35 mg-mcg TABLET MO</i>	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET MO	3	
NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP MO	3	PA,QL(21.96 per 30 days)
<i>necon 0.5/35 (28) 0.5-35 mg-mcg TABLET MO</i>	1	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET MO	3	
<i>nikki (28) 3-0.02 mg TABLET MO</i>	1	
<i>nora-be 0.35 mg TABLET MO</i>	1	
<i>noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET MO</i>	1	
<i>norethindrone (contraceptive) 0.35 mg TABLET MO</i>	1	
<i>norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET MO</i>	1	
<i>norethindrone acetate 5 mg TABLET MO</i>	1	
<i>norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET MO</i>	1	
<i>norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO</i>	1	
<i>norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET MO</i>	1	
<i>norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET MO</i>	1	
<i>norlyda 0.35 mg TABLET MO</i>	1	
<i>nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET MO</i>	1	
<i>nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET MO</i>	1	
<i>nortrel 1/35 (28) 1-35 mg-mcg TABLET MO</i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
NUVARING 0.12-0.015 MG/24 HR RING MO	3	QL(1 per 28 days)
nylia 1/35 (28) 1-35 mg-mcg TABLET MO	1	
nylia 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET MO	1	
nymyo 0.25-35 mg-mcg TABLET MO	1	
ocella 3-0.03 mg TABLET MO	1	
orsythia 0.1-20 mg-mcg TABLET MO	1	
ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET MO	3	
ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET MO	1	
OSPHENA 60 MG TABLET MO	2	PA
oxandrolone 10 mg TABLET MO	1	PA,QL(60 per 30 days)
oxandrolone 2.5 mg TABLET MO	1	PA,QL(120 per 30 days)
philit 0.4-35 mg-mcg TABLET MO	1	
pimtrea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
pirmella 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET MO	1	
portia 28 0.15-0.03 mg TABLET MO	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET MO	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET MO	3	
PREMARIN 0.625 MG/GRAM CREAM MO	2	
PREMARIN 25 MG RECON SOLUTION MO	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET MO	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET MO	3	
previfem 0.25-35 mg-mcg TABLET MO	1	
progesterone 50 mg/ml OIL MO	1	
progesterone micronized 100 mg, 200 mg CAPSULE MO	1	
PROMETRIUM 100 MG, 200 MG CAPSULE MO	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET MO	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
raloxifene 60 mg TABLET MO	1	QL(30 per 30 days)
reclipsen (28) 0.15-0.03 mg TABLET MO	1	
rivelsa 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH MO	3	QL(91 per 90 days)
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET MO	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH MO	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET MO	3	
sprintec (28) 0.25-35 mg-mcg TABLET MO	1	
sronyx 0.1-20 mg-mcg TABLET MO	1	
syeda 3-0.03 mg TABLET MO	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET MO	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET MO	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE MO	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE MO	3	
TESTIM 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET MO	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET MO	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET MO	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP MO	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP MO	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP MO	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL MO	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL MO	1	
testosterone enanthate 200 mg/ml OIL MO	1	QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
TLANDO 112.5 MG CAPSULE MO	3	PA,QL(120 per 30 days)
tri femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-estarylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET MO	1	
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-previfem (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET MO	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET MO	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET MO	1	
tulana 0.35 mg TABLET MO	1	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET MO	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET MO	1	
VAGIFEM 10 MCG TABLET MO	3	PA
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET MO	1	
vestura (28) 3-0.02 mg TABLET MO	1	
vienva 0.1-20 mg-mcg TABLET MO	1	
violele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY MO	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET MO	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP MO	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL MO	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET MO	1	
vyfemla (28) 0.4-35 mg-mcg TABLET MO	1	
vylibra 0.25-35 mg-mcg TABLET MO	1	
wera (28) 0.5-35 mg-mcg TABLET MO	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET MO	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET MO	3	
YAZ (28) 3-0.02 MG TABLET MO	3	
yuvafem 10 mcg TABLET MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>zafemy</i> 150-35 mcg/24 hr PATCH, WEEKLY MO	1	QL(3 per 28 days)
<i>zarah</i> 3-0.03 mg TABLET MO	1	
<i>zovia</i> 1-35 (28) 1-35 mg-mcg TABLET MO	1	
<i>zovia</i> 1/35e (28) 1-35 mg-mcg TABLET MO	1	
<i>zumandimine</i> (28) 3-0.03 mg TABLET MO	1	
HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET MO	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET MO	3	
ERMEZA 30 MCG/ML SOLUTION MO	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
<i>levothyroxine</i> 100 mcg RECON SOLUTION MO	1	
<i>levothyroxine</i> 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE MO	1	
<i>levothyroxine</i> 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET MO	1	
<i>levothyroxine</i> 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION MO	1	
<i>levothyroxine</i> 175 mcg, 200 mcg, 300 mcg TABLET MO	1	
<i>levothyroxine</i> 200 mcg, 500 mcg RECON SOLUTION DL	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	1	
<i>liothyronine</i> 10 mcg/ml SOLUTION MO	1	
<i>liothyronine</i> 25 mcg, 5 mcg, 50 mcg TABLET MO	1	
<i>np thyroid</i> 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET MO	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
THYQUIDITY 20 MCG/ML SOLUTION MO	3	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION MO	3	
TRIOSTAT 10 MCG/ML SOLUTION MO	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET MO	2	
HORMONAL AGENTS, SUPPRESSANT (ADRENAL)		
ISTURISA 1 MG TABLET DL	4	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET DL	4	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET DL	4	PA,QL(360 per 30 days)
LYSODREN 500 MG TABLET DL	4	
RECORLEV 150 MG TABLET DL	4	PA,QL(240 per 30 days)
HORMONAL AGENTS, SUPPRESSANT (PITUITARY)		
<i>cabergoline 0.5 mg TABLET MO</i>	1	
ELIGARD 7.5 MG (1 MONTH) SYRINGE MO	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE MO	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE MO	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE MO	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION DL	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION MO	3	PA
<i>lanreotide 120 mg/0.5 ml SYRINGE DL</i>	4	PA,QL(0.5 per 28 days)
<i>leuprolide 1 mg/0.2 ml KIT MO</i>	1	
<i>leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION MO</i>	3	PA,QL(1 per 90 days)
LUPANETA PACK (1 MONTH) 3.75 MG -5 MG (30) KIT, SYRINGE/TABLET DL	4	PA,QL(1 per 30 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT MO	3	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT DL	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT MO	3	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT MO	3	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG KIT DL	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT DL	4	PA,QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC DL	4	PA,QL(112 per 28 days)
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION MO	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE MO	1	PA
ORGOVYX 120 MG TABLET DL	4	PA,QL(32 per 30 days)
ORILISSA 150 MG TABLET DL	4	PA,QL(28 per 28 days)
ORILISSA 200 MG TABLET DL	4	PA,QL(56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION DL	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON DL	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION DL	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE DL	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION DL	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL DL	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION MO	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT MO	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT MO	3	PA,QL(1 per 28 days)
HORMONAL AGENTS, SUPPRESSANT (THYROID)		
methimazole 10 mg, 5 mg TABLET MO	1	
propylthiouracil 50 mg TABLET MO	1	
TAPAZOLE 10 MG, 5 MG TABLET MO	1	
IMMUNOLOGICAL AGENTS		
ABRYOVO 120 MCG/0.5 ML RECON SOLUTION AV,DL	1	
ACTEMRA 162 MG/0.9 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR DL	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION DL	4	PA
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION AV,DL	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE AV,DL	1	
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
ADBRY 150 MG/ML SYRINGE DL	4	PA,QL(6 per 28 days)
AMJEVITA(CF) 10 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
ARAVA 10 MG, 20 MG TABLET DL	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION DL	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
ASCENIV 10 % SOLUTION DL	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. MO	3	BvsD
ATGAM 50 MG/ML SOLUTION DL	4	PA
AVSOLA 100 MG RECON SOLUTION DL	4	PA
AZASAN 100 MG, 75 MG TABLET MO	1	BvsD
<i>azathioprine 100 mg, 50 mg, 75 mg TABLET MO</i>	1	BvsD
<i>azathioprine sodium 100 mg RECON SOLUTION MO</i>	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENLYSTA 120 MG RECON SOLUTION DL	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR DL	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
BENLYSTA 400 MG RECON SOLUTION DL	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT DL	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION DL	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE AV,DL	1	
BIVIGAM 10 % SOLUTION DL	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION AV,DL	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE AV,DL	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	BvsD
CELLCEPT 250 MG CAPSULE DL	4	BvsD
CELLCEPT 500 MG TABLET DL	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION MO	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET DL	4	PA,QL(30 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT DL	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT DL	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION DL	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX 75 MG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE DL	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION DL	4	PA
cyclosporine 100 mg, 25 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE MO	1	BvsD
cyclosporine modified 100 mg/ml SOLUTION MO	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION DL	4	PA
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION DL	1	
DENGVAIXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION MO	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR DL	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE DL	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE DL	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE DL	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION DL	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE DL	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR DL	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION AV,DL	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE AV,DL	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
ENJAYMO 50 MG/ML SOLUTION DL	4	PA
ENSPRYNG 120 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR DL	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. MO	3	PA
ENVARUSUS XR 4 MG TABLET, ER 24 HR. DL	3	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET</i> MO	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET</i> DL	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET</i> DL	4	BvsD,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE DL	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION DL	4	PA
GAMASTAN 15-18 % RANGE SOLUTION MO	3	PA
GAMASTAN S/D 15-18 % RANGE SOLUTION MO	3	PA
GAMIFANT 5 MG/ML SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GAMMAGARD LIQUID 10 % SOLUTION DL	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION DL	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GAMMAPLEX 10 % SOLUTION DL	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION DL	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION DL	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION DL	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION AV,DL	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE AV,DL	1	
<i>gengraf</i> 100 mg, 25 mg CAPSULE MO	1	BvsD
<i>gengraf</i> 100 mg/ml SOLUTION MO	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HADLIMA PUSHTOUCH 40 MG/0.8 ML AUTO-INJECTOR DL	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSHTOUCH 40 MG/0.4 ML AUTO-INJECTOR DL	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION DL	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE AV,DL	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE DL	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION DL	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE DL	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT DL	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION DL	4	BvsD
HYPERRAB S/D (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE MO	3	BvsD
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR DL	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE DL	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE DL	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE DL	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE DL	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
<i>icatibant 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT DL	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION MO	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION AV,DL	1	BvsD
IMURAN 50 MG TABLET MO	3	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE DL	1	
INFLECTRA 100 MG RECON SOLUTION DL	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFLIXIMAB 100 MG RECON SOLUTION DL	4	PA
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION MO	3	PA
INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION MO	2	PA
IPOLE 40-8-32 UNIT/0.5 ML SUSPENSION AV,DL	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE AV,DL	1	
JYNNEOS (PF)(STOCKPILE) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION AV,MO	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION DL	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR DL	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE DL	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE DL	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE DL	1	
<i>leflunomide 10 mg, 20 mg TABLET</i> MO	1	QL(30 per 30 days)
LUPKYNIS 7.9 MG CAPSULE DL	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION AV,DL	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION AV,DL	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION AV,MO	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT AV,DL	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION AV,DL	1	
<i>methotrexate sodium 2.5 mg TABLET</i> MO	1	BvsD
<i>methotrexate sodium 25 mg/ml SOLUTION</i> MO	1	
<i>methotrexate sodium (pf) 1 gram RECON SOLUTION</i> MO	1	
<i>methotrexate sodium (pf) 25 mg/ml SOLUTION</i> MO	1	
MONJUVI 200 MG RECON SOLUTION DL	4	PA
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i> MO	1	BvsD
<i>mycophenolate mofetil 250 mg CAPSULE</i> MO	1	BvsD
<i>mycophenolate mofetil 500 mg TABLET</i> MO	1	BvsD
<i>mycophenolate mofetil (hcl) 500 mg RECON SOLUTION</i> MO	1	BvsD
<i>mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC</i> MO	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC MO	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC DL	4	BvsD
NEORAL 100 MG, 25 MG CAPSULE MO	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEORAL 100 MG/ML SOLUTION MO	3	BvsD
OCTAGAM 10 %, 5 % SOLUTION DL	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET DL	4	PA,QL(30 per 30 days)
ORENCIA 125 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE DL	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE DL	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE DL	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION DL	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE DL	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION DL	1	
PEGASYS 180 MCG/0.5 ML SYRINGE DL	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION DL	4	PA,QL(4 per 28 days)
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT DL	1	
PREHEVBRIO (PF) 10 MCG/ML SUSPENSION AV,DL	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
PRIVIGEN 10 % SOLUTION DL	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET MO	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE MO	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION DL	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE DL	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION AV,DL	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET DL	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION DL	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR MO	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR MO	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR MO	3	PA,QL(1.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI – Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR MO	3	PA,QL(1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR MO	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR MO	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR MO	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR MO	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION AV,DL	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE AV,DL	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE MO	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE MO	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE MO	3	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE MO	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE MO	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE MO	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE MO	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE MO	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION DL	4	PA
RENFLIXIS 100 MG RECON SOLUTION DL	4	PA
REZUROCK 200 MG TABLET DL	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE MO	3	
RIDAURA 3 MG CAPSULE DL	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. DL	4	PA,QL(168 per 365 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION DL	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION DL	1	
ROTATEQ VACCINE 2 ML SOLUTION DL	1	
RUCONEST 2,100 UNIT RECON SOLUTION DL	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION DL	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> DL	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE MO	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION MO	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SILIQ 210 MG/1.5 ML SYRINGE DL	4	PA,QL(6 per 28 days)
SIMPONI 100 MG/ML PEN INJECTOR DL	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR DL	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE DL	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION DL	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION DL	4	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET</i> MO	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION</i> MO	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(6 per 365 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
SKYRIZI 150MG/1.66ML(75 MG/0.83 ML X2) SYRINGE KIT	4	PA,QL(6 per 365 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR DL	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION DL	4	PA,QL(30 per 365 days)
SKYRIZI 75 MG/0.83 ML SYRINGE	4	PA,QL(9.96 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION DL	4	PA
SOTYKTU 6 MG TABLET DL	4	PA,QL(30 per 30 days)
SPEVIGO 60 MG/ML SOLUTION DL	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION DL	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION DL	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE DL	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE DL	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION DL	4	PA
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE</i> MO	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE DL	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION DL	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR DL	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE DL	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE DL	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION AV,DL	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE AV,DL	1	
TETANUS,DIPHThERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION DL	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR DL	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE DL	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION MO	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE DL	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	4	PA,QL(8 per 365 days)
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET MO	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE AV,DL	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE AV,DL	1	
TYPHIM VI 25 MCG/0.5 ML SOLUTION AV,DL	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE AV,DL	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION DL	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION DL	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE DL	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION AV,DL	1	
VAQTA (PF) 50 UNIT/ML SYRINGE AV,DL	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION DL	4	PA,QL(12 per 30 days)
VEOPOZ 200 MG/ML SOLUTION DL	4	PA
VYVGART 20 MG/ML SOLUTION DL	4	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION DL	4	PA,QL(22.4 per 28 days)
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION DL	4	BvsD
XATMEP 2.5 MG/ML SOLUTION MO	3	PA
XELJANZ 1 MG/ML SOLUTION DL	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET DL	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION DL	4	PA
XOLAIR 150 MG RECON SOLUTION DL	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML SYRINGE DL,LA	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE DL,LA	4	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION AV,DL	1	
YUFLYMA(CF) 40 MG/0.4 ML SYRINGE KIT DL	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR, KIT DL	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR DL	4	PA,QL(4.8 per 28 days)
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET DL	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET DL	4	BvsD,QL(120 per 30 days)
INFLAMMATORY BOWEL DISEASE AGENTS		
<i>anucort-hc 25 mg SUPPOSITORY</i> MO	1	
<i>anusol-hc 25 mg SUPPOSITORY</i> MO	1	
APRISO 0.375 GRAM CAPSULE, ER 24 HR. MO	3	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC MO	3	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET MO	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC MO	3	
<i>balsalazide 750 mg CAPSULE</i> MO	1	
<i>budesonide 2 mg/actuation FOAM</i> MO	1	PA
<i>budesonide 3 mg CAPSULE, DR/EC</i> MO	1	PA
<i>budesonide 9 mg TABLET, DR/ER</i> DL	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY DL	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE DL	4	PA
CORTENEMA 100 MG/60 ML ENEMA MO	3	
CORTIFOAM 10 % (80 MG) FOAM MO	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) MO	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE DL	4	ST,QL(120 per 30 days)
ENTOCORT EC 3 MG CAPSULE, DR/EC DL	4	PA
<i>hemmorex-hc 25 mg SUPPOSITORY</i> MO	1	
<i>hydrocortisone 100 mg/60 ml ENEMA</i> MO	1	
<i>hydrocortisone acetate 25 mg SUPPOSITORY</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LIALDA 1.2 GRAM TABLET, DR/EC MO	3	ST,QL(120 per 30 days)
mesalamine 0.375 gram CAPSULE, ER 24 HR. MO	1	QL(120 per 30 days)
mesalamine 1,000 mg SUPPOSITORY MO	1	ST,QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC MO	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA MO	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) MO	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER MO	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC MO	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER DL	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER MO	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER DL	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM MO	1	
ROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA MO	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET MO	1	
sulfasalazine 500 mg TABLET, DR/EC MO	1	
TARPEYO 4 MG CAPSULE, DR/EC DL	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM MO	3	PA
UCERIS 9 MG TABLET, DR/ER MO	3	PA,QL(30 per 30 days)
METABOLIC BONE DISEASE AGENTS		
ACTONEL 150 MG TABLET MO	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET MO	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
alendronate 35 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg TABLET MO	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION MO	1	QL(300 per 28 days)
ATELVIA 35 MG TABLET, DR/EC MO	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT MO	3	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET MO	3	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL MO	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION DL	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE MO	1	
calcitriol 1 mcg/ml SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cinacalcet 30 mg, 60 mg TABLET MO	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET MO	1	QL(120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE MO	1	
doxercalciferol 4 mcg/2 ml SOLUTION MO	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SYRINGE DL	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR DL	4	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET MO	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET MO	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION MO	3	
ibandronate 150 mg TABLET MO	1	QL(1 per 28 days)
ibandronate 3 mg/3 ml SOLUTION MO	1	PA,QL(3 per 90 days)
ibandronate 3 mg/3 ml SYRINGE MO	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION DL	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE DL,LA	4	PA,QL(2 per 28 days)
pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION MO	1	QL(30 per 21 days)
pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION MO	1	QL(10 per 21 days)
paricalcitol 1 mcg, 2 mcg CAPSULE MO	1	QL(30 per 30 days)
paricalcitol 2 mcg/ml SOLUTION MO	1	QL(24 per 30 days)
paricalcitol 4 mcg CAPSULE MO	1	QL(12 per 30 days)
paricalcitol 5 mcg/ml SOLUTION MO	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE MO	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. DL	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK MO	3	PA,QL(100 per 365 days)
risedronate 150 mg TABLET MO	1	QL(1 per 30 days)
risedronate 30 mg, 5 mg TABLET MO	1	QL(30 per 30 days)
risedronate 35 mg TABLET MO	1	QL(4 per 28 days)
risedronate 35 mg TABLET, DR/EC MO	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE MO	3	
ROCALTROL 1 MCG/ML SOLUTION MO	3	
SENSIPAR 30 MG TABLET MO	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET DL	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET DL	4	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR DL	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION DL	4	PA,QL(1.7 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE MO	3	QL(30 per 30 days)
ZEMPLAR 2 MCG/ML SOLUTION DL	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION DL	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION MO	1	
zoledronic acid 4 mg/5 ml SOLUTION MO	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK MO	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK MO	1	PA,QL(100 per 365 days)
MISCELLANEOUS THERAPEUTIC AGENTS		
ACETADOTE 200 MG/ML (20 %) SOLUTION MO	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION MO	1	
acetic acid 0.25 % SOLUTION MO	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION MO	1	
ADAKVEO 10 MG/ML SOLUTION DL	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED MO	1	
ALCOHOL PREP PADS PADS, MEDICATED MO	1	
ALCOHOL SWABS PADS, MEDICATED MO	1	
ALCOHOL WIPES PADS, MEDICATED MO	1	
ALLZITAL 25-325 MG TABLET MO	1	QL(360 per 30 days)
AMMONUL 10-10 % SOLUTION DL	4	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN MO	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN MO	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN MO	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE MO	1	
BD ALCOHOL SWABS PADS, MEDICATED MO	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE PDS,MO	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE PDS,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 25 GAUGE X 5/8", 1 ML 25 X 1", 1 ML 26 X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE PDS,MO	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE PDS,MO	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE PDS,MO	1	
BD INSULIN SYRINGE SLIP TIP 1 ML SYRINGE PDS,MO	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" SYRINGE PDS,MO	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE PDS,MO	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS,MO	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE PDS,MO	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE PDS,MO	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE PDS,MO	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE PDS,MO	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE PDS,MO	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE PDS,MO	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE PDS,MO	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE DL	4	
BORDERED GAUZE 2 X 2 " BANDAGE MO	1	
<i>bupap 50-300 mg TABLET MO</i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE DL</i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE DL</i>	1	QL(360 per 30 days)
<i>butalbital-acetaminophen 50-300 mg CAPSULE MO</i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET MO</i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE MO</i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-325-40 mg TABLET MO</i>	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
butalbital-aspirin-caffeine 50-325-40 mg CAPSULE MO	1	QL(180 per 30 days)
butalbital-aspirin-caffeine 50-325-40 mg TABLET MO	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE DL	4	PA,QL(150 per 30 days)
BYLVAY 200 MCG PELLETT DL	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE DL	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLETT DL	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION MO	3	
caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION MO	1	
calcium disodium versenate 200 mg/ml SOLUTION MO	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED MO	1	
CERVIDIL 10 MG INSERT, ER MO	3	
CINVANTI 7.2 MG/ML EMULSION MO	3	PA,QL(36 per 28 days)
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE MO	3	ST,QL(60 per 30 days)
CURITY ALCOHOL SWABS PADS, MEDICATED MO	1	
CURITY GAUZE 2 X 2 " BANDAGE MO	1	
DEFITELIO 80 MG/ML SOLUTION DL	4	PA
DERMACEA 2 X 2 " BANDAGE MO	1	
DOJOLVI 8.3 KCAL/ML LIQUID DL	4	PA
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE PDS,MO	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE PDS,MO	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE PDS,MO	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE PDS,MO	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED MO	1	
DROPSAFE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16" SYRINGE PDS,MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI – Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE PDS,MO	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE MO	2	
EASY COMFORT ALCOHOL PAD PADS, MEDICATED MO	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED MO	1	
edetate calcium disodium 200 mg/ml SOLUTION DL	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION DL	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION DL	4	PA,QL(160 per 28 days)
ESGIC 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET MO	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET DL	4	PA,QL(30 per 30 days)
fioricet 50-300-40 mg CAPSULE MO	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE DL	3	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION MO	1	
fomepizole 1 gram/ml SOLUTION MO	1	
GAUZE BANDAGE 2 X 2 " BANDAGE MO	1	
GAUZE PAD 2 X 2 " BANDAGE MO	1	
GIVLAARI 189 MG/ML SOLUTION DL	4	PA
IGALMI 120 MCG, 180 MCG FILM MO	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED MO	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE PDS,MO	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE PDS,MO	1	
INSULIN SYRINGE NEEDLELESS 1 ML SYRINGE PDS,MO	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE PDS,MO	1	
IV PREP WIPES PADS, MEDICATED MO	1	
KORLYM 300 MG TABLET DL	4	PA,QL(120 per 30 days)
lactated ringers SOLUTION MO	1	
LAGEVRIO (EUA) 200 MG CAPSULE DL	4	QL(40 per 5 days)
LITFULO 50 MG CAPSULE DL	4	PA,QL(28 per 28 days)
LITHOSTAT 250 MG TABLET MO	3	
LIVMARLI 9.5 MG/ML SOLUTION DL	4	PA,QL(90 per 30 days)
methergine 0.2 mg TABLET MO	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>methylergonovine 0.2 mg TABLET</i> DL	4	
<i>methylergonovine 0.2 mg/ml (1 ml) SOLUTION</i> MO	1	
MYFEMBREE 40-1-0.5 MG TABLET DL	4	PA,QL(28 per 28 days)
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION</i> MO	1	
NOVOPEN ECHO INSULIN PEN MO	1	
NURTEC ODT 75 MG TABLET, DISINTEGRATING DL	4	PA,QL(18 per 30 days)
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE MO	2	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE MO	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE MO	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE MO	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE MO	2	
OMNIPOD GO PODS CARTRIDGE MO	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE MO	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE MO	2	
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
<i>orlistat 120 mg CAPSULE</i> MO	3	PA
OXBRYTA 300 MG TABLET DL	4	PA,QL(240 per 30 days)
OXBRYTA 300 MG TABLET FOR SUSPENSION DL	4	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET DL	4	PA,QL(90 per 30 days)
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
<i>oxytocin 10 unit/ml SOLUTION</i> MO	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE DL	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE DL	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET DL	3	PA
PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE MO	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET DL	3	PA
PAXLOVID 150-100 MG TABLET, DOSE PACK MO	2	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK MO	2	QL(60 per 10 days)
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE PDS,MO	1	
<i>phenazopyridine 100 mg, 200 mg TABLET</i> MO	1	
PHEXXI 1.8-1-0.4 % GEL MO	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION MO	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION MO	1	
PITOCIN 10 UNIT/ML SOLUTION MO	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE MO	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION DL	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP</i> MO	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i> MO	1	
<i>protamine 10 mg/ml SOLUTION</i> MO	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
PYRIDIDIUM 100 MG, 200 MG TABLET MO	3	
QUTENZA 8 % KIT DL	4	PA
REBYOTA 150 ML ENEMA DL	4	PA
RECTIV 0.4 % (W/W) OINTMENT MO	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION MO	3	
<i>ribavirin 6 gram RECON SOLUTION</i> DL	4	BvsD
RIMSO-50 50 % SOLUTION DL	4	
<i>ringer's SOLUTION</i> MO	1	
SIKLOS 1,000 MG, 100 MG TABLET MO	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> DL	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>sodium chloride 0.9 % SOLUTION</i> MO	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	PA
<i>sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION</i> MO	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED MO	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED MO	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION DL	4	PA
<i>tencon 50-325 mg TABLET</i> MO	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION DL	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED MO	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED MO	1	
TZIELD 1 MG/ML SOLUTION DL	4	PA,QL(28 per 365 days)
UBRELVY 100 MG, 50 MG TABLET MO	2	PA,QL(16 per 30 days)
ULTILET ALCOHOL SWAB PADS, MEDICATED MO	1	
V-GO 20 DEVICE MO	2	
V-GO 30 DEVICE MO	2	
V-GO 40 DEVICE MO	2	
VEOZAH 45 MG TABLET MO	3	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION DL	4	BvsD
VOWST CAPSULE DL	4	PA
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION DL	4	PA,QL(30 per 30 days)
<i>vtol lq 50-325-40 mg/15 ml SOLUTION</i> DL	4	QL(450 per 30 days)
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL DL	4	PA,QL(10 per 28 days)
<i>water for irrigation, sterile SOLUTION</i> MO	1	
WEBCOL PADS, MEDICATED MO	1	
XDEMVI 0.25 % DROPS	4	PA,QL(10 per 42 days)
XENICAL 120 MG CAPSULE MO	3	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR DL	4	PA
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL DL	4	PA,QL(8 per 30 days)
ZEBUTAL 50-325-40 MG CAPSULE MO	1	QL(180 per 30 days)
<i>zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET</i> MO	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION MO	3	
OPHTHALMIC AGENTS		
ACULAR 0.5 % DROPS MO	3	ST,QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACULAR LS 0.4 % DROPS MO	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE MO	3	ST
<i>ak-poly-bac 500-10,000 unit/gram OINTMENT</i> MO	1	
ALCAINE 0.5 % DROPS MO	1	
ALOCRIL 2 % DROPS MO	3	
ALOMIDE 0.1 % DROPS MO	3	
ALPHAGAN P 0.1 % DROPS MO	2	
ALPHAGAN P 0.15 % DROPS MO	3	PA
ALREX 0.2 % DROPS, SUSPENSION MO	3	ST
<i>apraclonidine 0.5 % DROPS</i> MO	1	
<i>atropine 1 % DROPS</i> MO	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE MO	1	
AZASITE 1 % DROPS MO	3	ST,QL(2.5 per 25 days)
<i>azelastine 0.05 % DROPS</i> MO	1	
AZOPT 1 % DROPS, SUSPENSION MO	3	ST,QL(10 per 28 days)
<i>bacitracin 500 unit/gram OINTMENT</i> MO	1	
<i>bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT</i> MO	1	
<i>balanced salt SOLUTION</i> MO	1	
<i>bepotastine besilate 1.5 % DROPS</i> MO	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS MO	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION MO	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION MO	3	
<i>betaxolol 0.5 % DROPS</i> MO	1	
BETIMOL 0.25 %, 0.5 % DROPS MO	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION MO	3	ST
<i>bimatoprost 0.03 % DROPS</i> MO	1	QL(2.5 per 25 days)
BLEPH-10 10 % DROPS MO	1	
BLEPHAMIDE 10-0.2 % DROPS, SUSPENSION MO	3	
<i>brimonidine 0.15 % DROPS</i> MO	1	
<i>brimonidine 0.2 % DROPS</i> MO	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i> MO	1	ST,QL(10 per 28 days)
<i>bromfenac 0.09 % DROPS</i> MO	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS MO	3	ST,QL(5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BSS SOLUTION MO	3	
BSS PLUS SOLUTION MO	3	
carteolol 1 % DROPS MO	1	
CEQUA 0.09 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % DROPS MO	3	
CILOXAN 0.3 % OINTMENT MO	3	
ciprofloxacin hcl 0.3 % DROPS MO	1	
COMBIGAN 0.2-0.5 % DROPS MO	2	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS MO	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE MO	3	ST,QL(60 per 30 days)
cromolyn 4 % DROPS MO	1	
cyclopentolate 0.5 %, 1 %, 2 % DROPS MO	1	
CYSTADROPS 0.37 % DROPS DL	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS DL	4	PA,QL(60 per 28 days)
dexamethasone sodium phosphate 0.1 % DROPS MO	1	
DEXTENZA 0.4 MG INSERT MO	3	QL(1 per 30 days)
diclofenac sodium 0.1 % DROPS MO	1	
difluprednate 0.05 % DROPS MO	1	ST
dorzolamide 2 % DROPS MO	1	
dorzolamide-timolol 22.3-6.8 mg/ml DROPS MO	1	
dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE MO	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS MO	3	ST
DURYSTA 10 MCG IMPLANT DL	4	PA
epinastine 0.05 % DROPS MO	1	ST,QL(5 per 25 days)
erythromycin 5 mg/gram (0.5 %) OINTMENT MO	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION MO	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION MO	3	ST
fluorometholone 0.1 % DROPS, SUSPENSION MO	1	
flurbiprofen sodium 0.03 % DROPS MO	1	
FML FORTE 0.25 % DROPS, SUSPENSION MO	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION MO	3	ST
gatifloxacin 0.5 % DROPS MO	1	QL(2.5 per 25 days)
gentak 0.3 % (3 mg/gram) OINTMENT MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>gentamicin 0.3 % DROPS</i> MO	1	
<i>ILEVRO 0.3 % DROPS, SUSPENSION</i> MO	2	QL(3 per 30 days)
<i>INVELTYS 1 % DROPS, SUSPENSION</i> MO	3	ST
<i>IOPIDINE 1 % DROPPERETTE</i> MO	3	
<i>ISOPTO CARPINE 1 %, 2 %, 4 % DROPS</i> MO	3	
<i>ISTALOL 0.5 % DROPS, ONCE DAILY</i> MO	3	
<i>IYUZEH 0.005 % DROPPERETTE</i> MO	3	ST,QL(30 per 30 days)
<i>ketorolac 0.4 % DROPS</i> MO	1	QL(10 per 30 days)
<i>ketorolac 0.5 % DROPS</i> MO	1	QL(10 per 30 days)
<i>LACRISERT 5 MG INSERT</i> MO	3	
<i>LASTACFT 0.25 % DROPS</i> MO	3	ST
<i>latanoprost 0.005 % DROPS</i> MO	1	QL(5 per 25 days)
<i>levobunolol 0.5 % DROPS</i> MO	1	
<i>levofloxacin 0.5 %, 1.5 % DROPS</i> MO	1	
<i>LOTEMAX 0.5 % DROPS, GEL</i> MO	3	ST
<i>LOTEMAX 0.5 % DROPS, SUSPENSION</i> MO	3	ST
<i>LOTEMAX 0.5 % OINTMENT</i> MO	3	ST
<i>LOTEMAX SM 0.38 % DROPS, GEL</i> MO	3	
<i>loteprednol etabonate 0.5 % DROPS, GEL</i> MO	1	ST
<i>loteprednol etabonate 0.5 % DROPS, SUSPENSION</i> MO	1	ST
<i>LUMIGAN 0.01 % DROPS</i> MO	2	QL(2.5 per 25 days)
<i>MAXIDEX 0.1 % DROPS, SUSPENSION</i> MO	3	ST
<i>MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT</i> MO	3	
<i>MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION</i> MO	1	
<i>MIEBO 100 % DROPS</i> MO	3	PA,QL(3 per 30 days)
<i>MIOSTAT 0.01 % SOLUTION</i> MO	3	
<i>MOXEZA 0.5 % DROPS, VISCOUS</i> MO	3	ST
<i>moxifloxacin 0.5 % DROPS</i> MO	1	
<i>moxifloxacin 0.5 % DROPS, VISCOUS</i> MO	1	ST
<i>NATACYN 5 % DROPS, SUSPENSION</i> MO	3	
<i>neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT</i> MO	1	
<i>neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i> MO	1	
<i>neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT MO	1	
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION MO	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS MO	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION MO	1	
NEVANAC 0.1 % DROPS, SUSPENSION MO	3	ST
OCUFLOX 0.3 % DROPS MO	3	
ofloxacin 0.3 % DROPS MO	1	
olopatadine 0.1 %, 0.2 % DROPS MO	1	
OXERVATE 0.002 % DROPS DL	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS MO	3	
pilocarpine hcl 1 %, 2 %, 4 % DROPS MO	1	
polycin 500-10,000 unit/gram OINTMENT MO	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS MO	1	
POLYTRIM 10,000 UNIT- 1 MG/ML DROPS MO	3	
PRED FORTE 1 % DROPS, SUSPENSION MO	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION MO	3	ST
PRED-G 0.3-1 % DROPS, SUSPENSION MO	3	
prednisolone acetate 1 % DROPS, SUSPENSION MO	1	
prednisolone sodium phosphate 1 % DROPS MO	1	
PROLENSA 0.07 % DROPS MO	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS MO	1	
RESTASIS 0.05 % DROPPERETTE MO	2	QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS MO	2	QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS MO	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS MO	2	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION MO	3	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS MO	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS MO	1	
tafluprost (pf) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS MO	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>timolol maleate 0.5 % DROPS</i> MO	1	
<i>timolol maleate 0.5 % DROPS, ONCE DAILY</i> MO	1	
<i>timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE</i> MO	1	
TIMOPTIC 0.25 %, 0.5 % DROPS MO	3	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE MO	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION MO	3	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION MO	3	
TOBRADEX 0.3-0.1 % OINTMENT MO	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION MO	3	
<i>tobramycin 0.3 % DROPS</i> MO	1	
<i>tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> MO	1	
TOBREX 0.3 % DROPS MO	3	
TOBREX 0.3 % OINTMENT MO	3	
TRAVATAN Z 0.004 % DROPS MO	3	ST,QL(2.5 per 25 days)
<i>travoprost 0.004 % DROPS</i> MO	1	QL(2.5 per 25 days)
<i>trifluridine 1 % DROPS</i> MO	1	
<i>tropicamide 0.5 %, 1 % DROPS</i> MO	1	
TRUSOPT 2 % DROPS MO	3	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL MO	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE DL	4	PA,QL(120 per 30 days)
VIGAMOX 0.5 % DROPS MO	3	PA
VUITY 1.25 % DROPS MO	3	
VYZULTA 0.024 % DROPS MO	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS MO	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION MO	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE MO	3	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE MO	3	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE MO	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION MO	3	
ZYMAXID 0.5 % DROPS MO	3	ST,QL(2.5 per 25 days)
OTIC AGENTS		
CIPRO HC 0.2-1 % DROPS, SUSPENSION MO	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION MO	3	QL(7.5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ciprofloxacin hcl 0.2 % DROPPERETTE</i> MO	1	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> MO	3	QL(7.5 per 30 days)
<i>ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION</i> MO	3	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION MO	3	
DERMOTIC OIL 0.01 % DROPS MO	3	
<i>flac otic oil 0.01 % DROPS</i> MO	1	
<i>fluocinolone acetonide oil 0.01 % DROPS</i> MO	1	
<i>hydrocortisone-acetic acid 1-2 % DROPS</i> MO	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION</i> MO	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION</i> MO	1	
<i>ofloxacin 0.3 % DROPS</i> MO	1	
OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION MO	3	
RESPIRATORY TRACT/PULMONARY AGENTS		
ACCOLATE 10 MG, 20 MG TABLET MO	3	PA,QL(60 per 30 days)
<i>acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION</i> MO	1	BvsD
ADCIRCA 20 MG TABLET DL	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET DL,LA	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION MO	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE MO	3	ST,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER DL	4	PA,QL(32.1 per 30 days)
<i>albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION</i> MO	1	BvsD
<i>albuterol sulfate 2 mg, 4 mg TABLET</i> MO	1	
<i>albuterol sulfate 2 mg/5 ml SYRUP</i> MO	1	
<i>albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR.</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER</i> MO	1	QL(36 per 30 days)
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(18.3 per 28 days)
<i>alyq 20 mg TABLET</i> MO	1	PA,QL(60 per 30 days)
<i>ambrisentan 10 mg, 5 mg TABLET</i> DL	4	PA,QL(30 per 30 days)
<i>aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION</i> MO	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
<i>arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION</i> MO	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE MO	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER MO	3	QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR MO	2	QL(4 per 30 days)
<i>azelastine 137 mcg (0.1 %) AEROSOL SPRAY</i> MO	1	QL(30 per 25 days)
<i>azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL</i> MO	1	QL(30 per 25 days)
<i>azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL</i> MO	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL MO	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER MO	3	QL(10.7 per 30 days)
<i>bosentan 125 mg, 62.5 mg TABLET</i> DL	4	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
<i>budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION</i> MO	1	BvsD
<i>carbinoxamine maleate 4 mg TABLET</i> MO	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
carbinoxamine maleate 4 mg/5 ml LIQUID MO	1	
carbinoxamine maleate 6 mg TABLET DL	4	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(84 per 28 days)
cetirizine 1 mg/ml SOLUTION MO	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION DL	4	PA
CLARINEX 5 MG TABLET MO	3	PA,QL(30 per 30 days)
clemastine 0.5 mg/5 ml SYRUP DL	4	PA,QL(1800 per 30 days)
clemastine 2.68 mg TABLET MO	1	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST MO	3	QL(4 per 20 days)
cromolyn 100 mg/5 ml CONCENTRATE MO	1	
cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
cyproheptadine 2 mg/5 ml SYRUP MO	1	
cyproheptadine 4 mg TABLET MO	1	
DALIRESP 250 MCG TABLET MO	3	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET MO	3	PA,QL(30 per 30 days)
desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING MO	1	ST,QL(30 per 30 days)
desloratadine 5 mg TABLET MO	1	QL(30 per 30 days)
dexchlorpheniramine maleate 2 mg/5 ml SOLUTION MO	1	PA
DIPHEN 12.5 MG/5 ML ELIXIR MO	1	
diphen 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 12.5 mg/5 ml ELIXIR MO	1	
diphenhydramine hcl 50 mg/ml SOLUTION MO	1	
diphenhydramine hcl 50 mg/ml SYRINGE MO	1	
DOPRAM 20 MG/ML SOLUTION MO	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR MO	1	
epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR MO	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR MO	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION DL	4	PA
epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION DL	4	PA
ESBRIET 267 MG CAPSULE DL	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET DL	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET DL	4	PA,QL(90 per 30 days)
FASENRA 30 MG/ML SYRINGE DL	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR DL	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL MO	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. MO	2	QL(1 per 30 days)
fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION MO	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION MO	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE MO	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 50 mg CAPSULE MO	1	
hydroxyzine pamoate 25 mg CAPSULE MO	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE MO	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION MO	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL MO	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL MO	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET DL	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. MO	3	
LETAIRIS 10 MG, 5 MG TABLET DL	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION MO	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER MO	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION MO	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET MO	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION DL	4	PA,QL(180 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(60 per 365 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL MO	1	QL(34 per 30 days)
montelukast 10 mg TABLET MO	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET MO	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET MO	1	QL(30 per 30 days)
NASONEX 50 MCG/ACTUATION SPRAY, NON-AEROSOL MO	3	QL(34 per 30 days)
NUCALA 100 MG RECON SOLUTION DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR DL	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE DL	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE DL	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE DL,LA	4	PA,QL(60 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL MO	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL MO	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET DL,LA	4	PA,QL(30 per 30 days)
ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER DL	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER DL	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER DL	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER DL	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER DL	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK DL	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK DL	4	PA,QL(336 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK DL	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET DL	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET DL	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL MO	3	ST,QL(30.5 per 30 days)
PERFORMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION DL	4	BvsD,QL(120 per 30 days)
<i>pirfenidone</i> 267 mg CAPSULE DL	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 267 mg TABLET DL	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 534 mg, 801 mg TABLET DL	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION MO	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION DL	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION MO	3	
QVAR REDHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(10.6 per 30 days)
QVAR REDHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED MO	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET MO	3	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION DL	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION DL	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET DL	4	PA,QL(90 per 30 days)
<i>roflumilast</i> 250 mcg TABLET MO	1	QL(28 per 365 days)
<i>roflumilast</i> 500 mcg TABLET MO	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL MO	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION MO	1	
RYVENT 6 MG TABLET MO	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE MO	3	PA,QL(60 per 30 days)
<i>sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION</i> DL	4	PA,QL(180 per 30 days)
<i>sildenafil (pulm.hypertension) 20 mg TABLET</i> MO	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET MO	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET MO	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE MO	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST MO	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST MO	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE MO	2	QL(4 per 30 days)
<i>tadalafil (pulm. hypertension) 20 mg TABLET</i> MO	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION DL	4	PA,QL(300 per 30 days)
<i>terbutaline 1 mg/ml SOLUTION</i> MO	1	
<i>terbutaline 2.5 mg, 5 mg TABLET</i> MO	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. MO	1	
<i>theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR.</i> MO	1	
<i>theophylline 400 mg, 600 mg TABLET, ER 24 HR.</i> MO	1	
<i>theophylline 80 mg/15 ml ELIXIR</i> MO	1	
<i>theophylline 80 mg/15 ml SOLUTION</i> MO	1	
<i>theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION</i> MO	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE DL	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET DL	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION DL	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE MO	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION</i> DL	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL DL	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL DL	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. MO	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER DL	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER DL	4	PA,QL(252 per 28 days)
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER DL	4	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION DL	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION DL	4	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET DL	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION DL	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK DL	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION DL	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER MO	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE MO	3	
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE MO	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED MO	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION DL	4	PA,QL(90 per 30 days)
zafirlukast 10 mg TABLET MO	1	QL(60 per 30 days)
zafirlukast 20 mg TABLET MO	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER MO	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE DL	4	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET DL	4	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SKELETAL MUSCLE RELAXANTS		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. DL	4	ST,QL(21 per 30 days)
carisoprodol 250 mg, 350 mg TABLET MO	1	QL(120 per 30 days)
carisoprodol-aspirin 200-325 mg TABLET MO	1	
carisoprodol-aspirin-codeine 200-325-16 mg TABLET DL	1	QL(360 per 30 days)
chlorzoxazone 250 mg TABLET DL	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET MO	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET MO	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET MO	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. MO	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET MO	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET MO	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET MO	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET DL	4	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET MO	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET DL	4	PA
methocarbamol 100 mg/ml SOLUTION MO	1	
methocarbamol 500 mg, 750 mg TABLET MO	1	
norgesic 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET DL	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER MO	1	
orphenadrine citrate 30 mg/ml SOLUTION MO	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET DL	4	PA,QL(240 per 30 days)
orphenadrine-asa-caffeine 50-770-60 mg TABLET DL	4	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET DL	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION DL	4	
SKELAXIN 800 MG TABLET DL	4	PA,QL(120 per 30 days)
SOMA 250 MG, 350 MG TABLET DL	4	PA,QL(120 per 30 days)
vanadom 350 mg TABLET MO	1	QL(120 per 30 days)
SLEEP DISORDER AGENTS		
AMBIEN 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE MO	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET MO	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>armodafinil 50 mg TABLET</i> MO	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET MO	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET MO	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET MO	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>doxepin 3 mg, 6 mg TABLET</i> MO	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET MO	3	
EDLUAR 5 MG SUBLINGUAL TABLET MO	3	QL(30 per 30 days)
<i>estazolam 1 mg, 2 mg TABLET</i> DL	1	QL(30 per 30 days)
<i>eszopiclone 1 mg, 2 mg, 3 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>flurazepam 15 mg CAPSULE</i> DL	1	QL(60 per 30 days)
<i>flurazepam 30 mg CAPSULE</i> DL	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET DL	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE DL	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION DL	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET DL	4	PA,QL(30 per 30 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>modafinil 100 mg, 200 mg TABLET</i> MO	1	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET DL	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET DL	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET DL	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET MO	3	ST,QL(30 per 30 days)
<i>ramelteon 8 mg TABLET</i> MO	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE DL	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET MO	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET MO	3	QL(30 per 30 days)
<i>sodium oxybate 500 mg/ml SOLUTION</i> DL	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET MO	3	PA,QL(30 per 30 days)
<i>tasimelteon 20 mg CAPSULE</i> DL	4	PA,QL(30 per 30 days)
<i>temazepam 15 mg, 30 mg CAPSULE</i> DL	1	QL(30 per 30 days)
<i>temazepam 22.5 mg, 7.5 mg CAPSULE</i> DL	1	QL(30 per 30 days)
<i>triazolam 0.125 mg, 0.25 mg TABLET</i> DL	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET DL	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XYREM 500 MG/ML SOLUTION DL	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION DL	4	PA,QL(540 per 30 days)
<i>zaleplon 10 mg, 5 mg CAPSULE</i> MO	1	QL(30 per 30 days)
<i>zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET</i> MO	1	QL(30 per 30 days)
<i>zolpidem 10 mg, 5 mg TABLET</i> MO	1	QL(30 per 30 days)
<i>zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE</i> MO	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE MO	3	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL MO	3	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • HI - Home Infusion • ST - Step Therapy

Index

A

- abacavir... 72
- abacavir-lamivudine... 72
- abacavir-lamivudine-zidovudine... 72
- ABELCET... 44
- ABILIFY ASIMTUFI... 67
- ABILIFY MAINTENA... 67
- ABILIFY MYCITE MAINTENANCE KIT... 68
- ABILIFY MYCITE STARTER KIT... 68
- ABILIFY MYCITE... 68
- ABILIFY... 67
- abiraterone... 51
- ABRAXANE... 51
- ABRYSVO... 153
- ABSORICA LD... 112
- ABSORICA... 112
- acamprosate... 21
- ACANYA... 112
- acarbose... 80
- ACCOLATE... 179
- ACCUPRIL... 90
- ACCURETIC... 90
- accutane... 112
- acebutolol... 90
- ACETADOTE... 167
- acetaminophen... 167
- acetaminophen-caff-dihydrocod... 11
- acetaminophen-codeine... 11
- acetazolamide sodium... 90
- acetazolamide... 90
- acetic acid... 22, 167
- acetylcysteine... 167, 179
- ACIPHEX SPRINKLE... 129
- ACIPHEX... 129
- acitretin... 112
- ACTEMRA ACTPEN... 154
- ACTEMRA... 153
- ACTHAR... 137
- ACTHIB (PF)... 154
- ACTICLATE... 22
- ACTIMMUNE... 154
- ACTIQ... 11
- ACTIVEVILLA... 141
- ACTONEL... 165
- ACTOPLUS MET... 80
- ACTOS... 80
- ACULAR LS... 174
- ACULAR... 173
- ACUVAIL (PF)... 174
- acyclovir sodium... 73
- acyclovir... 72, 73
- ACZONE... 112
- ADACEL(TDAP ADOLESN/ADULT)(PF)... 154
- ADAKVEO... 167
- ADALIMUMAB-ADAZ... 154
- ADALIMUMAB-ADB... 154
- ADALIMUMAB-ADB(CF) PEN CROHNS... 154
- ADALIMUMAB-ADB(CF) PEN PS-UV... 154
- ADALIMUMAB-FKJP... 154
- adapalene... 112
- adapalene-benzoyl peroxide... 112
- ADBRY... 154
- ADCETRIS... 51
- ADCIRCA... 179
- ADDERALL XR... 105
- ADDERALL... 105
- adefovir... 73
- ADEMPAS... 179
- adenosine... 90
- ADLARITY... 38
- ADLYXIN... 80
- ADMELOG SOLOSTAR U-100 INSULIN... 80
- ADMELOG U-100 INSULIN LISPRO... 80
- ADRENALIN... 179

adriamycin... 51	albendazole... 64	ALOPRIM... 48
adrucil... 51	ALBENZA... 64	alosetron... 129
ADSTILADRIN... 167	albuterol sulfate... 179, 180	ALPHAGAN P... 174
ADVAIR DISKUS... 179	ALCAINE... 174	alprazolam intensol... 78
ADVAIR HFA... 179	alclometasone... 112	alprazolam... 78
ADZENYS XR-ODT... 105	ALCOHOL PADS... 167	ALREX... 174
AEMCOLO... 129	ALCOHOL PREP PADS... 167	ALTABAX... 112
AFINITOR DISPERZ... 51	ALCOHOL SWABS... 167	ALTACE... 90
AFINITOR... 51	ALCOHOL WIPES... 167	altavera (28)... 141
afirmelle... 141	ALDACTAZIDE... 90	ALTOPREV... 90
AFREZZA... 80	ALDACTONE... 90	ALTRENO... 112
AGGRASTAT CONCENTRATE... 86	ALDARA... 112	ALUNBRIG... 52
AGGRASTAT IN SODIUM CHLORIDE... 86	ALDURAZYME... 133	ALVESCO... 180
AGRYLIN... 86	ALECENSA... 51	alyacen 1/35 (28)... 141
AIMOVIG AUTOINJECTOR... 48	alendronate... 165	alyacen 7/7/7 (28)... 141
AIRDUO DIGIHALER... 179	alfuzosin... 136	ALYMSYS... 52
AIRDUO RESPICLICK... 179	ALIMTA... 51	alyq... 180
AIRSUPRA... 179	ALIQOPA... 51	amabelz... 141
AJOVY AUTOINJECTOR... 48	aliskiren... 90	amantadine hcl... 65
AJOVY SYRINGE... 48	ALKERAN (AS HCL)... 52	AMARYL... 80
ak-poly-bac... 174	ALKERAN... 52	AMBIEN CR... 187
AKEEGA... 51	ALKINDI SPRINKLE... 137	AMBIEN... 187
AKLIEF... 112	allopurinol sodium... 47	AMBISOME... 44
AKYNZEO (FOSNETUPITANT)... 42	allopurinol... 47	ambrisentan... 180
AKYNZEO (NETUPITANT)... 42	ALLZITAL... 167	amcinonide... 112, 113
ALA-CORT... 112	almotriptan malate... 48	AMERGE... 48
ALA-SCALP... 112	ALOCRIL... 174	amethia... 141
	ALOMIDE... 174	amethyst (28)... 141

AMICAR... 86	AMJEVITA(CF)... 154	anagrelide... 86
amikacin... 22	amlodipine... 91	ANAPROX DS... 11
amiloride... 91	amlodipine-atorvastatin... 91	anastrozole... 52
amiloride-hydrochlorothiazide... 91	amlodipine-benazepril... 91	ANCOBON... 44
aminocaproic acid... 86	amlodipine-olmesartan... 91	ANDRODERM... 141
aminophylline... 180	amlodipine-valsartan... 91	ANDROGEL... 141
AMINOSYN II 10 %... 121	amlodipine-valsartan-hcthiazyd... 91	ANGELIQ... 141
AMINOSYN II 15 %... 121	ammonium lactate... 113	ANNOVERA... 141
AMINOSYN II 7 %... 121	AMMONUL... 167	ANORO ELLIPTA... 180
AMINOSYN II 8.5 %... 121	amnesteem... 113	ANTARA... 91
AMINOSYN II 8.5 %-ELECTROLYTES... 121	amoxapine... 39	ANTIVERT... 42
AMINOSYN M 3.5 %... 122	amoxicil-clarithromy-lansopraz... 129	anucort-hc... 164
AMINOSYN 10 %... 121	amoxicillin... 22	anusol-hc... 113, 164
AMINOSYN 7 % WITH ELECTROLYTES... 121	amoxicillin-pot clavulanate... 22	ANZEMET... 43
AMINOSYN 8.5 %... 121	amphetamine sulfate... 105	APADAZ... 11
AMINOSYN 8.5 %-ELECTROLYTES... 121	amphetamine... 105	apexicon e... 113
AMINOSYN-HBC 7%... 122	amphotericin b liposome... 44	APIDRA SOLOSTAR U-100 INSULIN... 80
AMINOSYN-PF 10 %... 122	amphotericin b... 44	APIDRA U-100 INSULIN... 80
AMINOSYN-PF 7 % (SULFITE-FREE)... 122	ampicillin sodium... 22	APLENZIN... 39
AMINOSYN-RF 5.2 %... 122	ampicillin... 22	APOKYN... 65
amiodarone... 91	ampicillin-sulbactam... 23	apomorphine... 65
AMITIZA... 129	AMPYRA... 105	APONVIE... 43
amitriptyline... 39	AMRIX... 187	apraclonidine... 174
amitriptyline-chlordiazepoxide... 39	AMVUTTRA... 133	aprepitant... 43
AMJEVITA(CF) AUTOINJECTOR... 154	AMZEEQ... 113	APRETUDE... 73
	ANAFRANIL... 39	apri... 141
		APRISO... 164

APTENSIO XR... 106	ASCENIV... 154	ATROVENT HFA... 180
APTIOM... 32	ascomp with codeine... 11	AUBAGIO... 106
APTIVUS... 73	asenapine maleate... 68	aubra eq... 141
ARALAST NP... 133	ashlyna... 141	aubra... 141
aranelle (28)... 141	ASMANEX HFA... 180	AUGMENTIN ES-600... 23
ARANESP (IN POLYSORBATE)... 86	ASMANEX TWISTHALER... 180	AUGMENTIN XR... 23
ARAVA... 154	ASPARLAS... 52	AUGMENTIN... 23
ARAZLO... 113	aspirin-dipyridamole... 87	aurovela fe 1.5/30 (28)... 141
ARCALYST... 154	ASPRUZYO SPRINKLE... 91	aurovela fe 1-20 (28)... 141
AREXVY (PF)... 154	ASTAGRAF XL... 154	aurovela 1.5/30 (21)... 141
arformoterol... 180	ATACAND HCT... 91	aurovela 1/20 (21)... 141
ARICEPT... 38	ATACAND... 91	aurovela 24 fe... 141
ARIKAYCE... 23	atazanavir... 73	AURYXIA... 122
ARIMIDEX... 52	ATELVIA... 165	AUSTEDO XR TITRATION KT(WK1-4)... 106
aripiprazole... 68	atenolol... 91	AUSTEDO XR... 106
ARISTADA INITIO... 68	atenolol-chlorthalidone... 91	AUSTEDO... 106
ARISTADA... 68	ATGAM... 154	AUTOJECT 2 INJECTION DEVICE... 167
ARIXTRA... 87	ATIVAN... 78	AUTOPEN 1 TO 21 UNITS... 167
armodafinil... 187, 188	atomoxetine... 106	AUTOPEN 2 TO 42 UNITS... 167
ARMONAIR DIGIHALER... 180	ATORVALIQ... 91	AUVELITY... 39
ARMOUR THYROID... 151	atorvastatin... 91	AUVI-Q... 180
ARNUITY ELLIPTA... 180	atovaquone... 64	AVALIDE... 91
AROMASIN... 52	atovaquone-proguanil... 64	AVAPRO... 91
ARRANON... 52	ATRALIN... 113	AVASTIN... 52
arsenic trioxide... 52	ATRIPLA... 73	AVEED... 141
ARTHROTEC 50... 11	atropine in 0.9 % sod chloride... 129	AVELOX IN NACL (ISO-OSMOTIC)... 23
ARTHROTEC 75... 11	ATROPINE SULFATE (PF)... 174	
ASACOL HD... 164	atropine... 129, 174	

aviane... 141	azurette (28)... 142	BD INSULIN SYRINGE (HALF UNIT)... 168
avidoxy... 23	B	BD INSULIN SYRINGE MICRO-FINE... 168
AVITA... 113	bacitracin... 23, 174	BD INSULIN SYRINGE SLIP TIP... 168
AVODART... 136	bacitracin-polymyxin b... 174	BD INSULIN SYRINGE U-500... 168
AVONEX... 106	baclofen... 72	BD INSULIN SYRINGE ULTRA-FINE... 168
AVSOLA... 154	BACTRIM DS... 23	BD INSULIN SYRINGE... 168
AVYCAZ... 23	BACTRIM... 23	BD LO-DOSE MICRO-FINE IV... 168
AYGESTIN... 141	BAFIERTAM... 106	BD NANO 2ND GEN PEN NEEDLE... 168
ayuna... 142	bal-care dha... 122	BD SAFETYGLIDE INSULIN SYRINGE... 168
AYVAKIT... 52	balanced salt... 174	BD SAFETYGLIDE SYRINGE... 168
azacitidine... 52	BALCOLTRA... 142	BD SAFETYGLIDE SYRINGE... 168
AZACTAM... 23	balsalazide... 164	BD ULTRA-FINE MICRO PEN NEEDLE... 168
AZASAN... 154	BALVERSA... 52	BD ULTRA-FINE MINI PEN NEEDLE... 168
AZASITE... 174	balziva (28)... 142	BD ULTRA-FINE NANO PEN NEEDLE... 168
azathioprine sodium... 154	BAND-AID GAUZE PADS... 167	BD ULTRA-FINE ORIG PEN NEEDLE... 168
azathioprine... 154	BANZEL... 32	BD ULTRA-FINE SHORT PEN NEEDLE... 168
azelaic acid... 113	BAQSIMI... 80	BD VEO INSULIN SYR (HALF UNIT)... 168
azelastine... 174, 180	BARACLUDE... 73	BD VEO INSULIN SYRINGE UF... 168
azelastine-fluticasone... 180	BASAGLAR KWIKPEN U-100 INSULIN... 80	BECONASE AQ... 180
AZELEX... 113	BASAGLAR TEMPO PEN(U-100)INSLN... 80	BELBUCA... 11
AZILECT... 66	BAVENCIO... 52	BELEODAQ... 52
azithromycin... 23	BAXDELA... 23	
AZOPT... 174	BCG VACCINE, LIVE (PF)... 154	
AZOR... 91	BD ALCOHOL SWABS... 167	
AZSTARYS... 106	BD AUTOSHIELD DUO PEN NEEDLE... 167	
aztreonam... 23	BD ECLIPSE LUER-LOK... 167	
AZULFIDINE EN-TABS... 164		
AZULFIDINE... 164		

BELRAPZO... 52	betamethasone dipropionate... 113	bismuth subcit k-metronidz-tcn... 129
BELSOMRA... 188	betamethasone valerate... 113	bisoprolol fumarate... 92
benazepril... 91	betamethasone, augmented... 113	bisoprolol-hydrochlorothiazide... 92
benazepril-hydrochlorothiazide... 91	BETAPACE AF... 92	BIVIGAM... 155
bendamustine... 52	BETAPACE... 92	bleomycin... 52
BENDEKA... 52	BETASERON... 106	BLEPH-10... 174
BENICAR HCT... 92	betaxolol... 92, 174	BLEPHAMIDE... 174
BENICAR... 91, 92	bethanechol chloride... 136	blisovi fe 1.5/30 (28)... 142
BENLYSTA... 155	BETHKIS... 23	blisovi fe 1/20 (28)... 142
BENTYL... 129	BETIMOL... 174	blisovi 24 fe... 142
BENZAACLIN PUMP... 113	BETOPTIC S... 174	BONIVA... 165
BENZAACLIN... 113	BEVESPI AEROSPHERE... 180	BONJESTA... 43
BENZAMYCIN... 113	bexarotene... 52	BOOSTRIX TDAP... 155
benzhydrocodone-acetaminophen... 11	BEXSERO... 155	BORDERED GAUZE... 168
benznidazole... 64	BEYAZ... 142	BORTEZOMIB... 52
benztropine... 66	BEYFORTUS... 168	bosentan... 180
bepotastine besilate... 174	bicalutamide... 52	BOSULIF... 52, 53
BEPREVE... 174	BICILLIN C-R... 23	BRAFTOVI... 53
BERINERT... 155	BICILLIN L-A... 23	BREO ELLIPTA... 180
besser... 113	BICNU... 52	bretylium tosylate... 92
BESIVANCE... 174	BIDIL... 92	BREVIBLOC IN NACL (ISO-OSM)... 92
BESPONSA... 52	BIJUVA... 142	BREVIBLOC... 92
BESREMI... 155	BIKTARVY... 73	BREZTRI AEROSPHERE... 180
BETADINE OPHTHALMIC PREP... 174	BILTRICIDE... 64	briellyn... 142
betaine... 133	bimatoprost... 174	BRILINTA... 87
betamethasone acet,sod phos... 137	BINOSTO... 165	brimonidine... 113, 174
	BIORPHEN... 92	brinzolamide... 174

BRISDELLE... 39	bupropion hcl (smoking deter)... 21	CALAN SR... 92
BRIUMVI... 106	bupropion hcl... 39	calcipotriene... 113, 114
BRIVIACT... 32	bupirone... 79	calcipotriene-betamethasone... 114
bromfenac... 174	busulfan... 53	calcitonin (salmon)... 165
bromocriptine... 66	BUSULFEX... 53	calcitriol... 114, 165
BROMSITE... 174	butalbital compound w/codeine... 11	calcium acetate(phosphat bind)... 122
BRONCHITOL... 180	butalbital-acetaminop-caf-cod... 168	calcium chloride... 122
BROVANA... 180	butalbital-acetaminophen... 168	calcium disodium versenate... 169
BRUKINSA... 53	butalbital-acetaminophen-caff... 168	calcium gluconate... 122
BRYHALI... 113	butalbital-aspirin-caffeine... 169	CALDOLOR... 11
BSS PLUS... 175	butorphanol... 11	CALQUENCE (ACALABRUTINIB MAL)... 53
BSS... 175	BUTRANS... 11	CALQUENCE... 53
budesonide... 164, 180	BYDUREON BCISE... 80	calsodore... 114
bumetanide... 92	BYETTA... 80	CAMBIA... 11
BUNAVAIL... 21	BYLVAY... 169	camila... 142
bupap... 168	BYSTOLIC... 92	CAMPTOSAR... 53
BUPHENYL... 133		camrese lo... 142
bupivacaine (pf)... 19		camrese... 142
bupivacaine hcl... 19	C	CAMZYOS... 92
bupivacaine-dextrose-water(pf)... 19	c-nate dha... 122	CANASA... 164
bupivacaine-epinephrine (pf)... 19	CABENUVA... 73	CANCIDAS... 44
bupivacaine-epinephrine bitart... 19	cabergoline... 152	candesartan... 92
bupivacaine-epinephrine... 19	CABLIVI... 87	candesartan-hydrochlorothiazid... 92
BUPRENEX... 11	CABOMETYX... 53	CAPEX... 114
buprenorphine hcl... 11, 21	CADUET... 92	CAPLYTA... 68
buprenorphine... 11	CAFECIT... 169	CAPRELSA... 53
buprenorphine-naloxone... 21	CAFERGOT... 48	
	caffeine citrate... 169	

captopril... 92	carmustine... 53	cefoxitin... 24
captopril-hydrochlorothiazide... 92	CARNITOR (SUGAR-FREE)... 122	cefpodoxime... 24
CARAC... 114	CARNITOR... 122	cefprozil... 24
CARAFATE... 129	CAROSPIR... 93	ceftazidime in d5w... 24
CARBAGLU... 122	carteolol... 175	ceftazidime... 24
carbamazepine... 33	cartia xt... 93	ceftriaxone in dextrose,iso-os... 24
CARBATROL... 33	carvedilol phosphate... 93	ceftriaxone... 24
carbidopa... 66	carvedilol... 93	cefuroxime axetil... 24
carbidopa-levodopa... 66	CASODEX... 53	cefuroxime sodium... 24
carbidopa-levodopa-entacapone... 66	caspofungin... 45	CELEBREX... 11
carbinoxamine maleate... 180, 181	cataflam... 11	celecoxib... 11, 12
CARBOCAINE (PF)... 19	CATAPRES-TTS-1... 93	CELESTONE SOLUSPAN... 137
CARBOCAINE WITH NEO-COBEFRIN... 19	CATAPRES-TTS-2... 93	CELEXA... 39
CARBOCAINE... 19	CATAPRES-TTS-3... 93	CELLCEPT INTRAVENOUS... 155
carboplatin... 53	CAYSTON... 181	CELLCEPT... 155
carboprost tromethamine... 141	caziant (28)... 142	CELONTIN... 33
CARDIZEM CD... 92	cefaclor... 23	CENTANY... 114
CARDIZEM LA... 92	cefadroxil... 24	cephalexin... 24, 25
CARDIZEM... 92	cefazolin in dextrose (iso-os)... 24	CEQUA... 175
CARDURA XL... 93	cefazolin... 24	CERDELGA... 133
CARDURA... 93	cefdinir... 24	CEREBYX... 33
CARETOUCH ALCOHOL PREP PAD... 169	cefepime in dextrose 5 %... 24	CEREZYME... 133
carglumic acid... 122	cefepime in dextrose,iso-osm... 24	CERVIDIL... 169
carisoprodol... 187	cefepime... 24	cetirizine... 181
carisoprodol-aspirin... 187	cefixime... 24	cevimeline... 111
carisoprodol-aspirin-codeine... 187	cefotaxime... 24	CHANTIX CONTINUING MONTH BOX... 21
	cefotetan... 24	
	cefoxitin in dextrose, iso-osm... 24	

CHANTIX STARTING MONTH BOX... 21	cilostazol... 87	CLARINEX... 181
CHANTIX... 21	CILOXAN... 175	CLARINEX-D 12 HOUR... 169
charlotte 24 fe... 142	CIMDUO... 73	clarithromycin... 25
chateal (28)... 142	cimetidine hcl... 129	clemastine... 181
chateal eq (28)... 142	cimetidine... 129	CLENPIQ... 129
CHEMET... 122	CIMZIA POWDER FOR RECONST... 155	CLEOCIN HCL... 25
CHENODAL... 129	CIMZIA STARTER KIT... 155	CLEOCIN PEDIATRIC... 25
chloramphenicol sod succinate... 25	CIMZIA... 155	CLEOCIN T... 114
chlordiazepoxide hcl... 79	cinacalcet... 166	CLEOCIN... 25
chlorhexidine gluconate... 111	CINQAIR... 181	CLEVIPREX... 93
chlorprocaine (pf)... 19	CINRYZE... 155	CLIMARA PRO... 142
chloroquine phosphate... 64	CINVANTI... 169	CLIMARA... 142
chlorothiazide sodium... 93	CIPRO HC... 178	clindacin etz... 114
chlorpromazine... 68	CIPRO... 25	clindacin p... 114
chlorthalidone... 93	CIPRODEX... 178	clindacin... 114
chlorzoxazone... 187	ciprofloxacin hcl... 25, 175, 179	CLINDAGEL... 114
CHOLBAM... 133	ciprofloxacin in 5 % dextrose... 25	clindamycin hcl... 25
cholestyramine (with sugar)... 93	ciprofloxacin... 25	clindamycin in 0.9 % sod chlor... 25
cholestyramine light... 93	ciprofloxacin-dexamethasone... 179	clindamycin in 5 % dextrose... 25
cholestyramine-aspartame... 93	ciprofloxacin-fluocinolone... 179	clindamycin palmitate hcl... 25
CHORIONIC GONADOTROPIN, HUMAN... 139	cisplatin... 53	clindamycin pediatric... 25
CIALIS... 136	citalopram... 39	clindamycin phosphate... 25, 114
CIBINQO... 155	CITRANATAL B-CALM (FE GLUC)... 122	clindamycin-benzoyl peroxide... 114
ciclodan... 45	cladribine... 53	clindamycin-tretinoin... 114
ciclopirox... 45	CLAFORAN... 25	CLINDESSE... 25
cidofovir... 73	claravis... 114	CLINIMIX E 2.75%/D5W SULF FREE... 122

CLINIMIX E 4.25%/D10W SUL FREE... 122	CLOBEX... 115	COLY-MYCIN M PARENTERAL... 25
CLINIMIX E 4.25%/D5W SULF FREE... 122	clocortolone pivalate... 115	COMBIGAN... 175
CLINIMIX E 5%/D15W SULFIT FREE... 122	clodan... 115	COMBIPATCH... 142
CLINIMIX E 5%/D20W SULFIT FREE... 122	CLODERM... 115	COMBIVENT RESPIMAT... 181
CLINIMIX E 8%-D10W SULFITEFREE... 123	clofarabine... 53	COMBIVIR... 73
CLINIMIX E 8%-D14W SULFITEFREE... 123	CLOLAR... 53	COMETRIQ... 53
CLINIMIX 4.25%/D10W SULF FREE... 122	clomipramine... 39	COMPAZINE... 43
CLINIMIX 4.25%/D5W SULFIT FREE... 122	clonazepam... 79	COMPLERA... 73
CLINIMIX 5%-D20W(SULFITE-FREE)... 122	clonidine hcl... 93, 106	complete natal dha... 123
CLINIMIX 5%/D15W SULFITE FREE... 122	clonidine... 93	compro... 43
CLINIMIX 6%-D5W (SULFITE-FREE)... 122	clopidogrel... 87	COMTAN... 66
CLINIMIX 8%-D10W(SULFITE-FREE)... 122	clorazepate dipotassium... 79	CONCERTA... 106
CLINIMIX 8%-D14W(SULFITE-FREE)... 122	CLOROTEKAL... 19	CONDYLOX... 115
CLINISOL SF 15 %... 123	clotrimazole... 45	CONJUPRI... 94
CLINOLIPID... 123	clotrimazole-betamethasone... 45	constulose... 129
clobazam... 33	clozapine... 68	CONZIP... 12
clobetasol... 114, 115	CLOZARIL... 68, 69	COPAXONE... 106
clobetasol-emollient... 115	COARTEM... 65	COPIKTRA... 53
	codeine sulfate... 12	CORDRAN TAPE LARGE ROLL... 115
	codeine-butalbital-asa-caff... 12	CORDRAN... 115
	COLAZAL... 164	COREG CR... 94
	colchicine (gout)... 48	COREG... 94
	colesevelam... 93	coremino... 25
	COLESTID FLAVORED... 93	CORGARD... 94
	COLESTID... 93	CORLANOR... 94
	colestipol... 93	CORLOPAM... 94
	colistin (colistimethate na)... 25	CORTEF... 115
	COLUMVI... 53	CORTENEMA... 164

CORTIFOAM... 164	CUTAQUIG... 155	cytarabine (pf)... 54
CORTISPORIN-TC... 179	CUVPOSA... 129	cytarabine... 53
CORTROPHIN GEL... 137	CUVRIOR... 123	CYTOGAM... 156
CORVERT... 94	cyclafem 1/35 (28)... 142	CYTOMEL... 151
COSENTYX (2 SYRINGES)... 155	cyclafem 7/7/7 (28)... 142	CYTOTEC... 129
COSENTYX PEN (2 PENS)... 155	cyclobenzaprine... 187	D
COSENTYX PEN... 155	cyclopentolate... 175	D.H.E.45... 48
COSENTYX UNOREADY PEN... 155	cyclophosphamide... 53	dabigatran etexilate... 87
COSENTYX... 155	cycloserine... 51	dacarbazine... 54
COSMEGEN... 53	CYCLOSET... 81	DACOGEN... 54
COSOPT (PF)... 175	cyclosporine modified... 155	dactinomycin... 54
COSOPT... 175	cyclosporine... 155	dalfampridine... 106
COTELLIC... 53	CYKLOKAPRON... 87	DALIRESP... 181
COTEMPLA XR-ODT... 106	CYLTEZO(CF) PEN CROHN'S-UC-HS... 156	DALVANCE... 26
COZAAR... 94	CYLTEZO(CF) PEN PSORIASIS-UV... 156	danazol... 142
CREON... 133	CYLTEZO(CF) PEN... 155	DANTRIUM... 72
CRESEMBA... 45	CYLTEZO(CF)... 155	dantrolene... 72
CRESTOR... 94	CYMBALTA... 39	DANYELZA... 54
CRINONE... 142	cyproheptadine... 181	dapsone... 51, 115
cromolyn... 175, 181	CYRAMZA... 53	DAPTACEL (DTAP PEDIATRIC) (PF)... 156
crotan... 115	cyred eq... 142	daptomycin in 0.9 % sod chlor... 26
cryselle (28)... 142	cyred... 142	daptomycin... 26
CRYSVITA... 133	CYSTADANE... 133	DARAPRIM... 65
CUBICIN RF... 26	CYSTADROPS... 175	darifenacin... 136
CUBICIN... 25	CYSTAGON... 134	DARTISLA... 129
CUPRIMINE... 123	CYSTARAN... 175	darunavir ethanolate... 73
CURITY ALCOHOL SWABS... 169		DARZALEX FASPRO... 54
CURITY GAUZE... 169		

DARZALEX... 54	DEPAKOTE... 33	DETROL LA... 136
dasetta 1/35 (28)... 142	DEPEN TITRATABS... 123	DETROL... 136
dasetta 7/7/7 (28)... 142	DEPO-ESTRADIOL... 143	dexabliss... 137
daunorubicin... 54	DEPO-MEDROL... 137	dexamethasone intensol... 138
DAURISMO... 54	DEPO-PROVERA... 143	dexamethasone sodium phos (pf)... 138
DAYBUE... 106	DEPO-SUBQ PROVERA 104... 143	dexamethasone sodium phosphate... 138, 175
DAYPRO... 12	DEPO-TESTOSTERONE... 143	dexamethasone... 137, 138
daysee... 142	DERMA-SMOOTH/FS BODY OIL... 115	dexchlorpheniramine maleate... 181
DAYTRANA... 106	DERMA-SMOOTH/FS SCALP OIL... 115	DEXEDRINE SPANSULE... 106
DAYVIGO... 188	DERMACEA... 169	DEXILANT... 129
DDAVP... 139	dermacinrx lidocan... 19	dexlansoprazole... 129
deblitane... 142	DERMOTIC OIL... 179	dexmethylphenidate... 106, 107
decitabine... 54	DESCOVY... 73	dexrazoxane hcl... 54
deferasirox... 123	DESFERAL... 123	DEXTENZA... 175
deferiprone... 123	desipramine... 39	dextroamphetamine sulfate... 107
deferoxamine... 123	desloratadine... 181	dextroamphetamine-amphetamine... 107
DEFITELIO... 169	desmopressin... 139, 140	dextrose 10 % and 0.2 % nacl... 123
DELESTROGEN... 143	desog-e.estradiol/e.estradiol... 143	dextrose 10 % in water (d10w)... 123
DELSTRIGO... 73	desogestrel-ethinyl estradiol... 143	dextrose 20 % in water (d20w)... 123
DELZICOL... 164	desonide... 115	dextrose 25 % in water (d25w)... 123
demeclocycline... 26	DESOWEN... 115	dextrose 30 % in water (d30w)... 123
DEMEROL (PF)... 12	desoximetasone... 115, 116	
DEMEROL... 12	DESOXYN... 106	
DEMSER... 94	desrx... 116	
DENAVIR... 73	desvenlafaxine succinate... 39	
DENGVAXIA (PF)... 156	desvenlafaxine... 39	
DEPAKOTE ER... 33		
DEPAKOTE SPRINKLES... 33		

dextrose 40 % in water (d40w)...	DIFFERIN... 116	disulfiram... 21
123	DIFICID... 26	DITROPAN XL... 136
dextrose 5 % in water (d5w)...	diflorasone... 116	DIURIL... 94
123	DIFLUCAN... 45	divalproex... 33
dextrose 5 %-lactated ringers... 123	diflunisal... 12	DIVIGEL... 143
dextrose 5%-0.2 % sod chloride... 123	difluprednate... 175	dobutamine in d5w... 95
dextrose 5%-0.3 % sod.chloride... 123	digitek... 94	dobutamine... 95
dextrose 50 % in water (d50w)...	digox... 94	DOCEFREZ... 54
123	digoxin... 94	docetaxel... 54
dextrose 70 % in water (d70w)...	dihydroergotamine... 48	dofetilide... 95
123	DILANTIN EXTENDED... 33	DOJOLVI... 169
DHIVY... 66	DILANTIN INFATABS... 33	dolishale... 143
DIACOMIT... 33	DILANTIN... 33	donepezil... 38
DIASTAT ACUDIAL... 33	DILANTIN-125... 33	dopamine in 5 % dextrose... 95
DIASTAT... 33	DILAUDID... 12	dopamine... 95
diazepam intensol... 79	dilt-xr... 94	DOPRAM... 181
diazepam... 33, 79	diltiazem hcl... 94	DOPTELET (10 TAB PACK)... 87
diazoxide... 81	dimenhydrinate... 43	DOPTELET (15 TAB PACK)... 87
DIBENZYLINE... 94	dimethyl fumarate... 107	DOPTELET (30 TAB PACK)... 87
dichlorphenamide... 134	DIOVAN HCT... 94	DORYX MPC... 26
DICLEGIS... 43	DIOVAN... 94	DORYX... 26
diclofenac epolamine... 12	DIPENTUM... 164	dorzolamide... 175
diclofenac potassium... 12	DIPHEN... 181	dorzolamide-timolol (pf)... 175
diclofenac sodium... 12, 116, 175	diphenhydramine hcl... 181	dorzolamide-timolol... 175
diclofenac-misoprostol... 12	diphenoxylate-atropine... 130	dotti... 143
dicloxacillin... 26	DIPROLENE (AUGMENTED)... 116	DOVATO... 73
dicyclomine... 129, 130	dipyridamole... 87	DOVONEX... 116
didanosine... 73	disopyramide phosphate... 94	doxazosin... 95

doxepin... 79, 116, 188	DUET DHA WITH OMEGA-3... 124	E.E.S. 400... 27
doxercalciferol... 166	DUETACT... 81	EASY COMFORT ALCOHOL PAD... 170
DOXIL... 54	DUEXIS... 12	EASY TOUCH ALCOHOL PREP PADS... 170
doxorubicin... 54	DULERA... 181	EC-NAPROSYN... 13
doxorubicin, peg-liposomal... 54	duloxetine... 40	ec-naproxen... 13
doxy-100... 26	DUOBRII... 116	econazole... 45
doxycycline hyclate... 26	DUOPA... 66	EDARBI... 95
doxycycline monohydrate... 26, 27	DUPIXENT PEN... 156	EDARBYCLOR... 95
doxylamine-pyridoxine (vit b6)... 43	DUPIXENT SYRINGE... 156	EDECRIN... 95
DRIZALMA SPRINKLE... 39	DURAMORPH (PF)... 12	edetate calcium disodium... 170
dronabinol... 43	DUREZOL... 175	EDLUAR... 188
droperidol... 69	DURYSTA... 175	EDURANT... 73
DROPLET INSULIN SYR(HALF UNIT)... 169	dutasteride... 136	efavirenz... 73
DROPLET INSULIN SYRINGE... 169	dutasteride-tamsulosin... 136	efavirenz-emtricitabin-tenofov... 73
DROPLET MICRON PEN NEEDLE... 169	DUZALLO... 48	efavirenz-lamivu-tenofov disop... 74
DROPLET PEN NEEDLE... 169	dvorah... 13	EFFEXOR XR... 40
DROPSAFE ALCOHOL PREP PADS... 169	DXEVO... 138	EFFIENT... 87
DROPSAFE INSULIN SYRINGE... 169	DYANAVEL XR... 107	EFUDEX... 116
DROPSAFE PEN NEEDLE... 170	DYMISTA... 181	EGATEN... 65
drospirenone-e.estradiol-lm.fa... 143	DYRENIUM... 95	EGRIFTA SV... 140
drospirenone-ethinyl estradiol... 143	d10 %-0.45 % sodium chloride... 123	ELAPRASE... 134
DROXIA... 170	d2.5 %-0.45 % sodium chloride... 123	electrolyte-a... 124
droxidopa... 95	d5 % and 0.9 % sodium chloride... 123	electrolyte-148... 124
DUAKLIR PRESSAIR... 181	d5 %-0.45 % sodium chloride... 123	electrolyte-48 in d5w... 124
DUAVEE... 143		ELELYSO... 134
	E	ELESTRIN... 143
	E.E.S. GRANULES... 27	

eletriptan... 48	emoquette... 143	ENTADFI... 136
ELEVIDYS... 134	EMPAVELI... 170	entecavir... 74
ELFABRIO... 134	EMPLICITI... 54	ENTOCORT EC... 164
ELIDEL... 116	EMSAM... 40	ENTRESTO... 95
ELIGARD (3 MONTH)... 152	emtricitabine... 74	ENTYVIO PEN... 156
ELIGARD (4 MONTH)... 152	emtricitabine-tenofovir (tdf)... 74	ENTYVIO... 156
ELIGARD (6 MONTH)... 152	EMTRIVA... 74	enulose... 130
ELIGARD... 152	emverm... 65	ENVARBUS XR... 156
ELIMITE... 116	enalapril maleate... 95	EPANED... 95
elimest... 143	enalapril-hydrochlorothiazide... 95	EPCLUSA... 74
ELIQUIS DVT-PE TREAT 30D START... 87	enalaprilat... 95	EPIDIOLEX... 33
ELIQUIS... 87	ENBREL MINI... 156	EPIDUO FORTE... 116
ELITEK... 54	ENBREL SURECLICK... 156	EPIDUO... 116
ELIXOPHYLLIN... 181	ENBREL... 156	EPIFOAM... 116
ELLA... 143	ENDARI... 130	epinastine... 175
ELLECE... 54	endocet... 13	epinephrine... 181
ELMIRON... 136	ENDOMETRIN... 143	EPIPEN JR 2-PAK... 182
ELREXFIO... 54	ENGERIX-B (PF)... 156	EPIPEN JR... 182
eluryng... 143	ENGERIX-B PEDIATRIC (PF)... 156	EPIPEN 2-PAK... 181
ELYXYB... 170	ENHERTU... 54	EPIPEN... 181
ELZONRIS... 54	enilloring... 143	epirubicin... 54
EMCYT... 54	ENJAYMO... 156	epitol... 33
EMEND (FOSAPREPITANT)... 43	enoxaparin... 87	EPIVIR HBV... 74
EMEND... 43	enpresse... 143	EPIVIR... 74
EMFLAZA... 138	enskyce... 143	EPKINLY... 54
EMGALITY PEN... 48	ENSPRYNG... 156	eplerenone... 95
EMGALITY SYRINGE... 48	ENSTILAR... 116	EPOGEN... 87
	entacapone... 66	epoprostenol (glycine)... 182

epoprostenol... 182	erythromycin with ethanol... 116	etonogestrel-ethinyl estradiol... 144
EPRONTIA... 48	erythromycin... 27, 175	ETOPOPHOS... 55
eprosartan... 95	erythromycin-benzoyl peroxide... 116	etoposide... 55
EPSOLAY... 116	ESBRIET... 182	etravirine... 74
eptifibatide... 87	escitalopram oxalate... 40	EUCRISA... 116
EPZICOM... 74	ESGIC... 170	EULEXIN... 55
EQUETRO... 33	esmolol in nacl (iso-osm)... 95	EURAX... 116
ERAXIS(WATER DILUENT)... 45	esmolol... 95	EUTHYROX... 151
ERBITUX... 54	esomeprazole magnesium... 130	EVAMIST... 144
ergoloid... 38	esomeprazole sodium... 130	EVEKEO ODT... 107
ERGOMAR... 48	ESOMEPRAZOLE STRONTIUM... 130	EVEKEO... 107
ergotamine-caffeine... 48	estarylla... 143	EVENITY... 166
ERIVEDGE... 54	estazolam... 188	everolimus (antineoplastic)... 55
ERLEADA... 55	ESTRACE... 143	everolimus (immunosuppressive)... 156
erlotinib... 55	estradiol valerate... 144	EVISTA... 144
ERMEZA... 151	estradiol... 143, 144	EVKEEZA... 95
errin... 143	estradiol-norethindrone acet... 144	EVOCLIN... 116
ERTACZO... 45	ESTRING... 144	EVOMELA... 55
ertapenem... 27	ESTROGEL... 144	EVOTAZ... 74
ery pads... 116	eszopiclone... 188	EVOXAC... 111
ERY-TAB... 27	ethacrynate sodium... 95	EVRYSDI... 134
ERYGEL... 116	ethacrynic acid... 95	EXELDERM... 45
ERYPED 200... 27	ethambutol... 51	EXELON PATCH... 38
ERYPED 400... 27	ethosuximide... 33	exemestane... 55
ERYTHROCIN (AS STEARATE)... 27	ethynodiol diac-eth estradiol... 144	EXFORGE HCT... 95
ERYTHROCIN... 27	ETHYOL... 55	EXFORGE... 95
erythromycin ethylsuccinate... 27	etodolac... 13	EXJADE... 124
erythromycin lactobionate... 27		

EXKIVITY... 55	FELDENE... 13	FIBRICOR... 96
EXPAREL (PF)... 19	felodipine... 96	FILSPARI... 170
EXSERVAN... 107	FEMARA... 55	FINACEA... 116
EXTAVIA... 107	FEMHRT LOW DOSE... 144	finasteride... 136
EXTINA... 45	FEMRING... 144	fingolimod... 107
EYSUVIS... 175	femynor... 144	FINTEPLA... 34
EZALLOR SPRINKLE... 96	fenofibrate micronized... 96	finzala... 144
ezetimibe... 96	fenofibrate nanocrystallized... 96	FIORICET WITH CODEINE... 170
ezetimibe-atorvastatin... 96	fenofibrate... 96	fioricet... 170
ezetimibe-rosuvastatin... 96	fenofibric acid (choline)... 96	FIRAZYR... 156
ezetimibe-simvastatin... 96	fenofibric acid... 96	FIRDAPSE... 107
F	FENOGLIDE... 96	FIRMAGON KIT W DILUENT SYRINGE... 152
FABIOR... 116	fenoprofen... 13	FIRMAGON... 152
FABRAZYME... 134	FENSOLVI... 152	FIRVANQ... 27
falmina (28)... 144	fentanyl citrate (pf)... 13	flac otic oil... 179
famciclovir... 74	fentanyl citrate... 13	FLAGYL... 27
famotidine (pf)... 130	fentanyl... 13	FLAREX... 175
famotidine (pf)-nacl (iso-os)... 130	FENTORA... 13	flavoxate... 136
famotidine... 130	FERRIPROX (2 TIMES A DAY)... 124	FLEBOGAMMA DIF... 156
FANAPT... 69	FERRIPROX... 124	flecainide... 96
FARESTON... 55	fesoterodine... 136	FLECTOR... 13
FARXIGA... 81	FETROJA... 27	FLEQSUVY... 72
FASENRA PEN... 182	FETZIMA... 40	FLOLIPID... 96
FASENRA... 182	FEXMID... 187	FLOMAX... 136
FASLODEX... 55	FIASP FLEXTOUCH U-100 INSULIN... 81	floxuridine... 55
febuxostat... 48	FIASP PENFILL U-100 INSULIN... 81	fluconazole in nacl (iso-osm)... 45
felbamate... 33	FIASP U-100 INSULIN... 81	fluconazole... 45
FELBATOL... 34		

flucytosine... 45	FML FORTE... 175	FURADANTIN... 27
fludarabine... 55	FML LIQUIFILM... 175	FUROSCIX... 96
fludrocortisone... 138	FOCALIN XR... 107	furosemide... 96, 97
FLUMADINE... 74	FOCALIN... 107	FUSILEV... 55
flumazenil... 170	FOLOTYN... 55	FUZEON... 74
flunisolide... 182	fomepizole... 170	FYARRO... 55
fluocinolone acetonide oil... 179	fondaparinux... 87	fyavolv... 144
fluocinolone and shower cap... 117	FORFIVO XL... 40	FYCOMPA... 34
fluocinolone... 116, 117	formoterol fumarate... 182	FYLNETRA... 88
fluocinonide... 117	FORTEO... 166	G
fluocinonide-e... 117	FORTESTA... 144	gabapentin... 34
fluocinonide-emollient... 117	FOSAMAX PLUS D... 166	GABITRIL... 34
fluorometholone... 175	FOSAMAX... 166	GALAFOLD... 134
FLUOROPLEX... 117	fosamprenavir... 74	galantamine... 38
fluorouracil... 55, 117	fosaprepitant... 43	GAMASTAN S/D... 156
fluoxetine... 40	foscarnet... 74	GAMASTAN... 156
fluphenazine decanoate... 69	FOSCAVIR... 74	GAMIFANT... 156
fluphenazine hcl... 69	fosfomycin tromethamine... 27	GAMMAGARD LIQUID... 157
flurandrenolide... 117	fosinopril... 96	GAMMAGARD S-D (IGA < 1 MCG/ML)... 157
flurazepam... 188	fosinopril-hydrochlorothiazide... 96	GAMMAKED... 157
flurbiprofen sodium... 175	fosphenytoin... 34	GAMMAPLEX (WITH SORBITOL)... 157
flurbiprofen... 13	FOSRENOL... 124	GAMMAPLEX... 157
flutamide... 55	FOTIVDA... 55	GAMUNEX-C... 157
fluticasone propion-salmeterol... 182	FRAGMIN... 87, 88	ganciclovir sodium... 74
fluticasone propionate... 117, 182	FROVA... 48	GARDASIL 9 (PF)... 157
fluvastatin... 96	frovatriptan... 48	GASTROCROM... 182
fluvoxamine... 40	FULPHILA... 88	
	fulvestrant... 55	

gatifloxacin... 175	GILENYA... 107	glydo... 19
GATTEX ONE-VIAL... 130	GILOTRIF... 56	GLYNASE... 81
GATTEX 30-VIAL... 130	GIMOTI... 43	GLYXAMBI... 81
GAUZE BANDAGE... 170	GIVLAARI... 170	GOCOVRI... 66
GAUZE PAD... 170	GLASSIA... 134	GOLYTELY... 130
gavilyte-c... 130	glatiramer... 108	GONITRO... 97
gavilyte-g... 130	glatopa... 108	GRALISE... 108
gavilyte-n... 130	GLEEVEC... 56	granisetron (pf)... 43
GAVRETO... 55	GLEOSTINE... 56	granisetron hcl... 43
GAZYVA... 55	glimepiride... 81	GRANIX... 88
gefitinib... 55	glipizide... 81	GRASTEK... 182
GELNIQUE... 136	glipizide-metformin... 81	griseofulvin microsize... 45
gemcitabine... 55	GLOPERBA... 48	griseofulvin ultramicrosize... 45
gemfibrozil... 97	GLUCAGEN HYPOKIT... 81	guanfacine... 97, 108
gemmily... 144	GLUCAGON (HCL) EMERGENCY KIT... 81	GVOKE HYPOPEN 1-PACK... 81
GEMTESA... 136	glucagon emergency kit (human)... 81	GVOKE HYPOPEN 2-PACK... 81
GENERESS FE... 144	GLUCOTROL XL... 81	GVOKE PFS 1-PACK SYRINGE... 81
generlac... 130	GLUMETZA... 81	GVOKE PFS 2-PACK SYRINGE... 81
gengraf... 157	glyburide micronized... 81	GVOKE... 81
GENOTROPIN MINIQUICK... 140	glyburide... 81	gynazole-1... 45
GENOTROPIN... 140	glyburide-metformin... 81	H
gentak... 175	GLYCAT... 130	HADLIMA PUSHTOUCH... 157
gentamicin in nacl (iso-osm)... 27	GLYCOPHOS... 124	HADLIMA... 157
gentamicin sulfate (ped) (pf)... 27	glycopyrrolate (pf) in water... 130	HADLIMA(CF) PUSHTOUCH... 157
gentamicin sulfate (pf)... 27	glycopyrrolate (pf)... 130	HADLIMA(CF)... 157
gentamicin... 27, 176	glycopyrrolate... 130	HAEGARDA... 157
GENVOYA... 74		hailey fe 1.5/30 (28)... 144
GEODON... 69		hailey fe 1/20 (28)... 144

hailey 24 fe... 144	HETLIOZ... 188	HUMIRA(CF) PEN CROHNS-UC-HS... 158
hailey... 144	HIBERIX (PF)... 157	HUMIRA(CF) PEN PEDIATRIC UC... 158
HALAVEN... 56	HIPREX... 27	HUMIRA(CF) PEN PSOR-UV-ADOL HS... 158
halcinonide... 117	HIZENTRA... 157	HUMIRA(CF) PEN... 158
HALCION... 188	HORIZANT... 108	HUMIRA(CF)... 158
HALDOL DECANOATE... 69	HULIO(CF) PEN... 157	HUMIRIN N NPH INSULIN KWIKPEN... 82
halobetasol propionate... 117	HULIO(CF)... 157	HUMIRIN N NPH U-100 INSULIN... 82
haloette... 144	HUMALOG JUNIOR KWIKPEN U-100... 81	HUMIRIN R REGULAR U-100 INSULN... 82
HALOG... 117	HUMALOG KWIKPEN INSULIN... 82	HUMIRIN R U-500 (CONC) INSULIN... 82
haloperidol decanoate... 69	HUMALOG MIX 50-50 INSULN U-100... 82	HUMIRIN R U-500 (CONC) KWIKPEN... 82
haloperidol lactate... 69	HUMALOG MIX 50-50 KWIKPEN... 82	HUMIRIN 70/30 U-100 INSULIN... 82
haloperidol... 69	HUMALOG MIX 75-25 KWIKPEN... 82	HUMIRIN 70/30 U-100 KWIKPEN... 82
HARVONI... 74	HUMALOG MIX 75-25(U-100)INSULN... 82	HYCAMTIN... 56
HAVRIX (PF)... 157	HUMALOG MIX	hydralazine... 97
heather... 144	HUMALOG MIX 75-25(U-100)INSULN... 82	HYDREA... 56
HECTOROL... 166	HUMALOG TEMPO	hydrochlorothiazide... 97
HEMABATE... 141	PEN(U-100)INSULN... 82	hydrocodone bitartrate... 13
HEMADY... 138	HUMALOG U-100 INSULIN... 82	hydrocodone-acetaminophen... 13
HEMANGEOL... 97	HUMATIN... 27	hydrocodone-ibuprofen... 13
hemmorex-hc... 164	HUMATROPE... 140	hydrocortisone acetate... 164
heparin (porcine)... 88	HUMIRA PEN CROHNS-UC-HS START... 157	
heparin, porcine (pf)... 88	HUMIRA PEN PSOR-UVEITS-ADOL HS... 157	
HEPLISAV-B (PF)... 157	HUMIRA PEN... 157	
HEPSERA... 74	HUMIRA... 157	
HERCEPTIN HYLECTA... 56	HUMIRA(CF) PEDI CROHNS STARTER... 158	
HERCEPTIN... 56		
HERZUMA... 56		
HETLIOZ LQ... 188		

hydrocortisone butyr-emollient... 118	IBSRELA... 130	imiquimod... 118
hydrocortisone butyrate... 118	ibu... 14	IMITREX STATDOSE PEN... 49
hydrocortisone valerate... 118	ibuprofen... 14	IMITREX STATDOSE REFILL... 49
hydrocortisone... 117, 118, 164	ibuprofen-famotidine... 14	IMITREX... 48, 49
hydrocortisone-acetic acid... 179	ibutilide fumarate... 97	IMJUDO... 56
hydromorphone (pf)... 14	icatibant... 158	IMLYGIC... 56
hydromorphone... 14	iclevia... 144	IMOGAM RABIES-HT (PF)... 158
hydroxychloroquine... 65	ICLUSIG... 56	IMOVAX RABIES VACCINE (PF)... 158
hydroxyurea... 56	IDACIO(CF) PEN CROHN-UC STARTR... 158	IMPAVIDO... 65
hydroxyzine hcl... 79	IDACIO(CF) PEN PSORIASIS START... 158	IMPEKLO... 118
hydroxyzine pamoate... 182	IDACIO(CF) PEN... 158	IMURAN... 158
HYFTOR... 118	IDACIO(CF)... 158	INBRIJA... 66
HYPERRAB (PF)... 158	IDAMYCIN PFS... 56	incassia... 144
HYPERRAB S/D (PF)... 158	idarubicin... 56	INCONTROL ALCOHOL PADS... 170
HYPERTET (PF)... 158	IDHIFA... 56	INCRELEX... 140
HYRIMOZ PEN CROHN'S-UC STARTER... 158	IFEX... 56	INCRUSE ELLIPTA... 182
HYRIMOZ PEN PSORIASIS STARTER... 158	ifosfamide... 56	indapamide... 97
HYRIMOZ(CF) PEDI CROHN STARTER... 158	IGALMI... 170	INDERAL LA... 97
HYRIMOZ(CF) PEN... 158	ILEVRO... 176	INDOCIN... 14
HYRIMOZ(CF)... 158	ILUMYA... 158	indomethacin sodium... 14
HYSINGLA ER... 14	imatinib... 56	indomethacin... 14
HYZAAR... 97	IMBRUVICA... 56	INFANRIX (DTAP) (PF)... 158
	IMFINZI... 56	INFLECTRA... 158
I	imipenem-cilastatin... 27	INFLIXIMAB... 159
ibandronate... 166	imipramine hcl... 40	INFUGEM... 57
IBRANCE... 56	imipramine pamoate... 40	INFUMORPH P/F... 14
		INGREZZA INITIATION PACK... 108
		INGREZZA... 108

INLYTA... 57	INVEGA... 69	isosorbide-hydralazine... 97
INNOPRAN XL... 97	INVELTYS... 176	isotretinoin... 118
INPEFA... 82	INVIRASE... 75	isradipine... 97
INQOVI... 57	INVOKAMET XR... 83	ISTALOL... 176
INREBIC... 57	INVOKAMET... 83	ISTODAX... 57
INSPIRA... 97	INVOKANA... 83	ISTURISA... 152
INSULIN ASP PRT-INSULIN ASPART... 82	IONOSOL-B IN D5W... 124	ISUPREL... 97
INSULIN ASPART U-100... 82	IONOSOL-MB IN D5W... 124	itraconazole... 46
INSULIN DEGLUDEC... 82	IOPIDINE... 176	IV PREP WIPES... 170
INSULIN GLARGINE... 82	IPOL... 159	ivermectin... 65, 118
INSULIN GLARGINE-YFGN... 82	ipratropium bromide... 182	IXEMPRA... 57
INSULIN LISPRO PROTAMIN-LISPRO... 83	ipratropium-albuterol... 182	IXIARO (PF)... 159
INSULIN LISPRO... 82	irbesartan... 97	IYUZEH... 176
INSULIN SYRINGE MICROFINE... 170	irbesartan-hydrochlorothiazide... 97	J
INSULIN SYRINGE NEEDLELESS... 170	IRESSA... 57	JADENU SPRINKLE... 124
INSULIN SYRINGE... 170	irinotecan... 57	JADENU... 124
INSULIN SYRINGE-NEEDLE U-100... 170	ISENTRESS HD... 75	jaimiess... 144
INTELENCE... 75	ISENTRESS... 75	JAKAFI... 57
INTRALIPID... 124	isibloom... 144	JALYN... 136
INTRON A... 159	ISOLYTE S PH 7.4... 124	jantoven... 88
INTUNIV ER... 108	ISOLYTE-P IN 5 % DEXTROSE... 124	JANUMET XR... 83
INVANZ... 27	ISOLYTE-S... 124	JANUMET... 83
INVEGA HAFYERA... 69	isoniazid... 51	JANUVIA... 83
INVEGA SUSTENNA... 69	ISOPTO CARPINE... 176	JARDIANCE... 83
INVEGA TRINZA... 69	ISORDIL TITRADOSE... 97	jasmiel (28)... 144
	ISORDIL... 97	JATENZO... 145
	isosorbide dinitrate... 97	javygtor... 134
	isosorbide mononitrate... 97	JAYPIRCA... 57

JEMPERLI... 57	KALYDECO... 182	KEYTRUDA... 57
jencycla... 145	KANJINTI... 57	KHAPZORY... 57
JENTADUETO XR... 83	KANUMA... 134	KIMMTRAK... 57
JENTADUETO... 83	KAPSPARGO SPRINKLE... 98	KIMYRSA... 28
JEVTANA... 57	KAPVAY... 108	KINERET... 159
jinteli... 145	KARBINAL ER... 182	KINRIX (PF)... 159
JOENJA... 134	kariva (28)... 145	KISQALI FEMARA CO-PACK... 57
jolessa... 145	KATERZIA... 98	KISQALI... 57
JORNAY PM... 108	KAZANO... 83	KITABIS PAK... 28
joyeaux... 145	KEDRAB (PF)... 159	KLARON... 28
JUBLIA... 46	KEFLEX... 28	KLISYRI... 118
juleber... 145	kelnor 1-50 (28)... 145	KLONOPIN... 79
JULUCA... 75	kelnor 1/35 (28)... 145	klor-con m10... 124
junel fe 1.5/30 (28)... 145	KENALOG... 138	KLOR-CON M15... 124
junel fe 1/20 (28)... 145	KENALOG-80... 138	klor-con m20... 124
junel fe 24... 145	KENGREAL... 88	KLOR-CON 10... 124
junel 1.5/30 (21)... 145	KEPIVANCE... 111	KLOR-CON 8... 124
junel 1/20 (21)... 145	KEPPRA XR... 34	klor-con... 124
JUXTAPID... 97	KEPPRA... 34	KLOXXADO... 21
JYNARQUE... 124	KERENDIA... 98	KONVOMEF... 130
JYNNEOS (PF)(STOCKPILE)... 159	KERYDIN... 46	KORLYM... 170
K	KESIMPTA PEN... 108	KOSELUGO... 57
K-TAB... 124	ketoconazole... 46	KOSHER PRENATAL PLUS IRON... 124
KABIVEN... 124	ketodan... 46	kourzeq... 111
KADCYLA... 57	ketoprofen... 14	KRAZATI... 57
kaitlib fe... 145	ketorolac... 15, 176	KRINTAFEL... 65
KALETRA... 75	KEVEYIS... 134	KRISTALOSE... 130
kalliga... 145	KEVZARA... 159	

kurvelo (28)... 145	LAMICTAL XR... 35	leena 28... 145
KUVAN... 134	LAMICTAL... 34	leflunomide... 159
KYPROLIS... 57, 58	lamivudine... 75	LEMTRADA... 108
L	lamivudine-zidovudine... 75	lenalidomide... 58
l norgest/e.estradiol-e.estrad... 145	lamotrigine... 35	LENVIMA... 58
LABETALOL IN DEXTROSE,ISO-OSM... 98	LAMPIT... 65	LEQVIO... 98
LABETALOL IN NACL (ISO-OSMOT)... 98	LAMZEDE... 134	LESCOL XL... 98
labetalol... 98	LANOXIN PEDIATRIC... 98	lessina... 145
lacosamide... 34	LANOXIN... 98	LETAIRIS... 182
LACRISERT... 176	lanreotide... 152	letrozole... 58
lactated ringers... 125, 170	lansoprazole... 131	leucovorin calcium... 58
lactulose... 130, 131	lanthanum... 125	LEUKERAN... 58
LAGEVRIO (EUA)... 170	LANTUS SOLOSTAR U-100 INSULIN... 83	LEUKINE... 88
LAMICTAL ODT STARTER (BLUE)... 34	LANTUS U-100 INSULIN... 83	leuprolide (3 month)... 152
LAMICTAL ODT STARTER (GREEN)... 34	lapatinib... 58	leuprolide... 152
LAMICTAL ODT STARTER (ORANGE)... 34	larin fe 1.5/30 (28)... 145	levalbuterol hcl... 183
LAMICTAL ODT... 34	larin fe 1/20 (28)... 145	levalbuterol tartrate... 183
LAMICTAL STARTER (BLUE) KIT... 34	larin 1.5/30 (21)... 145	levamlodipine... 98
LAMICTAL STARTER (GREEN) KIT... 34	larin 1/20 (21)... 145	LEVEMIR FLEXPEN... 83
LAMICTAL STARTER (ORANGE) KIT... 34	larin 24 fe... 145	LEVEMIR FLEXTOUCH U100 INSULIN... 83
LAMICTAL XR STARTER (BLUE)... 35	larissia... 145	LEVEMIR U-100 INSULIN... 83
LAMICTAL XR STARTER (GREEN)... 35	LASIX... 98	levetiracetam in nacl (iso-os)... 35
LAMICTAL XR STARTER (ORANGE)... 35	LASTACFT... 176	levetiracetam... 35
	latanoprost... 176	LEVO-T... 151
	LATUDA... 69	levobunolol... 176
	LAYOLIS FE... 145	levocarnitine (with sugar)... 125
	LAZANDA... 15	levocarnitine... 125

levocetirizine... 183	lidocaine-prilocaine... 20	LOCOID LIPOCREAM... 118
levofloxacin in d5w... 28	LIDODERM... 20	LOCOID... 118
levofloxacin... 28, 176	lignospan standard... 20	LODINE... 15
levoleucovorin calcium... 58	lillow (28)... 146	LODOCO... 98
levonest (28)... 145	LINCOCIN... 28	LODOSYN... 66
levonorg-eth estrad triphasic... 145	lincomycin... 28	LOESTRIN FE 1.5/30 (28-DAY)... 146
levonorgestrel-ethinyl estrad... 145, 146	lindane... 118	LOESTRIN FE 1/20 (28-DAY)... 146
LEVOPHED (BITARTRATE)... 98	linezolid in dextrose 5%... 28	LOESTRIN 1.5/30 (21)... 146
levora-28... 146	linezolid... 28	LOESTRIN 1/20 (21)... 146
levorphanol tartrate... 15	linezolid-0.9% sodium chloride... 28	lofena... 15
levothyroxine... 151	LINZESS... 131	lojaimiess... 146
LEVOXYL... 151	liothyronine... 151	LOKELMA... 125
LEVULAN... 58	LIPITOR... 98	LOMOTIL... 131
LEXAPRO... 40	LIPOFEN... 98	LONHALA MAGNAIR REFILL... 183
LEXETTE... 118	LIQREV... 183	LONHALA MAGNAIR STARTER... 183
LEXIVA... 75	lisdexamfetamine... 108	LONSURF... 58
LIALDA... 165	lisinopril... 98	loperamide... 131
LIBTAYO... 58	lisinopril-hydrochlorothiazide... 98	LOPID... 98
LICART... 15	LITFULO... 170	lopinavir-ritonavir... 75
lidocaine (pf) in d7.5w... 19	lithium carbonate... 80	LOPRESSOR... 98
lidocaine (pf)... 20, 98	lithium citrate... 80	LOPROX (AS OLAMINE)... 46
lidocaine hcl... 20	LITHOBID... 80	LOPROX... 46
lidocaine in 5 % dextrose (pf)... 98	LITHOSTAT... 170	lorazepam intensol... 79
lidocaine viscous... 20	LIVALO... 98	lorazepam... 79
lidocaine... 19	LIVMARLI... 170	LORBRENA... 58
lidocaine-epinephrine bit... 20	LIVTENCITY... 75	LOREEV XR... 79
lidocaine-epinephrine... 20	LO LOESTRIN FE... 146	lortab elixir... 15
	lo-zumandimine (28)... 146	loryna (28)... 146

LORZONE... 187	LUPRON DEPOT (4 MONTH)... 152	M-M-R II (PF)... 159
losartan... 98	LUPRON DEPOT (6 MONTH)... 152	m-natal plus... 125
losartan-hydrochlorothiazide... 98	LUPRON DEPOT... 152	MACROBID... 28
LOSEASONIQUE... 146	LUPRON DEPOT-PED (3 MONTH)... 153	MACRODANTIN... 28
LOTEMAX SM... 176	LUPRON DEPOT-PED... 152, 153	mafenide acetate... 118
LOTEMAX... 176	lurasidone... 70	magnesium sulfate in d5w... 125
LOTENSIN HCT... 99	lutea (28)... 146	magnesium sulfate in water... 125
LOTENSIN... 99	LUXIQ... 118	magnesium sulfate... 125
loteprednol etabonate... 176	LUZU... 46	MALARONE PEDIATRIC... 65
LOTREL... 99	LYBALVI... 70	MALARONE... 65
LOTRONEX... 131	lyleq... 146	malathion... 118
lovastatin... 99	lyllana... 146	mannitol 10 %... 99
LOVAZA... 99	LYNPARZA... 58	mannitol 20 %... 99
LOVENOX... 88	LYRICA CR... 108	mannitol 25 %... 99
low-ogestrel (28)... 146	LYRICA... 108	mannitol 5 %... 99
loxapine succinate... 70	LYSODREN... 152	maraviroc... 75
lubiprostone... 131	LYSTEDA... 88	MARCAINE (PF)... 20
LUCEMYRA... 21	LYTGOBI... 58	MARCAINE SPINAL (PF)... 20
luliconazole... 46	LYUMJEV KWIKPEN U-100 INSULIN... 83	MARCAINE... 20
LUMAKRAS... 58	LYUMJEV KWIKPEN U-200 INSULIN... 83	MARCAINE-EPINEPHRINE (PF)... 20
LUMIGAN... 176	LYUMJEV TEMPO PEN(U-100)INSULN... 83	MARCAINE-EPINEPHRINE... 20
LUMIZYME... 134	LYUMJEV U-100 INSULIN... 83	MARGENZA... 58
LUMRYZ... 188	LYVISPAH... 72	MARINOL... 43
LUNESTA... 188	lyza... 146	marlissa (28)... 146
LUNSUMIO... 58		MARPLAN... 40
LUPANETA PACK (1 MONTH)... 152		MATULANE... 58
LUPKYNIS... 159		matzim la... 99
LUPRON DEPOT (3 MONTH)... 152		

M

MAVENCLAD (10 TABLET PACK)...	MEKTOVI... 58	metadate er... 109
108	meloxicam submicronized... 15	metaxalone... 187
MAVENCLAD (4 TABLET PACK)...	meloxicam... 15	metformin... 83, 84
108	melphalan hcl... 59	methadone intensol... 15
MAVENCLAD (5 TABLET PACK)...	melphalan... 58	methadone... 15
108	memantine... 38	METHADOSE... 15
MAVENCLAD (6 TABLET PACK)...	MENACTRA (PF)... 159	methamphetamine... 109
108	MENEST... 146	methazolamide... 99
MAVENCLAD (7 TABLET PACK)...	MENOSTAR... 146	methenamine hippurate... 28
108	MENQUADFI (PF)... 159	methergine... 170
MAVENCLAD (8 TABLET PACK)...	MENTAX... 46	methimazole... 153
108	MENVEO A-C-Y-W-135-DIP (PF)...	METHITEST... 146
MAVENCLAD (9 TABLET PACK)...	159	methocarbamol... 187
108	mepерidine (pf)... 15	methotrexate sodium (pf)... 159
MAVYRET... 75	mepерidine... 15	methotrexate sodium... 159
MAXALT... 49	meprobamate... 79	methoxsalen... 118
MAXALT-MLT... 49	MEPRON... 65	methscopolamine... 131
MAXIDEX... 176	MEPSEVII... 134	methsuximide... 35
MAXITROL... 176	mercaptipurine... 59	methyl dopa... 99
MAXZIDE... 99	meropenem... 28	methyl dopa-hydrochlorothiazide... 99
MAXZIDE-25MG... 99	meropenem-0.9% sodium chloride... 28	methyl dopate... 99
MAYZENT STARTER(FOR 1MG MAINT)...	merzee... 146	methylergonovine... 171
109	mesalamine... 165	METHYLIN... 109
MAYZENT STARTER(FOR 2MG MAINT)...	mesna... 59	methylphenidate hcl... 109
109	MESNEX... 59	methylphenidate... 109
MAYZENT... 108, 109	MESTINON TIMESPAN... 50	methylprednisolone acetate... 138
meclizine... 43	MESTINON... 50	
meclofenamate... 15		
MEDROL (PAK)... 138		
MEDROL... 138		
medroxyprogesterone... 146		
mefenamic acid... 15		
mefloquine... 65		
megestrol... 146		
MEKINIST... 58		

methylprednisolone sodium succ... 138	microgestin 1.5/30 (21)... 146	MIRVASO... 118
methylprednisolone... 138	microgestin 1/20 (21)... 147	misoprostol... 131
methyltestosterone... 146	microgestin 24 fe... 147	MITIGARE... 48
metoclopramide hcl... 43	midodrine... 99	mitigo (pf)... 15
metolazone... 99	MIEBO... 176	mitomycin... 59
metoprolol succinate... 99	migergot... 49	mitoxantrone... 59
metoprolol ta-hydrochlorothiaz... 99	miglitol... 84	MOBIC... 16
metoprolol tartrate... 99	miglustat... 134	modafinil... 188
METRO I.V.... 28	MIGRANAL... 49	moexipril... 100
METROCREAM... 28	mili... 147	molindone... 70
METROGEL VAGINAL... 28	millipred dp... 138	mometasone... 118, 183
METROGEL... 28	millipred... 138	mondoxyne nl... 29
METROLOTION... 28	milrinone in 5 % dextrose... 100	MONJUVI... 159
metronidazole in nacl (iso-os)... 29	milrinone... 100	mono-lyyah... 147
metronidazole... 28	mimvey... 147	MONODOX... 29
metyrosine... 99	MINASTRIN 24 FE... 147	montelukast... 183
mexiletine... 99	MINIPRESS... 100	MONUROL... 29
MIACALCIN... 166	minitran... 100	morgidox... 29
mibelas 24 fe... 146	MINIVELLE... 147	morphine (pf)... 16
micafungin... 46	MINOCIN... 29	morphine concentrate... 16
MICARDIS HCT... 99	minocycline... 29	morphine... 16
MICARDIS... 99	MINOLIRA ER... 29	MOTEGRITY... 131
miconazole nitrate-zinc ox-pet... 46	minoxidil... 100	MOTOFEN... 131
miconazole-3... 46	MIOSTAT... 176	MOUNJARO... 84
microgestin fe 1.5/30 (28)... 147	MIRAPEX ER... 66	MOVANTIK... 131
microgestin fe 1/20 (28)... 147	MIRAPEX... 66	MOVIPREP... 131
	MIRCETTE (28)... 147	MOXEZA... 176
	mirtazapine... 40	moxifloxacin... 29, 176

moxifloxacin-sod.ace,sul-water... 29	nabumetone... 16	NATACHEW (FE BIS-GLYCINATE)... 125
moxifloxacin-sod.chloride(iso)... 29	nadolol... 100	NATACYN... 176
MOZOBIL... 88	nafcillin in dextrose iso-osm... 29	NATAZIA... 147
MS CONTIN... 16	nafcillin... 29	nateglinide... 84
MULPLETA... 88	naftifine... 46	NATESTO... 147
MULTAQ... 100	NAFTIN... 46	NATPARA... 166
mupirocin calcium... 118	NAGLAZYME... 134	NATROBA... 119
mupirocin... 118	nalbuphine... 16	NAYZILAM... 35
MUTAMYCIN... 59	NALFON... 17	neбиволол... 100
MVASI... 59	nalmefene... 21	NEBUPENT... 65
MYALEPT... 131	nalocet... 17	necon 0.5/35 (28)... 147
MYAMBUTOL... 51	naloxone... 21	nefazodone... 41
MYCAMINE... 46	naltrexone... 21	nelarabine... 59
MYCAPSSA... 153	NAMENDA TITRATION PAK... 38	NEMBUTAL SODIUM... 35
MYCOBUTIN... 51	NAMENDA XR... 38	neo-polycin hc... 176
mycophenolate mofetil (hcl)... 159	NAMENDA... 38	neo-polycin... 176
mycophenolate mofetil... 159	NAMZARIC... 38	NEO-SYNALAR... 119
mycophenolate sodium... 159	NAPRELAN CR... 17	neomycin... 29
MYDAYIS... 109	NAPROSYN... 17	neomycin-bacitracin-poly-hc... 176
MYFEMBREE... 171	naproxen sodium... 17	neomycin-bacitracin-polymyxin... 177
MYFORTIC... 159	naproxen... 17	neomycin-polymyxin b gu... 171
MYLOTARG... 59	naproxen-esomeprazole... 17	neomycin-polymyxin b-dexameth... 177
myorisan... 119	naratriptan... 49	neomycin-polymyxin-gramicidin... 177
MYRBETRIQ... 136	NARCAN... 21	neomycin-polymyxin-hc... 177, 179
MYSOLINE... 35	NARDIL... 40	NEONATAL COMPLETE... 125
MYTESI... 131	NAROPIN (PF)... 20	
	NASONEX... 183	

N

NEONATAL PLUS VITAMIN... 125	nicardipine... 100	nolix... 119
NEONATAL-DHA... 125	NICOTROL NS... 21	nora-be... 147
NEORAL... 159, 160	NICOTROL... 21	NORDITROPIN FLEXPRO... 140
NERLYNX... 59	nifedipine... 100	norepinephrine bitartrate... 101
NESACAINE... 20	nikki (28)... 147	noreth-ethinyl estradiol-iron... 147
NESACAINE-MPF... 20	NILANDRON... 59	norethindrone (contraceptive)... 147
NESINA... 84	nilutamide... 59	norethindrone ac-eth estradiol... 147
neuac... 119	nimodipine... 100	norethindrone acetate... 147
NEULASTA ONPRO... 88	NINLARO... 59	norethindrone-e.estradiol-iron... 147
NEULASTA... 88	NIPENT... 59	NORGESIC FORTE... 187
NEUPOGEN... 88, 89	nisoldipine... 100	norgesic... 187
NEUPRO... 66	nitazoxanide... 65	norgestimate-ethinyl estradiol... 147
NEURONTIN... 35	nitisinone... 134	NORITATE... 29
NEVANAC... 177	NITRO-BID... 100	NORLIQVA... 101
nevirapine... 75	NITRO-DUR... 100	norlyda... 147
NEXAVAR... 59	nitrofurantoin macrocrystal... 29	NORMOSOL-M IN 5 % DEXTROSE... 125
NEXIUM IV... 131	nitrofurantoin monohyd/m-cryst... 29	NORMOSOL-R IN 5 % DEXTROSE... 125
NEXIUM PACKET... 131	nitrofurantoin... 29	NORMOSOL-R PH 7.4... 125
NEXIUM... 131	nitroglycerin in 5 % dextrose... 101	NORMOSOL-R... 125
NEXLETOL... 100	nitroglycerin... 100, 101	NORPACE CR... 101
NEXLIZET... 100	NITROLINGUAL... 101	NORPACE... 101
NEXTERONE... 100	NITROSTAT... 101	NORPRAMIN... 41
NEXTSTELLIS... 147	NITYR... 134	NORTHERA... 101
NEXVIAZYME... 134	NIVESTYM... 89	nortrel 0.5/35 (28)... 147
NGENLA... 140	nizatidine... 131	
niacin... 100	NOCDURNA (MEN)... 140	
niacor... 100	NOCDURNA (WOMEN)... 140	
NIASPAN EXTENDED-RELEASE... 100		

nortrel 1/35 (21)... 147	np thyroid... 151	OB COMPLETE PETITE... 125
nortrel 1/35 (28)... 147	NUBEQA... 59	OB COMPLETE PREMIER... 125
nortrel 7/7/7 (28)... 148	NUCALA... 183	OCALIVA... 131
nortriptyline... 41	NUCYNTA ER... 17	ocella... 148
NORVASC... 101	NUCYNTA... 17	OCREVUS... 109
NORVIR... 75, 76	NUDEXTA... 109	OCTAGAM... 160
NOURIANZ... 66	NULIBRY... 134	octreotide acetate... 153
NOVAREL... 140	NULYTELY LEMON-LIME... 131	OCUFLOX... 177
NOVOLIN N FLEXPEN... 84	NUPLAZID... 70	ODACTRA... 183
NOVOLIN N NPH U-100 INSULIN... 84	NURTEC ODT... 171	ODEFSEY... 76
NOVOLIN R FLEXPEN... 84	NUTRILIPID... 125	ODOMZO... 59
NOVOLIN R REGULAR U100 INSULIN... 84	NUTROPIN AQ NUSPIN... 140	OFEV... 183
NOVOLIN 70-30 FLEXPEN U-100... 84	NUVARING... 148	ofloxacin... 29, 177, 179
NOVOLIN 70/30 U-100 INSULIN... 84	NUVESSA... 29	OGIVRI... 59
NOVOLOG FLEXPEN U-100 INSULIN... 84	NUVIGIL... 188	olanzapine... 70
NOVOLOG MIX 70-30 U-100 INSULIN... 84	NUZYRA... 29	olanzapine-fluoxetine... 41
NOVOLOG MIX 70-30FLEXPEN U-100... 84	nyamyc... 46	OLINVYK... 17
NOVOLOG PENFILL U-100 INSULIN... 84	nylia 1/35 (28)... 148	olmesartan... 101
NOVOLOG U-100 INSULIN ASPART... 84	nylia 7/7/7 (28)... 148	olmesartan-amlodipin-hcthiazyd... 101
NOVOPEN ECHO... 171	NYMALIZE... 101	olmesartan-hydrochlorothiazide... 101
NOXAFIL... 46	nymyo... 148	olopatadine... 177, 183
	nystatin... 46, 47	OLPRUVA... 134
	nystatin-triamcinolone... 47	OLUMIANT... 160
	nystop... 47	OLUX... 119
	NYVEPRIA... 89	OLUX-E... 119
	O	OMECLAMOX-PAK... 131
	O-CAL PRENATAL... 125	
	OB COMPLETE ONE... 125	

omega-3 acid ethyl esters... 101	ondansetron... 43, 44	ORFADIN... 134
OMEGAVEN... 125	ONEXTON... 119	ORGOVYX... 153
omeprazole... 131	ONFI... 35, 36	ORIAHNN... 171
omeprazole-sodium bicarbonate... 131	ONGENTYS... 66	ORLISSA... 153
OMNARIS... 183	ONIVYDE... 59	ORKAMBI... 184
OMNIPOD CLASSIC PODS (GEN 3)... 171	ONPATTRO... 134	ORLADEYO... 160
OMNIPOD DASH INTRO KIT (GEN 4)... 171	ONTRUZANT... 59	orlistat... 171
OMNIPOD DASH PODS (GEN 4)... 171	ONUREG... 59	orphenadrine citrate... 187
OMNIPOD GO PODS 10 UNITS/DAY... 171	ONZETRA XSAIL... 49	orphenadrine-asa-caffeine... 187
OMNIPOD GO PODS 15 UNITS/DAY... 171	OPDIVO... 59	orphengesic forte... 187
OMNIPOD GO PODS 20 UNITS/DAY... 171	OPDUALAG... 59	ORSERDU... 59
OMNIPOD GO PODS 25 UNITS/DAY... 171	opium tincture... 131	orsythia... 148
OMNIPOD GO PODS 30 UNITS/DAY... 171	OPSUMIT... 183	ORTHO TRI-CYCLEN (28)... 148
OMNIPOD GO PODS 40 UNITS/DAY... 171	OPVEE... 22	ORTHO-NOVUM 7/7/7 (28)... 148
OMNIPOD GO PODS... 171	OPZELURA... 119	ORTIKOS... 165
OMNIPOD 5 G6 INTRO KIT (GEN 5)... 171	ORACEA... 29	oseltamivir... 76
OMNIPOD 5 G6 PODS (GEN 5)... 171	ORALAIR... 183	OSENI... 84
OMNITROPE... 140	oralone... 111	OSMITROL 10 %... 101
ONCASPAR... 59	ORAPRED ODT... 138	OSMITROL 15 %... 101
ondansetron hcl (pf)... 44	ORBACTIV... 29	OSMITROL 20 %... 101
ondansetron hcl... 44	ORENCIA CLICKJECT... 160	OSMITROL 5 %... 101
	ORENCIA... 160	OSMOLEX ER... 66
	ORENITRAM MONTH 1 TITRATION KT... 183	OSMOPREP... 131
	ORENITRAM MONTH 2 TITRATION KT... 183	OSPHENA... 148
	ORENITRAM MONTH 3 TITRATION KT... 184	OTEZLA STARTER... 119
	ORENITRAM... 183	OTEZLA... 119
		OTOVEL... 179
		OTREXUP (PF)... 160

OVIDE... 119	PADCEV... 60	PARNATE... 41
oxacillin in dextrose(iso-osm)... 29	PALFORZIA (LEVEL 1)... 171	paroex oral rinse... 111
oxacillin... 29	PALFORZIA (LEVEL 10)... 172	paromomycin... 29
oxaliplatin... 59	PALFORZIA (LEVEL 11 UP-DOSE)... 172	paroxetine hcl... 41
oxandrolone... 148	PALFORZIA (LEVEL 2)... 171	paroxetine mesylate(menop.sym)... 41
oxaprozin... 17	PALFORZIA (LEVEL 3)... 171	PASER... 51
OXAYDO... 17	PALFORZIA (LEVEL 4)... 171	PATANASE... 184
oxazepam... 79	PALFORZIA (LEVEL 5)... 171	PAXIL CR... 41
OXBRYTA... 171	PALFORZIA (LEVEL 6)... 171	PAXIL... 41
oxcarbazepine... 36	PALFORZIA (LEVEL 7)... 171	PAXLOVID... 172
OXERVATE... 177	PALFORZIA (LEVEL 8)... 172	PEDIAPRED... 138
oxiconazole... 47	PALFORZIA (LEVEL 9)... 172	PEDIARIX (PF)... 160
OXISTAT... 47	PALFORZIA INITIAL DOSE... 172	PEDVAX HIB (PF)... 160
OXLUMO... 171	PALFORZIA LEVEL 11 MAINTENANCE... 172	peg 3350-electrolytes... 132
OXTELLAR XR... 36	paliperidone... 70	peg-electrolyte soln... 132
oxybutynin chloride... 136, 137	PALYNZIQ... 134, 135	peg-prep... 132
oxycodone... 17	PAMELOR... 41	PEGASYS... 160
oxycodone-acetaminophen... 17, 18	pamidronate... 166	peg3350-sod sul-nacl-kcl-asb-c... 132
OXYCONTIN... 18	PANCREAZE... 135	PEMAZYRE... 60
oxymorphone... 18	PANDEL... 119	pemetrexed disodium... 60
oxytocin... 171	PANRETIN... 60	pemetrexed... 60
OXYTROL... 137	pantoprazole... 132	PEN NEEDLE, DIABETIC... 172
OZEMPIC... 84	PANZYGA... 160	penciclovir... 76
P	paraplatin... 60	penicillamine... 125
PACERONE... 101	paricalcitol... 166	penicillin g pot in dextrose... 30
paclitaxel protein-bound... 60	PARLODEL... 66, 67	penicillin g potassium... 30
paclitaxel... 59		

penicillin g procaine... 30	PHENERGAN... 44	pirmella... 148
penicillin g sodium... 30	phenobarbital sodium... 36	piroxicam... 18
penicillin v potassium... 30	phenobarbital... 36	PITOCIN... 172
PENNSAID... 18	phenoxybenzamine... 102	PLAQUENIL... 65
PENTACEL (PF)... 160	phenylephrine hcl... 102	PLASMA-LYTE A... 126
PENTAM... 65	PHENYTEK... 36	PLASMA-LYTE 148... 125
pentamidine... 65	phenytoin sodium extended... 36	PLAVIX... 89
PENTASA... 165	phenytoin sodium... 36	PLEGRIDY... 109
pentazocine-naloxone... 18	phenytoin... 36	PLENAMINE... 126
pentobarbital sodium... 36	PHESGO... 60	PLENVU... 132
pentoxifylline... 101	PHEXXI... 172	PLIAGLIS... 20
pepcid... 132	philith... 148	pnv-dha... 126
PERCOCET... 18	PHOSLYRA... 125	pnv-omega... 126
PERFOROMIST... 184	PHOSPHOLINE IODIDE... 177	podofilox... 119
PERIKABIVEN... 125	PHYSIOLYTE... 172	POLIVY... 60
perindopril erbumine... 101	PHYSIOSOL IRRIGATION... 172	polocaine... 20
periogard... 112	PIFELTRO... 76	polocaine-mpf... 20
PERJETA... 60	pilocarpine hcl... 112, 177	polycin... 177
permethrin... 119	pimecrolimus... 119	polymyxin b sulf-trimethoprim... 177
perphenazine... 70	pimozide... 70	polymyxin b sulfate... 30
perphenazine-amitriptyline... 41	pimtrea (28)... 148	POLYTRIM... 177
PERSERIS... 70	pindolol... 102	POMALYST... 60
PERTZYE... 135	pioglitazone... 84	PONVORY 14-DAY STARTER PACK... 109
PEXEVA... 41	pioglitazone-glimepiride... 84	PONVORY... 109
pfizerpen-g... 30	pioglitazone-metformin... 84	portia 28... 148
PHEBURANE... 135	piperacillin-tazobactam... 30	PORTRAZZA... 60
phenazopyridine... 172	PIQRAY... 60	
phenelzine... 41	pirfenidone... 184	

posaconazole... 47	prazosin... 102	preplus... 127
potassium acetate... 126	PRECOSE... 84	PRESTALIA... 102
potassium chlorid-d5-0.45%nacl... 126	PRED FORTE... 177	PRETOMANID... 51
potassium chloride in lr-d5... 126	PRED MILD... 177	PREVACID SOLUTAB... 132
potassium chloride in water... 126	PRED-G... 177	PREVACID... 132
potassium chloride in 0.9%nacl... 126	prednicarbate... 119	prevalite... 102
potassium chloride in 5 % dex... 126	prednisolone acetate... 177	PREVDUO... 172
potassium chloride... 126	prednisolone sodium phosphate... 138, 177	previfem... 148
potassium chloride-d5-0.2%nacl... 126	prednisolone... 138	PREVYMIS... 76
potassium chloride-d5-0.3%nacl... 126	prednisone intensol... 139	PREZCOBIX... 76
potassium chloride-d5-0.9%nacl... 126	prednisone... 139	PREZISTA... 76
potassium chloride-0.45 % nacl... 126	PREFEST... 148	PRIALT... 172
potassium citrate... 126	pregabalin... 109, 110	PRIFTIN... 51
POTELIGEO... 60	PREGNYL... 140	PRILOSEC... 132
pr natal 400 ec... 126	PREHEVBRIO (PF)... 160	primaquine... 65
pr natal 400... 126	PREMARIN... 148	PRIMAXIN IV... 30
pr natal 430 ec... 126	PREMASOL 10 %... 126	primidone... 36
pr natal 430... 126	PREMPHASE... 148	primlev... 18
PRADAXA... 89	PREMPRO... 148	PRIMSOL... 30
PRALUENT PEN... 102	PRENATA... 126	PRINIVIL... 102
pramipexole... 67	PRENATABS FA... 127	PRIORIX (PF)... 160
prasugrel... 89	prenatal plus (calcium carb)... 127	PRISTIQ... 41
pravastatin... 102	prenatal plus dha... 127	PRIVIGEN... 160
praziquantel... 65	prenatal plus vitamin-mineral... 127	PRO COMFORT ALCOHOL PADS... 172
	prenatal vitamin plus low iron... 127	PROAIR DIGIHALER... 184
	prenatal-u... 127	PROAIR HFA... 184
	PRENATE ELITE... 127	PROAIR RESPICLICK... 184
		probenecid... 48

probenecid-colchicine... 48	PROMETRIUM... 148	pyridostigmine bromide... 50
procainamide... 102	propafenone... 102	pyrimethamine... 65
PROCALAMINE 3%... 127	proparacaine... 177	PYRUKYND... 89
PROCARDIA XL... 102	propranolol... 102	Q
procentra... 110	propranolol-hydrochlorothiazid... 102	QALSODY... 110
prochlorperazine edisylate... 44	propylthiouracil... 153	QBRELIS... 102
prochlorperazine maleate... 44	PROQUAD (PF)... 160	QBREXZA... 119
prochlorperazine... 44	PROSCAR... 137	QELBREE... 110
PROCROT... 89	PROSOL 20 %... 127	QINLOCK... 60
procto-med hc... 119	protamine... 172	QNASL... 184
PROCTOFOAM HC... 165	PROTONIX... 132	QTERN... 84
proctosol hc... 119	PROTOPIC... 119	QUADRACEL (PF)... 160
proctozone-hc... 119	protriptyline... 41	QUALAQUIN... 65
PROCYSBI... 135	PROVENTIL HFA... 184	QUARTETTE... 148
progesterone micronized... 148	PROVERA... 148	QUDEXY XR... 49
progesterone... 148	PROVIGIL... 188	QUESTRAN LIGHT... 102
PROGLYCEM... 84	PROZAC... 41	QUESTRAN... 102
PROGRAF... 160	PRUDOXIN... 119	quetiapine... 70
PROLASTIN-C... 135	PULMICORT FLEXHALER... 184	QUILLICHEW ER... 110
prolate... 18	PULMICORT... 184	QUILLIVANT XR... 110
PROLENSA... 177	PULMOZYME... 184	quinapril... 102
PROLEUKIN... 60	PURE COMFORT ALCOHOL PADS... 172	quinapril-hydrochlorothiazide... 102
PROLIA... 166	PURIXAN... 60	quinidine gluconate... 102
PROMACTA... 89	PYLERA... 132	quinidine sulfate... 102
promethazine vc... 172	pyrazinamide... 51	quinine sulfate... 65
promethazine... 44	PYRIDIDIUM... 172	QULIPTA... 49
promethazine-phenylephrine... 172		QUTENZA... 172
promethegan... 44		QUVIVIQ... 188

QUZYTIR... 184	RECARBRIO... 30	REPATHA PUSHTRONEX... 102
QVAR REDIHALER... 184	RECLAST... 166	REPATHA SURECLICK... 102
R	reclipsen (28)... 148	REPATHA SYRINGE... 103
RABAVERT (PF)... 160	RECOMBIVAX HB (PF)... 161	RESTASIS MULTIDOSE... 177
rabeprazole... 132	RECORLEV... 152	RESTASIS... 177
RADICAVA ORS STARTER KIT SUSP... 110	RECTIV... 172	RESTORIL... 188
RADICAVA ORS... 110	REDITREX (PF)... 161	RETACRIT... 89
RADICAVA... 110	REGLAN... 44	RETEVMO... 60
RAGWITEK... 184	REGONOL... 50	RETIN-A MICRO PUMP... 120
raloxifene... 148	REGRANEX... 119	RETIN-A MICRO... 119
ramelteon... 188	RELAFEN DS... 18	RETIN-A... 119
ramipril... 102	RELAFEN... 18	RETROVIR... 76
RANEXA... 102	RELENZA DISKHALER... 76	REVATIO... 184
ranolazine... 102	RELEUKO... 89	REVCOVI... 135
RAPAFLO... 137	RELEXII... 110	revonto... 72
RAPAMUNE... 160	RELISTOR... 132	REXULTI... 70
rasagiline... 67	RELPAK... 49	REYATAZ... 76
RASUVO (PF)... 160, 161	RELTONE... 132	REYVOW... 49
RAVICTI... 135	RELYVRIO... 110	REZLIDHIA... 60
RAYALDEE... 166	REMERON SOLTAB... 41	REZUROCK... 161
RAYOS... 139	REMERON... 41	REZVOGLAR KWIKPEN... 85
RAZADYNE ER... 38	REMICADE... 161	REZZAYO... 47
REBIF (WITH ALBUMIN)... 110	REMODULIN... 184	RHOFADE... 120
REBIF REBIDOSE... 110	RENACIDIN... 172	RHOPHYLAC... 161
REBIF TITRATION PACK... 110	RENAGEL... 127	RHOPRESSA... 177
REBLOZYL... 89	RENFLEXIS... 161	RIABNI... 60
REBYOTA... 172	REVELA... 127	RIASTAP... 89
	repaglinide... 84	ribavirin... 76, 172

RIDAURA... 161	ROCALTROL... 166	RYDAPT... 61
rifabutin... 51	ROCKLATAN... 177	RYLAZE... 61
RIFADIN... 51	roflumilast... 184	RYSTIGGO... 161
rifampin... 51	ROLVEDON... 89	RYTARY... 67
RILUTEK... 110	romidepsin... 60	RYTHMOL SR... 103
riluzole... 110	ropinirole... 67	RYVENT... 184
rimantadine... 76	ropivacaine (pf)... 20	S
RIMSO-50... 172	rosadan... 30	SABRIL... 36
ringer's... 127, 172	rosuvastatin... 103	SAFYRAL... 148
RINVOQ... 161	ROSZET... 103	SAIZEN SAIZENPREP... 140
RIOMET ER... 85	ROTARIX... 161	SAIZEN... 140
RIOMET... 85	ROTATEQ VACCINE... 161	sajazir... 161
risedronate... 166	ROWASA... 165	SALAGEN (PILOCARPINE)... 112
RISPERDAL CONSTA... 70, 71	roweepra xr... 36	SAMSCA... 127
RISPERDAL... 70	roweepra... 36	SANCUSO... 44
risperidone... 71	ROXICODONE... 18	SANDIMMUNE... 161
RITALIN LA... 110	ROXYBOND... 18	SANDOSTATIN LAR DEPOT... 153
RITALIN... 110	ROZEREM... 188	SANDOSTATIN... 153
ritonavir... 76	ROZLYTREK... 61	SANTYL... 120
RITUXAN HYCELA... 60	RUBRACA... 61	SAPHNELO... 161
RITUXAN... 60	RUCONEST... 161	SAPHRIS... 71
rivastigmine tartrate... 39	rufinamide... 36	sapropterin... 135
rivastigmine... 38	RUKOBIA... 76	SARCLISA... 61
rivelsa... 148	RUXIENCE... 61	SAVAYSA... 89
rizatriptan... 49	RYALTRIS... 184	SAVELLA... 110
ROBAXIN... 187	RYBELSUS... 85	saxagliptin... 85
ROBINUL FORTE... 132	RYBREVANT... 61	saxagliptin-metformin... 85
ROBINUL... 132	RYCLORA... 184	SCSEMBLIX... 61

scopolamine base... 44	SEROSTIM... 140	sirolimus... 162
se-natal 19 chewable... 127	sertraline... 41, 42	SIRTURO... 51
SEASONIQUE... 149	setlakin... 149	SITAVIG... 77
SECONAL SODIUM... 36	sevelamer carbonate... 127	SIVEXTRO... 30
SECUADO... 71	sevelamer hcl... 127	SKELAXIN... 187
SEGLENTIS... 18	SEYSARA... 30	SKLICE... 65
SEGLUROMET... 85	SEZABY... 36	SKYCLARYS... 110
SELECT-OB (FOLIC ACID)... 127	SFROWASA... 165	SKYRIZI... 162
SELECT-OB + DHA... 127	sharobel... 149	SKYTROFA... 140
SELECT-OB... 127	SHINGRIX (PF)... 161	SLYND... 149
selegiline hcl... 67	SIGNIFOR LAR... 153	SMOFLIPID... 127
selenium sulfide... 120	SIGNIFOR... 153	SOAANZ... 103
SELZENTRY... 76, 77	SIKLOS... 172	sodium benzoate-sod phenylacet... 172
SEMGLEE PEN U-100 INSULIN... 85	sildenafil (pulm.hypertension)... 185	sodium bicarbonate... 127
SEMGLEE U-100 INSULIN... 85	SILENOR... 188	sodium chloride 0.45 %... 127
SEMGLEE(INSULIN GLARG-YFGN)PEN... 85	SILIQ... 162	sodium chloride 0.9 %... 127
SEMGLEE(INSULIN GLARGINE-YFGN)... 85	silodosin... 137	sodium chloride 3 % hypertonic... 127
SENSIPAR... 166	SILVADENE... 120	sodium chloride 5 % hypertonic... 127
SENSORCAINE... 20	silver sulfadiazine... 120	sodium chloride... 127, 173
sensorcaine-epinephrine... 20	SIMBRINZA... 177	SODIUM EDECRIN... 103
sensorcaine-mpf spinal... 21	simliya (28)... 149	sodium oxybate... 188
SENSORCAINE-MPF... 21	simpesse... 149	sodium phenylbutyrate... 135
sensorcaine-mpf/epinephrine... 21	SIMPONI ARIA... 162	sodium phosphate... 128
SEREVENT DISKUS... 185	SIMPONI... 162	sodium polystyrene sulfonate... 128
SEROQUEL XR... 71	SIMULECT... 162	sodium,potassium,mag sulfates... 132
SEROQUEL... 71	simvastatin... 103	
	SINEMET... 67	
	SINGULAIR... 185	

SOGROYA... 140	spinosad... 120	STRENSIQ... 135
SOHONOS... 173	SPIRIVA RESPIMAT... 185	streptomycin... 30
solifenacin... 137	SPIRIVA WITH HANDIHALER... 185	STRIBILD... 77
SOLQUA 100/33... 85	spironolacton-hydrochlorothiaz... 103	STRIVERDI RESPIMAT... 185
SOLIRIS... 162	spironolactone... 103	STROMECTOL... 65
SOLODYN... 30	SPORANOX PULSEPAK... 47	SUBOXONE... 22
SOLOSEC... 30	SPORANOX... 47	SUBSYS... 18
SOLTAMOX... 61	sprintec (28)... 149	subvenite starter (blue) kit... 37
SOLU-CORTEF ACT-O-VIAL (PF)... 139	SPRITAM... 36	subvenite starter (green) kit... 37
SOLU-CORTEF... 139	SPRIX... 18	subvenite starter (orange) kit... 37
SOLU-MEDROL (PF)... 139	SPRYCEL... 61	subvenite... 36
SOLU-MEDROL... 139	SPS (WITH SORBITOL)... 128	SUCRAID... 135
SOMA... 187	sronyx... 149	sucralfate... 132
SOMATULINE DEPOT... 153	SSD... 120	SUFLAVE... 132
SOMAVERT... 153	STALEVO 100... 67	SULAR... 103
SOOLANTRA... 120	STALEVO 125... 67	sulfacetamide sodium (acne)... 30
sorafenib... 61	STALEVO 150... 67	sulfacetamide sodium... 30, 177
sorbitol-mannitol... 173	STALEVO 200... 67	sulfacetamide-prednisolone... 177
SORIATANE... 120	STALEVO 50... 67	sulfadiazine... 30
SORILUX... 120	STALEVO 75... 67	sulfamethoxazole-trimethoprim... 30
sorine... 103	stavudine... 77	SULFAMYLON... 120
sotalol af... 103	STEGLATRO... 85	sulfasalazine... 165
sotalol... 103	STEGLUJAN... 85	SULFATRIM... 30
SOTYKTU... 162	STELARA... 162	sulindac... 18
SOTYLIZE... 103	STIOLTO RESPIMAT... 185	sumatriptan succinate... 49
SOVALDI... 77	STIVARGA... 61	sumatriptan... 49
SPEVIGO... 162	STRATTERA... 110	sumatriptan-naproxen... 49

sunitinib malate... 61	SYNDROS... 44	TALZENNA... 61
SUNLENCA... 77	SYNERA... 21	TAMIFLU... 77
SUNOSI... 188	SYNERCID... 31	tamoxifen... 61
SUPRAX... 30, 31	SYNJARDY XR... 85	tamsulosin... 137
SUPREP BOWEL PREP KIT... 132	SYNJARDY... 85	TAPAZOLE... 153
SURE COMFORT ALCOHOL PREP PADS... 173	SYNRIBO... 61	taperdex... 139
SURE-PREP ALCOHOL PREP PADS... 173	SYNTHROID... 151	TARCEVA... 61
	SYPRINE... 128	TARGADOX... 31
	T	TARGRETIN... 61
SUSTIVA... 77	TABLOID... 61	tarina fe 1-20 eq (28)... 149
SUTAB... 132	TABRECTA... 61	tarina fe 1/20 (28)... 149
SUTENT... 61	TACLONEX... 120	tarina 24 fe... 149
syeda... 149	tacrolimus... 120, 162	TARPEYO... 165
SYLVANT... 162	tadalafil (pulm. hypertension)... 185	TASCENSO ODT... 110
SYMBICORT... 185	tadalafil... 137	TASIGNA... 62
SYMBYAX... 42	TADLIQ... 185	tasimelteon... 188
SYMDEKO... 185	TAFINLAR... 61	TASMAR... 67
SYMFI LO... 77	tafluprost (pf)... 177	tavaborole... 47
SYMFI... 77	TAGRISSO... 61	TAVALISSE... 90
SYMJEPI... 185	TAKHZYRO... 162	TAVNEOS... 162
SYMLINPEN 120... 85	TALICIA... 132	taysofy... 149
SYMLINPEN 60... 85	TALTZ AUTOINJECTOR (2 PACK)... 162	TAYTULLA... 149
SYMPAZAN... 37	TALTZ AUTOINJECTOR (3 PACK)... 162	tazarotene... 120
SYMPROIC... 132	TALTZ AUTOINJECTOR... 162	tazicef... 31
SYMTUZA... 77	TALTZ SYRINGE... 162	TAZORAC... 120
SYNAGIS... 173	TALVEY... 61	taztia xt... 103
SYNALAR... 120		TAZVERIK... 62
SYNAREL... 153		TDVAX... 163

TECENTRIQ... 62	terazosin... 103	tiadylt er... 104
TECFIDERA... 111	terbinafine hcl... 47	tiagabine... 37
TECVAYLI... 62	terbutaline... 185	TIAZAC... 104
TEFLARO... 31	terconazole... 47	TIBSOVO... 62
TEGRETOL XR... 37	teriflunomide... 111	TICOVAC... 163
TEGRETOL... 37	TESTIM... 149	TIGAN... 44
TEGSEDI... 135	testosterone cypionate... 149	tigecycline... 31
TEKTURNA HCT... 103	testosterone enanthate... 149	TIGLUTIK... 111
TEKTURNA... 103	testosterone... 149	TIKOSYN... 104
telmisartan... 103	TETANUS,DIPHThERIA TOX PED(PF)... 163	tilia fe... 149
telmisartan-amlodipine... 103	tetrabenazine... 111	timolol maleate (pf)... 178
telmisartan-hydrochlorothiazid... 103	tetracycline... 31	timolol maleate... 104, 177, 178
temazepam... 188	TEXACORT... 120	TIMOPTIC OCUDOSE (PF)... 178
TEMIXYS... 77	TEZSPIRE... 163	TIMOPTIC... 178
TEMODAR... 62	THALITONE... 103	TIMOPTIC-XE... 178
TEMOVATE... 120	THALOMID... 62	tinidazole... 31
temsirolimus... 62	THAM... 128	tiopronin... 137
tencon... 173	THEO-24... 185	tirofiban-0.9% sodium chloride... 90
teniposide... 62	theophylline in dextrose 5 %... 185	TIROSINT... 151
TENIVAC (PF)... 163	theophylline... 185	TIROSINT-SOL... 152
tenofovir disoproxil fumarate... 77	THIOLA EC... 137	TIVDAK... 62
TENORETIC 100... 103	THIOLA... 137	TIVICAY PD... 77
TENORETIC 50... 103	thioridazine... 71	TIVICAY... 77
TENORMIN... 103	thiotepa... 62	tizanidine... 72
TEPADINA... 62	thiothixene... 71	TLANDO... 149
TEPEZZA... 173	THYMOGLOBULIN... 163	TOBI PODHALER... 185
TEPMETKO... 62	THYQUIDITY... 151	TOBI... 31
		TOBRADEX ST... 178

TOBRADEX... 178	TPN ELECTROLYTES... 128	TREXALL... 163
tobramycin in 0.225 % nacl... 31	TRACLEER... 185	TREXIMET... 50
tobramycin sulfate... 31	TRADJENTA... 85	TREZIX... 19
tobramycin with nebulizer... 31	tramadol... 18, 19	tri femynor... 149
tobramycin... 31, 178	tramadol-acetaminophen... 19	tri-estarylla... 149
tobramycin-dexamethasone... 178	trandolapril... 104	tri-legest fe... 149
TOBREX... 178	trandolapril-verapamil... 104	tri-linyah... 149
tolcapone... 67	tranexamic acid... 90	tri-lo-estarylla... 149
tolmetin... 18	TRANSDERM-SCOP... 44	tri-lo-marzia... 150
TOLSURA... 47	TRANXENE T-TAB... 80	tri-lo-mili... 150
tolterodine... 137	tranylcypromine... 42	tri-lo-sprintec... 150
tolvaptan... 128	TRAVASOL 10 %... 128	tri-mili... 150
TOPAMAX... 49	TRAVATAN Z... 178	tri-nymyo... 150
TOPICORT... 120	travoprost... 178	tri-previfem (28)... 150
topiramate... 49, 50	TRAZIMERA... 62	tri-sprintec (28)... 150
toposar... 62	trazodone... 42	tri-vylibra lo... 150
topotecan... 62	TREANDA... 62	tri-vylibra... 150
TOPROL XL... 104	TRECATOR... 51	triamcinolone acetonide... 112, 139
toremifene... 62	TRELEGY ELLIPTA... 185	triamterene... 104
TORISEL... 62	TRELSTAR... 153	triamterene-hydrochlorothiazid... 104
toremide... 104	TREMFYA... 163	trianex... 139
TOSYMRA... 50	treprostinil sodium... 185	triazolam... 188
TOTECT... 62	TRESIBA FLEXTOUCH U-100... 85	TRIBENZOR... 104
TOUJEO MAX U-300 SOLOSTAR... 85	TRESIBA FLEXTOUCH U-200... 85	TRICARE... 128
TOUJEO SOLOSTAR U-300 INSULIN... 85	TRESIBA U-100 INSULIN... 85	TRICOR... 104
tovet emollient... 120	tretinoin (antineoplastic)... 62	triderm... 139
TOVIAZ... 137	tretinoin microspheres... 121	trientine... 128
	tretinoin... 121	

trifluoperazine... 71	TRUE COMFORT ALCOHOL PADS... 173	TYVASO INSTITUTIONAL START KIT... 186
trifluridine... 178	TRUE COMFORT PRO ALCOHOL PADS... 173	TYVASO REFILL KIT... 186
trihexyphenidyl... 67	TRULANCE... 133	TYVASO STARTER KIT... 186
TRIJARDY XR... 85, 86	TRULICITY... 86	TYVASO... 186
TRIKAFTA... 185, 186	TRUMENBA... 163	TZIELD... 173
TRILEPTAL... 37	TRUSELTIQ... 62	U
TRILIPIX... 104	TRUSOPT... 178	UBRELVY... 173
trimethobenzamide... 44	TRUVADA... 77	UCERIS... 165
trimethoprim... 31	TRUXIMA... 62	UDENYCA AUTOINJECTOR... 90
trimipramine... 42	TUDORZA PRESSAIR... 186	UDENYCA... 90
trinatal rx 1... 128	TUKYSA... 62, 63	ULORIC... 48
TRINTELLIX... 42	tulana... 150	ULTILET ALCOHOL SWAB... 173
TRIOSTAT... 152	TURALIO... 63	ULTOMIRIS... 163
TRIPTODUR... 153	TWINRIX (PF)... 163	ULTRACET... 19
TRISENOX... 62	TWYNEO... 121	ULTRAM... 19
TRISTART DHA... 128	TWYNSTA... 104	ULTRAVATE... 121
tritocin... 139	TYBLUME... 150	UNASYN... 31
TRIUMEQ PD... 77	TYBOST... 77	UNITHROID... 152
TRIUMEQ... 77	tydemy... 150	UNITUXIN... 63
trivora (28)... 150	TYGACIL... 31	UPLIZNA... 163
TRIZIVIR... 77	TYKERB... 63	UPTRAVI... 186
TRODELVY... 62	TYMLOS... 167	UROCIT-K 10... 128
TROGARZO... 77	TYPHIM VI... 163	UROCIT-K 15... 128
TROKENDI XR... 50	TYRVAYA... 178	UROCIT-K 5... 128
TROPHAMINE 10 %... 128	TYSABRI... 111	UROXATRAL... 137
tropicamide... 178	TYVASO DPI... 186	URSO FORTE... 133
tropium... 137		URSO 250... 133
TRUDHESA... 50		

ursodiol... 133	vancomycin... 31	VENCLEXTA... 63
UVADEX... 121	vancomycin-diluent combo no.1... 31	VENLAFAXINE BESYLATE... 42
UZEDY... 71		venlafaxine... 42
V	VANDAZOLE... 32	VENTAVIS... 186
V-GO 20... 173	VANFLYTA... 63	VENTOLIN HFA... 186
V-GO 30... 173	VANOS... 121	VEOPOZ... 163
V-GO 40... 173	VAPRISOL IN 5 % DEXTROSE... 128	VEOZAH... 173
VABOMERE... 31	VAQTA (PF)... 163	verapamil... 105
VAGIFEM... 150	varenicline... 22	VERDESO... 121
valacyclovir... 77	VARIVAX (PF)... 163	VEREGEN... 121
VALCHLOR... 63	VARIZIG... 163	VERELAN PM... 105
VALCYTE... 77	VARUBI... 44	VERELAN... 105
valganciclovir... 78	VASCEPA... 104	VERIPRED 20... 139
VALIUM... 80	VASERETIC... 104	VERKAZIA... 178
valproate sodium... 37	VASOTEC... 104	VERQUOVO... 105
valproic acid (as sodium salt)... 37	VAZCULEP... 104	VERSACLOZ... 71
valproic acid... 37	vecamyl... 104	VERZENIO... 63
valrubicin... 63	VECTIBIX... 63	VESICARE LS... 137
valsartan... 104	VECTICAL... 121	VESICARE... 137
valsartan-hydrochlorothiazide... 104	VEGZELMA... 63	vestura (28)... 150
VALSTAR... 63	VELCADE... 63	VFEND IV... 47
VALTOCO... 37	VELETRI... 186	VFEND... 47
VALTRES... 78	velivet triphasic regimen (28)... 150	VIBATIV... 32
vanadom... 187	VELPHORO... 128	VIBERZI... 133
VANCOGIN... 31	VELTASSA... 128	VIBRAMYCIN (CALCIUM)... 32
vancomycin in dextrose 5 %... 31	VELTIN... 121	VIBRAMYCIN... 32
vancomycin in 0.9 % sodium chl... 31	VEMLIDY... 78	VICTOZA 2-PAK... 86
	VENCLEXTA STARTING PACK... 63	VICTOZA 3-PAK... 86

VIDAZA... 63	VITAFOL GUMMIES... 128	VTAMA... 121
VIEKIRA PAK... 78	VITAFOL NANO... 128	vtol lq... 173
vienva... 150	VITAFOL ULTRA... 128	VUITY... 178
vigabatin... 37	VITAFOL-OB... 128	VUMERITY... 111
vigadrone... 37	VITAFOL-OB+DHA... 128	VUSION... 47
VIGAMOX... 178	VITAFOL-ONE... 128	VYEPTI... 50
VIIBRYD... 42	VITAMED MD ONE RX... 128	vyfemla (28)... 150
VIJOICE... 135	VITRAKVI... 63	VYJUVEK... 173
vilazodone... 42	vivacaine... 21	vylibra... 150
VIMOVO... 19	VIVELLE-DOT... 150	VYNDAMAX... 135
VIMPAT... 37	VIVITROL... 22	VYNDAQEL... 135
vinblastine... 63	VIVJOA... 47	VYTORIN 10-10... 105
vincasar pfs... 63	VIVLODEX... 19	VYTORIN 10-20... 105
vincristine... 63	VIZIMPRO... 63	VYTORIN 10-40... 105
vinorelbine... 63	VOCABRIA... 78	VYTORIN 10-80... 105
VIOKACE... 135	VOGELXO... 150	VYVANSE... 111
violele (28)... 150	volnea (28)... 150	VYVGART HYTRULO... 163
VIRACEPT... 78	VONJO... 63	VYVGART... 163
VIRAMUNE XR... 78	VOQUEZNA DUAL PAK... 133	VYXEOS... 63
VIRAZOLE... 173	VOQUEZNA TRIPLE PAK... 133	VYZULTA... 178
VIREAD... 78	voriconazole... 47	W
virt-c dha... 128	VOSEVI... 78	WAKIX... 188
virt-nate dha... 128	VOTRIENT... 63	warfarin... 90
virt-pn dha... 128	VOWST... 173	water for irrigation, sterile... 173
virt-pn plus... 128	VOXZOGO... 173	WEBCOL... 173
VISTARIL... 186	VP-PNV-DHA... 128	WELCHOL... 105
VISTOGARD... 63	VPRIV... 135	WELIREG... 63
VITAFOL FE PLUS... 128	VRAYLAR... 71	WELLBUTRIN SR... 42

WELLBUTRIN XL... 42	XELPROS... 178	XYOSTED... 150
wera (28)... 150	XELSTRYM... 111	XYREM... 189
wescap-pn dha... 129	XEMBIFY... 164	XYWAV... 189
wesnata dha complete... 129	XENAZINE... 111	Y
wesnate dha... 129	XENICAL... 173	YASMIN (28)... 150
westab plus... 129	XENLETA... 32	YAZ (28)... 150
westgel dha... 129	XENPOZYME... 135	YCANTH... 173
WINLEVI... 121	XEPI... 121	YERVOY... 64
WINRHO SDF... 163	XERAVA... 32	YF-VAX (PF)... 164
wixela inhub... 186	XERESE... 78	YONDELIS... 64
wymzya fe... 150	XERMELO... 133	YONSA... 64
X	XGEVA... 167	YOSPRALA... 90
XACIATO... 32	XHANCE... 186	YUFLYMA(CF) AUTOINJECTOR... 164
XADAGO... 67	XIFAXAN... 133	YUFLYMA(CF)... 164
XALATAN... 178	XIGDUO XR... 86	YUPELRI... 186
XALKORI... 63	XIIDRA... 178	YUSIMRY(CF) PEN... 164
XANAX XR... 80	XIMINO... 32	yuvafem... 150
XANAX... 80	XOFLUZA... 78	Z
XARELTO DVT-PE TREAT 30D START... 90	XOLAIR... 164	zafemy... 151
XARELTO... 90	XOLEGEL... 47	zafirlukast... 186
XATMEP... 163	XOPENEX HFA... 186	zaleplon... 189
XCOPRI MAINTENANCE PACK... 37	XOSPATA... 63	ZALTRAP... 64
XCOPRI TITRATION PACK... 37	XPOVIO... 64	ZANAFLEX... 72
XCOPRI... 37	XTAMPZA ER... 19	ZANOSAR... 64
XDEMZY... 173	XTANDI... 64	zarah... 151
XELJANZ XR... 163	xulane... 150	ZARONTIN... 37, 38
XELJANZ... 163	XULTOPHY 100/3.6... 86	ZARXIO... 90
	XURIDEN... 136	zatean-pn dha... 129

zatean-pn plus... 129	ZESTORETIC... 105	zoledronic ac-mannitol-0.9nacl... 167
ZAVESCA... 136	ZESTRIL... 105	zoledronic acid... 167
ZAVZPRET... 173	ZETIA... 105	zoledronic acid-mannitol-water... 167
ZCORT... 139	ZETONNA... 186	ZOLINZA... 64
ZEBUTAL... 173	ZIAC... 105	zolmitriptan... 50
ZEGALOGUE AUTOINJECTOR... 86	ZIAGEN... 78	ZOLOFT... 42
ZEGALOGUE SYRINGE... 86	ZIANA... 121	zolpidem... 189
ZEGERID... 133	zidovudine... 78	ZOLPIMIST... 189
ZEJULA... 64	ZIEXTENZO... 90	ZOMACTON... 140
ZELAPAR... 67	zileuton... 186	zomig... 50
ZELBORAF... 64	ZILRETTA... 139	ZONALON... 121
ZEMAIRA... 136	ZILXI... 121	ZONEGRAN... 38
ZEMBRACE SYMTOUCH... 50	ZIMHI... 22	ZONISADE... 38
ZEMDRI... 32	zingiber... 173	zonisamide... 38
ZEMPLAR... 167	ZINPLAVA... 133	ZONTIVITY... 90
zenatane... 121	ZIOPTAN (PF)... 178	ZORTRESS... 164
ZENPEP... 136	ziprasidone hcl... 71	ZORVOLEX... 19
zenzedi... 111	ziprasidone mesylate... 71	ZORYVE... 121
ZEPATIER... 78	ZIPSOR... 19	ZOSYN IN DEXTROSE (ISO-OSM)... 32
ZEPOSIA STARTER KIT (28-DAY)... 111	ZIRABEV... 64	zovia 1-35 (28)... 151
ZEPOSIA STARTER KIT (37-DAY)... 111	ZIRGAN... 78	zovia 1/35e (28)... 151
ZEPOSIA STARTER PACK (7-DAY)... 111	ZITHROMAX TRI-PAK... 32	ZOVIRAX... 78
ZEPOSIA... 111	ZITHROMAX Z-PAK... 32	ZTALMY... 38
ZEPZELCA... 64	ZITHROMAX... 32	ZTLIDO... 21
ZERBAXA... 32	ZOCOR... 105	ZUBSOLV... 22
ZERVIATE... 178	ZOFRAN... 44	ZULRESSO... 42
	ZOKINVY... 136	
	ZOLADEX... 153	

zumandimine (28)... 151

ZYCLARA... 121

ZYDELIG... 64

ZYFLO... 186

ZYKADIA... 64

ZYLET... 178

ZYLOPRIM... 48

ZYMAXID... 178

ZYNLONTA... 64

ZYNRELEF... 173

ZYNYZ... 64

ZYPITAMAG... 105

ZYPREXA RELPREV... 72

ZYPREXA ZYDIS... 72

ZYPREXA... 72

ZYTIGA... 64

ZYVOX... 32

Important

At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618
If you need help filing a grievance, call **1-866-396-8810** or if you use a TTY, call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at <https://www.hhs.gov/ocr/office/file/index.html>.

Auxiliary aids and services, free of charge, are available to you. 1-866-396-8810 (TTY: 711)

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

Multi-Language Insert

Multi-language Interpreter Services

English: We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

Spanish: Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

Chinese Mandarin: 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

Chinese Cantonese: 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

Tagalog: Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

French: Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

Vietnamese: Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

German: Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

Korean: 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

Russian: Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

Arabic: إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخططنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

Hindi: हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

Italian: È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italiano fornirà l'assistenza necessaria. È un servizio gratuito.

Portuguese: Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

French Creole: Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

Polish: Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

Japanese: 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。



This formulary was updated on 10/11/2023. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

Humana[®]

Humana.com