

2024

# Prescription Drug Guide

## Humana Medicare Employer Plan Formulary

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

24

This formulary was updated on 10/11/2023. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting [Humana.com](https://www.humana.com).

**Humana**<sup>®</sup>



# Welcome to The Humana Medicare Employer Plan!

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us," or "our," it means Humana. When it refers to "plan" or "our plan," it means the Humana Medicare Employer Plan. This document includes a list of the drugs (formulary) for our plan which is current as of January 1, 2024. For an updated formulary, please contact us on our website at [Humana.com/PlanDocuments](https://www.humana.com/PlanDocuments) or you can call the number below to request a paper copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana Medicare Employer formulary?

A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you are thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you are a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make

changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We will notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary.
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive.
- When a drug is moved to a higher cost sharing tier.

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below titled "How do I request an exception to the Humana formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

### **What if you are affected by a Drug List change?**

We will notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2024. We will update the printed formularies each month and they will be available on [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).

To get updated information about the drugs that Humana covers, please visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist).

### **How do I use the formulary?**

There are two ways to find your drug in the formulary:

#### **Medical condition**

The formulary starts on page 11. We have put the drugs into groups depending on the type of medical conditions that they are used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 11. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

#### **Alphabetical listing**

If you are not sure about your drug's group, you should look for your drug in the Index that begins on page 196. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

### How much will I pay for covered drugs?

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

### The amount of money you pay depends on:

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.**

### Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you will need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you do not get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it is normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D, depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m. (EST).

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11.

You can also visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to get more information about the restrictions applied to specific covered drugs.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the Humana formulary?**" on page 6 for information about how to request an exception.

### **What if my drug is not on the formulary?**

If your drug is not included in this list of covered drugs, visit [Humana.com/medicaredruglist](https://www.humana.com/medicaredruglist) to see if your plan covers your drug. You can also call Group Medicare Customer Care and ask if your drug is covered.

If the Humana Medicare Employer Plan does not cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that the Humana Medicare Employer Plan covers. Show the list to your doctor and ask them to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

### **How do I request an exception to the Humana formulary?**

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it is not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary. *You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier.*

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions would not be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we receive your health care provider's supporting statement.

### **Will my plan cover my drugs if they are not on the formulary?**

You may take drugs that your plan does not cover, or you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you are a member of the plan.

Here is what we will do for each of your current Part D drugs that are not on the formulary, or if you have limited ability to get your drugs:

- We will temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you have been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you are a resident of a long-term care facility and you take Part D drugs that are not on the formulary, we will cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you are a member of our plan. We will cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that is not on the formulary *or*
- You have limited ability to get your drugs *and*
- You are past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you are on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal has not been processed by the end of your initial transition period. We will continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

### **CenterWell Pharmacy™**

You may fill your medicines at any network pharmacy. CenterWell Pharmacy – Humana's mail-delivery pharmacy is one option. To get started or learn more, visit **CenterWellPharmacy.com**. You can also call CenterWell Pharmacy at **1-844-222-2151 (TTY: 711)** Monday – Friday, 8 a.m. to 11 p.m. (EST), and Saturday, 8 a.m. to 6:30 p.m. (EST).

Other pharmacies are available in our network.



## For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. **TTY** users should call **1-877-486-2048**. You can also visit [www.medicare.gov](http://www.medicare.gov).

# Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 196.

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs are not normally covered under Medicare Part D and are not subject to the Medicare appeals process. These drugs are listed separately on page 190.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name or Utilization Management column, you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

**LA** - Limited Access; The health plan has authorized certain pharmacies to dispense this medicine, as it requires extra handling, doctor coordination or patient education. Please call the number on the back of your ID card for additional information.

**CI** - Covered insulin products; Part D insulin products covered by your plan. For more information on cost sharing for your covered insulin products, please refer to your Evidence of Coverage.

**AV** - Advisory Committee on Immunization Practices (ACIP) Covered Part D vaccines; Part D vaccines recommended by ACIP for adults that may be available at no cost to you; additional restrictions may apply. For more information, please refer to your Evidence of Coverage.

**PDS** - Preferred Diabetic Supplies; BD and HTL- Droplet are the preferred diabetic syringe and pen needle brands for the plan.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANALGESICS</b>		
acetaminophen-caff-dihydrocod 320.5-30-16 mg CAPSULE <b>DL</b>	1	QL(300 per 30 days)
acetaminophen-codeine 120 mg-12 mg /5 ml (5 ml), 120-12 mg/5 ml, 300 mg-30 mg /12.5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
acetaminophen-codeine 300-15 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
acetaminophen-codeine 300-30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
acetaminophen-codeine 300-60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE <b>DL</b>	4	PA,QL(120 per 30 days)
ANAPROX DS 550 MG TABLET <b>MO</b>	3	
APADAZ 4.08-325 MG, 6.12-325 MG, 8.16-325 MG TABLET <b>DL</b>	3	
ARTHROTEC 50 50-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ARTHROTEC 75 75-200 MG-MCG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA
ascomp with codeine 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG FILM <b>DL</b>	3	QL(60 per 30 days)
benzhydrocodone-acetaminophen 4.08-325 mg, 6.12-325 mg, 8.16-325 mg TABLET <b>DL</b>	3	
BUPRENEX 0.3 MG/ML SOLUTION <b>DL</b>	3	QL(240 per 30 days)
buprenorphine 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour PATCH, WEEKLY <b>DL</b>	1	PA,QL(4 per 28 days)
buprenorphine hcl 0.3 mg/ml SYRINGE <b>DL</b>	1	QL(240 per 30 days)
butalbital compound w/codeine 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
butorphanol 1 mg/ml SOLUTION <b>DL</b>	1	QL(960 per 30 days)
butorphanol 10 mg/ml SPRAY, NON-AEROSOL <b>DL</b>	1	QL(5 per 28 days)
butorphanol 2 mg/ml SOLUTION <b>DL</b>	1	QL(480 per 30 days)
BUTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR PATCH, WEEKLY <b>DL</b>	3	PA,QL(4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) PIGGYBACK <b>MO</b>	3	
CALDOLOR 800 MG/8 ML (100 MG/ML) RECON SOLUTION <b>MO</b>	3	
CAMBIA 50 MG POWDER IN PACKET <b>DL</b>	4	ST,QL(9 per 30 days)
cataflam 50 mg TABLET <b>MO</b>	1	
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
celecoxib 100 mg, 200 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
celecoxib 400 mg, 50 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
codeine sulfate 15 mg, 30 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
codeine sulfate 60 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
codeine-butalbital-asa-caff 30-50-325-40 mg CAPSULE <b>DL</b>	1	QL(360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, ER, BIPHASIC <b>DL</b>	3	ST,QL(30 per 30 days)
DAYPRO 600 MG TABLET <b>MO</b>	3	
DEMEROL 50 MG/ML SOLUTION <b>DL</b>	3	QL(720 per 30 days)
DEMEROL (PF) 100 MG/2 ML SOLUTION <b>DL</b>	3	QL(360 per 30 days)
DEMEROL (PF) 100 MG/ML SYRINGE <b>DL</b>	3	QL(360 per 30 days)
DEMEROL (PF) 25 MG/ML SYRINGE <b>DL</b>	3	QL(1440 per 30 days)
DEMEROL (PF) 50 MG/ML SYRINGE <b>DL</b>	3	QL(720 per 30 days)
DEMEROL (PF) 75 MG/ML SYRINGE <b>DL</b>	3	QL(480 per 30 days)
diclofenac epolamine 1.3 % PATCH, 12 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
diclofenac potassium 25 mg CAPSULE <b>MO</b>	3	ST,QL(120 per 30 days)
diclofenac potassium 25 mg TABLET <b>DL</b>	4	
diclofenac potassium 50 mg POWDER IN PACKET <b>MO</b>	3	ST,QL(9 per 30 days)
diclofenac potassium 50 mg TABLET <b>MO</b>	1	
diclofenac sodium 1 % GEL <b>MO</b>	1	QL(1000 per 30 days)
diclofenac sodium 1.5 % DROPS <b>MO</b>	1	PA,QL(300 per 30 days)
diclofenac sodium 100 mg TABLET, ER 24 HR. <b>MO</b>	1	
diclofenac sodium 20 mg/gram /actuation(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
diclofenac sodium 25 mg, 50 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac sodium 75 mg TABLET, DR/EC <b>MO</b>	1	
diclofenac-misoprostol 50-200 mg-mcg, 75-200 mg-mcg TABLET, IR, DR, BIPHASIC <b>MO</b>	1	
diflunisal 500 mg TABLET <b>MO</b>	1	
DILAUDID 1 MG/ML LIQUID <b>DL</b>	3	PA,QL(2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
DILAUDID 8 MG TABLET <b>DL</b>	3	PA,QL(240 per 30 days)
DUEXIS 800-26.6 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
DURAMORPH (PF) 0.5 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(7200 per 30 days)
DURAMORPH (PF) 1 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(3600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dvorah</i> 325-30-16 mg TABLET <b>DL</b>	1	QL(300 per 30 days)
EC-NAPROSYN 375 MG, 500 MG TABLET, DR/EC <b>MO</b>	3	PA
<i>ec-naproxen</i> 375 mg TABLET, DR/EC <b>MO</b>	3	PA
<i>ec-naproxen</i> 500 mg TABLET, DR/EC <b>MO</b>	1	
endocet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
etodolac 200 mg, 300 mg CAPSULE <b>MO</b>	1	
etodolac 400 mg, 500 mg TABLET <b>MO</b>	1	
etodolac 400 mg, 500 mg, 600 mg TABLET, ER 24 HR. <b>MO</b>	1	
FELDENE 10 MG, 20 MG CAPSULE <b>MO</b>	3	
<i>fenoprofen</i> 200 mg, 400 mg CAPSULE <b>MO</b>	1	ST
<i>fenoprofen</i> 600 mg TABLET <b>MO</b>	1	ST
<i>fantanyl</i> 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour PATCH. 72 HR. <b>DL</b>	1	QL(20 per 30 days)
<i>fantanyl citrate</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg LOZENGE <b>DL</b>	4	PA,QL(120 per 30 days)
<i>fantanyl citrate</i> 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg TABLET, EFFERVESCENT <b>DL</b>	4	PA,QL(120 per 30 days)
<i>fantanyl citrate</i> 200 mcg LOZENGE <b>DL</b>	1	PA,QL(120 per 30 days)
<i>fantanyl citrate (pf)</i> 50 mcg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET, EFFERVESCENT <b>DL</b>	4	PA,QL(120 per 30 days)
FLECTOR 1.3 % PATCH, 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
<i>flurbiprofen</i> 100 mg TABLET <b>MO</b>	1	
hydrocodone bitartrate 10 mg, 15 mg, 20 mg, 30 mg, 40 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(90 per 30 days)
hydrocodone bitartrate 100 mg, 120 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
hydrocodone bitartrate 50 mg CAPSULE, ER 12 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydrocodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET <b>DL</b>	1	QL(390 per 30 days)
hydrocodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 10-325 mg/15 ml(15 ml) SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
hydrocodone-acetaminophen 2.5-325 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydrocodone-acetaminophen 7.5-325 mg/15 ml SOLUTION <b>DL</b>	1	QL(5520 per 30 days)
hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg TABLET <b>DL</b>	1	QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 1 mg/ml LIQUID <b>DL</b>	1	QL(2400 per 30 days)
hydromorphone 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone 12 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(180 per 30 days)
hydromorphone 16 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(120 per 30 days)
hydromorphone 2 mg, 4 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
hydromorphone 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
hydromorphone 2 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(360 per 30 days)
hydromorphone 32 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
hydromorphone 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(180 per 30 days)
hydromorphone 8 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
hydromorphone 8 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(240 per 30 days)
hydromorphone (pf) 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
hydromorphone (pf) 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(144 per 30 days)
hydromorphone (pf) 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(180 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	3	ST,QL(30 per 30 days)
ibu 400 mg, 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen 100 mg/5 ml SUSPENSION <b>MO</b>	1	
ibuprofen 400 mg TABLET <b>MO</b>	1	
ibuprofen 600 mg, 800 mg TABLET <b>MO</b>	1	
ibuprofen-famotidine 800-26.6 mg TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
INDOCIN 25 MG/5 ML SUSPENSION <b>DL</b>	4	
INDOCIN 50 MG SUPPOSITORY <b>MO</b>	3	
indomethacin 25 mg, 50 mg CAPSULE <b>MO</b>	1	
indomethacin 50 mg SUPPOSITORY <b>MO</b>	1	
indomethacin 75 mg CAPSULE, ER <b>MO</b>	1	
indomethacin sodium 1 mg RECON SOLUTION <b>MO</b>	1	
INFUMORPH P/F 10 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(360 per 30 days)
INFUMORPH P/F 25 MG/ML SOLUTION <b>DL</b>	3	BvsD,QL(150 per 30 days)
ketoprofen 200 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
ketoprofen 25 mg CAPSULE <b>MO</b>	1	ST
ketoprofen 50 mg, 75 mg CAPSULE <b>MO</b>	1	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

<b>DRUG NAME</b>	<b>TIER</b>	<b>UTILIZATION MANAGEMENT REQUIREMENTS</b>
<i>ketorolac 10 mg TABLET</i> <b>MO</b>	1	QL(20 per 30 days)
<i>ketorolac 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml SOLUTION</i> <b>MO</b>	1	
<i>ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml CARTRIDGE</i> <b>MO</b>	1	
<i>ketorolac 15 mg/ml, 30 mg/ml, 60 mg/2 ml SYRINGE</i> <b>MO</b>	1	
<i>ketorolac 15.75 mg/spray SPRAY, NON-AEROSOL</i> <b>DL</b>	4	PA,QL(5 per 30 days)
<i>LAZANDA 100 MCG/SPRAY, 400 MCG/SPRAY SPRAY, NON-AEROSOL</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>levorphanol tartrate 2 mg TABLET</i> <b>DL</b>	4	ST,QL(240 per 30 days)
<i>levorphanol tartrate 3 mg TABLET</i> <b>DL</b>	4	ST,QL(150 per 30 days)
<i>LICART 1.3 % PATCH, 24 HR.</i> <b>MO</b>	3	PA,QL(30 per 30 days)
<i>LODINE 400 MG TABLET</i> <b>MO</b>	3	PA
<i>lofena 25 mg TABLET</i> <b>DL</b>	4	
<i>loratab elixir 10-300 mg/15 ml SOLUTION</i> <b>DL</b>	1	QL(6000 per 30 days)
<i>meclofenamate 100 mg, 50 mg CAPSULE</i> <b>MO</b>	1	
<i>mefenamic acid 250 mg CAPSULE</i> <b>MO</b>	1	
<i>meloxicam 15 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>meloxicam 7.5 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>meloxicam submicronized 10 mg, 5 mg CAPSULE</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>meperidine 10 mg/ml CARTRIDGE</i> <b>DL</b>	1	QL(3600 per 30 days)
<i>meperidine 50 mg TABLET</i> <b>DL</b>	1	QL(480 per 30 days)
<i>meperidine 50 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(720 per 30 days)
<i>meperidine (pf) 100 mg/ml SOLUTION</i> <b>DL</b>	1	QL(360 per 30 days)
<i>meperidine (pf) 25 mg/ml SOLUTION</i> <b>DL</b>	1	QL(1440 per 30 days)
<i>meperidine (pf) 50 mg/ml SOLUTION</i> <b>DL</b>	1	QL(720 per 30 days)
<i>methadone 10 mg TABLET</i> <b>DL</b>	1	QL(240 per 30 days)
<i>methadone 10 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(1800 per 30 days)
<i>methadone 10 mg/ml CONCENTRATE</i> <b>DL</b>	1	QL(360 per 30 days)
<i>methadone 10 mg/ml SOLUTION</i> <b>DL</b>	1	QL(360 per 30 days)
<i>methadone 5 mg TABLET</i> <b>DL</b>	1	QL(480 per 30 days)
<i>methadone 5 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(3600 per 30 days)
<i>methadone intensol 10 mg/ml CONCENTRATE</i> <b>DL</b>	1	QL(360 per 30 days)
<i>METHADOSE 10 MG/ML CONCENTRATE</i> <b>DL</b>	3	QL(360 per 30 days)
<i>mitigo (pf) 10 mg/ml SOLUTION</i> <b>DL</b>	3	BvsD,QL(360 per 30 days)
<i>mitigo (pf) 25 mg/ml SOLUTION</i> <b>DL</b>	3	BvsD,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MOBIC 15 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MOBIC 7.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
morphine 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg CAPSULE ER PELLETS <b>DL</b>	1	ST,QL(60 per 30 days)
morphine 10 mg/5 ml SOLUTION <b>DL</b>	1	QL(2700 per 30 days)
morphine 10 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 10 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(360 per 30 days)
morphine 100 mg TABLET ER <b>DL</b>	1	QL(180 per 30 days)
morphine 120 mg, 60 mg, 75 mg, 90 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(60 per 30 days)
morphine 15 mg TABLET ER <b>DL</b>	1	QL(120 per 30 days)
morphine 15 mg, 30 mg TABLET <b>DL</b>	1	QL(180 per 30 days)
morphine 2 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(1800 per 30 days)
morphine 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml SYRINGE <b>DL</b>	1	BvsD
morphine 20 mg/5 ml (4 mg/ml) SOLUTION <b>DL</b>	1	QL(1350 per 30 days)
morphine 200 mg TABLET ER <b>DL</b>	1	QL(90 per 30 days)
morphine 30 mg, 45 mg CAPSULE ER MULTIPHASE 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
morphine 30 mg, 60 mg TABLET ER <b>DL</b>	1	QL(120 per 30 days)
morphine 4 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 4 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(900 per 30 days)
morphine 5 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(720 per 30 days)
morphine 8 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(450 per 30 days)
morphine 8 mg/ml SYRINGE <b>DL</b>	1	BvsD,QL(450 per 30 days)
morphine (pf) 0.5 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(7200 per 30 days)
morphine (pf) 1 mg/ml SOLUTION <b>DL</b>	1	BvsD,QL(3600 per 30 days)
morphine (pf) 30 mg/30 ml (1 mg/ml) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	1	BvsD,QL(3600 per 30 days)
morphine concentrate 100 mg/5 ml (20 mg/ml) SOLUTION <b>DL</b>	1	QL(540 per 30 days)
MS CONTIN 100 MG TABLET ER <b>DL</b>	3	PA,QL(180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET ER <b>DL</b>	3	PA,QL(120 per 30 days)
MS CONTIN 200 MG TABLET ER <b>DL</b>	3	PA,QL(90 per 30 days)
nabumetone 500 mg, 750 mg TABLET <b>MO</b>	1	
nalbuphine 10 mg/ml SOLUTION <b>DL</b>	1	QL(240 per 30 days)
nalbuphine 20 mg/ml SOLUTION <b>DL</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NALFON 400 MG CAPSULE <b>MO</b>	3	ST
NALFON 600 MG TABLET <b>MO</b>	1	ST
<i>nalocet 2.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(360 per 30 days)
NAPRELAN CR 375 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	4	ST,QL(120 per 30 days)
NAPRELAN CR 500 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	4	ST,QL(90 per 30 days)
NAPRELAN CR 750 MG TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	4	ST,QL(60 per 30 days)
NAPROSYN 500 MG TABLET <b>MO</b>	3	PA
<i>naproxen 125 mg/5 ml SUSPENSION</i> <b>MO</b>	1	
<i>naproxen 250 mg, 375 mg TABLET</i> <b>MO</b>	1	
<i>naproxen 375 mg, 500 mg TABLET, DR/EC</i> <b>MO</b>	1	
<i>naproxen 500 mg TABLET</i> <b>MO</b>	1	
<i>naproxen sodium 275 mg, 550 mg TABLET</i> <b>MO</b>	1	
<i>naproxen sodium 375 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>naproxen sodium 500 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(90 per 30 days)
<i>naproxen sodium 750 mg TABLET, ER 24 HR., MULTIPHASE</i> <b>MO</b>	1	ST,QL(60 per 30 days)
<i>naproxen-esomeprazole 375-20 mg, 500-20 mg TABLET, IR, DR, BIPHASIC</i> <b>DL</b>	4	PA,QL(60 per 30 days)
NUCYNTA 100 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	ST,QL(180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG TABLET, ER 12 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
NUCYNTA ER 50 MG TABLET, ER 12 HR. <b>DL</b>	3	ST,QL(60 per 30 days)
OLINVYK 1 MG/ML SOLUTION <b>DL</b>	4	PA
OLINVYK 30 MG/30 ML (1 MG/ML) PATIENT CONTROL ANALGESIA SOLN <b>DL</b>	4	PA
<i>oxaprozin 600 mg TABLET</i> <b>MO</b>	1	
OXAYDO 5 MG, 7.5 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(360 per 30 days)
<i>oxycodone 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg TABLET, ER 12 HR.</i> <b>DL</b>	3	PA,QL(90 per 30 days)
<i>oxycodone 10 mg, 15 mg, 5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 20 mg, 30 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 20 mg/ml CONCENTRATE</i> <b>DL</b>	1	QL(270 per 30 days)
<i>oxycodone 5 mg CAPSULE</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone 5 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(5400 per 30 days)
<i>oxycodone 80 mg TABLET, ER 12 HR.</i> <b>DL</b>	3	PA,QL(120 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
<i>oxycodone-acetaminophen 10-300 mg/5 ml SOLUTION</i> <b>DL</b>	4	PA,QL(900 per 30 days)
<i>oxycodone-acetaminophen 10-325 mg, 5-325 mg, 7.5-325 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>oxycodone-acetaminophen 2.5-300 mg TABLET</i> <b>DL</b>	1	PA,QL(360 per 30 days)
<i>oxycodone-acetaminophen 2.5-325 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxycodone-acetaminophen 5-325 mg/5 ml SOLUTION</i> <b>DL</b>	1	QL(1800 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(90 per 30 days)
OXYCONTIN 80 MG TABLET, ER 12 HR. <b>DL</b>	3	PA,QL(120 per 30 days)
<i>oxymorphone 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg TABLET, ER 12 HR.</i> <b>DL</b>	1	ST,QL(60 per 30 days)
<i>oxymorphone 10 mg, 5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
<i>oxymorphone 40 mg TABLET, ER 12 HR.</i> <b>DL</b>	4	ST,QL(60 per 30 days)
PENNSAID 2 % SOLUTION IN PACKET <b>DL</b>	4	PA
PENNSAID 20 MG/GRAM /ACTUATION(2 %) SOLUTION IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(224 per 28 days)
<i>pentazocine-naloxone 50-0.5 mg TABLET</i> <b>DL</b>	1	QL(360 per 30 days)
PERCOCET 10-325 MG, 5-325 MG, 7.5-325 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
PERCOCET 2.5-325 MG TABLET <b>DL</b>	1	PA,QL(360 per 30 days)
<i>piroxicam 10 mg, 20 mg CAPSULE</i> <b>MO</b>	1	
<i>primlev 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
<i>prolate 10-300 mg, 5-300 mg, 7.5-300 mg TABLET</i> <b>DL</b>	4	PA,QL(390 per 30 days)
PROLATE 10-300 MG/5 ML SOLUTION <b>DL</b>	4	PA,QL(900 per 30 days)
RELAFEN 500 MG, 750 MG TABLET <b>DL</b>	4	ST
RELAFEN DS 1,000 MG TABLET <b>DL</b>	4	ST,QL(60 per 30 days)
ROXICODONE 15 MG TABLET <b>DL</b>	3	PA,QL(360 per 30 days)
ROXICODONE 30 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(180 per 30 days)
ROXYBOND 5 MG TABLET, ORAL ONLY <b>DL</b>	4	PA,QL(360 per 30 days)
SEGLENTIS 44-56 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
SPRIX 15.75 MG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(5 per 30 days)
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(120 per 30 days)
<i>sulindac 150 mg, 200 mg TABLET</i> <b>MO</b>	1	
<i>tolmetin 200 mg TABLET</i> <b>MO</b>	1	
<i>tramadol 100 mg TABLET</i> <b>DL</b>	1	QL(120 per 30 days)
<i>tramadol 100 mg, 200 mg, 300 mg CAPSULE, ER, BIPHASIC</i> <b>DL</b>	1	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR. <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 100 mg, 200 mg, 300 mg TABLET, ER 24 HR., MULTIPHASE <b>DL</b>	1	ST,QL(30 per 30 days)
tramadol 50 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
tramadol-acetaminophen 37.5-325 mg TABLET <b>DL</b>	1	QL(240 per 30 days)
TREZIX 320.5-30-16 MG CAPSULE <b>DL</b>	1	QL(300 per 30 days)
ULTRACET 37.5-325 MG TABLET <b>DL</b>	3	QL(240 per 30 days)
ULTRAM 50 MG TABLET <b>DL</b>	3	QL(240 per 30 days)
VIMOVO 375-20 MG, 500-20 MG TABLET, IR, DR, BIPHASIC <b>DL</b>	4	PA,QL(60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE ER SPRINKLE 12 HR. <b>DL</b>	2	QL(60 per 30 days)
ZIPSOR 25 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE <b>MO</b>	3	ST,QL(90 per 30 days)
<b>ANESTHETICS</b>		
bupivacaine (pf) 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine hcl 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-dextrose-water(pf) 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine (pf) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	
bupivacaine-epinephrine bitart 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
CARBOCAINE 1 % (10 MG/ML) SOLUTION <b>MO</b>	3	
CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) SOLUTION <b>MO</b>	3	
CARBOCAINE WITH NEO-COBEFRIN 2 % -1:20,000 CARTRIDGE <b>MO</b>	1	
chloroprocaine (pf) 20 mg/ml (2 %), 30 mg/ml (3 %) SOLUTION <b>MO</b>	1	
CLOROTEKAL 10 MG/ML (1 %) SOLUTION <b>MO</b>	3	
dermacinrx lidocan 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	4	PA,QL(90 per 30 days)
EXPAREL (PF) 1.3 % (13.3 MG/ML) SUSPENSION <b>MO</b>	3	
glydo 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine 5 % ADHESIVE PATCH, MEDICATED <b>MO</b>	1	PA,QL(90 per 30 days)
lidocaine 5 % OINTMENT <b>MO</b>	1	PA
lidocaine (pf) in d7.5w 50 mg/ml (5 %) SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lidocaine (pf) 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 10 mg/ml (1 %), 2 %, 20 mg/ml (2 %), 4 %, 4 % (40 mg/ml), 5 mg/ml (0.5 %) SOLUTION <b>MO</b>	1	
lidocaine hcl 2 % JELLY <b>MO</b>	1	
lidocaine hcl 2 % JELLY IN APPLICATOR <b>MO</b>	1	
lidocaine viscous 2 % SOLUTION <b>MO</b>	1	
lidocaine-epinephrine 0.5 %-1:200,000, 1 %-1:100,000, 2 %-1:100,000 SOLUTION <b>MO</b>	1	
lidocaine-epinephrine bit 2 %-1:100,000, 2 %-1:50,000 CARTRIDGE <b>MO</b>	1	
lidocaine-prilocaine 2.5-2.5 % CREAM <b>MO</b>	1	
LIDODERM 5 % ADHESIVE PATCH, MEDICATED <b>DL</b>	4	PA,QL(90 per 30 days)
lignospan standard 2 %-1:100,000 CARTRIDGE <b>MO</b>	1	
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
marcaine-epinephrine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	3	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) SOLUTION <b>MO</b>	3	
NESACAINE 10 MG/ML (1 %), 20 MG/ML (2 %) SOLUTION <b>MO</b>	3	
NESACAINE-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) SOLUTION <b>MO</b>	3	
PLIAGLIS 7-7 % CREAM <b>MO</b>	3	
polocaine 1 % (10 mg/ml), 2 % SOLUTION <b>MO</b>	1	
polocaine-mpf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) SOLUTION <b>MO</b>	1	
ropivacaine (pf) 10 mg/ml (1 %), 2 mg/ml (0.2 %), 5 mg/ml (0.5 %), 7.5 mg/ml (0.75 %) SOLUTION <b>MO</b>	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) SOLUTION <b>MO</b>	1	
sensorcaine-mpf 0.25 % (2.5 mg/ml), 0.5 % (5 mg/ml), 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
sensorcaine-mpf spinal 0.75 % (7.5 mg/ml) SOLUTION <b>MO</b>	1	
sensorcaine-mpf/epinephrine 0.25 %-1:200,000 SOLUTION <b>MO</b>	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 SOLUTION <b>MO</b>	1	
SYNERA 70-70 MG PATCH, MEDICATED SELF-HEATING <b>DL</b>	4	PA
vivacaine 0.5 %-1:200,000 CARTRIDGE <b>MO</b>	1	
ZTLIDO 1.8 % ADHESIVE PATCH, MEDICATED <b>MO</b>	3	PA,QL(90 per 30 days)
<b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>		
acamprosate 333 mg TABLET, DR/EC <b>MO</b>	1	
BUNAVAIL 4.2-0.7 MG FILM <b>MO</b>	3	PA,QL(60 per 30 days)
buprenorphine hcl 2 mg, 8 mg SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
buprenorphine-naloxone 12-3 mg FILM <b>MO</b>	1	QL(60 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 4-1 mg, 8-2 mg FILM <b>MO</b>	1	QL(90 per 30 days)
buprenorphine-naloxone 2-0.5 mg, 8-2 mg SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
bupropion hcl (smoking deter) 150 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(90 per 30 days)
CHANTIX 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET <b>MO</b>	3	PA,QL(56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)- 1 MG (42) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(53 per 28 days)
disulfiram 250 mg, 500 mg TABLET <b>MO</b>	1	
KLOXXADO 8 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA,QL(2 per 30 days)
LUCEMYRA 0.18 MG TABLET <b>DL</b>	4	PA,QL(224 per 365 days)
nalmefene 1 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml SOLUTION <b>MO</b>	1	
naloxone 0.4 mg/ml, 1 mg/ml SYRINGE <b>MO</b>	1	
naloxone 4 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	2	QL(2 per 30 days)
naltrexone 50 mg TABLET <b>MO</b>	1	
NARCAN 4 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA,QL(2 per 30 days)
NICOTROL 10 MG CARTRIDGE <b>MO</b>	3	
NICOTROL NS 10 MG/ML SPRAY, NON-AEROSOL <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OPVEE 2.7 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	PA,QL(2 per 30 days)
SUBOXONE 12-3 MG FILM <b>MO</b>	3	PA,QL(60 per 30 days)
SUBOXONE 2-0.5 MG, 4-1 MG, 8-2 MG FILM <b>MO</b>	3	PA,QL(90 per 30 days)
varenicline 0.5 mg (11)- 1 mg (42) TABLET, DOSE PACK <b>MO</b>	1	QL(53 per 28 days)
varenicline 0.5 mg, 1 mg TABLET <b>MO</b>	1	QL(56 per 28 days)
VIVITROL 380 MG SUSPENSION, ER, RECON <b>DL</b>	4	QL(1 per 28 days)
ZIMHI 5 MG/0.5 ML SYRINGE <b>MO</b>	3	PA,QL(1 per 30 days)
ZUBSOLV 0.7-0.18 MG, 1.4-0.36 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
ZUBSOLV 11.4-2.9 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(30 per 30 days)
ZUBSOLV 2.9-0.71 MG, 5.7-1.4 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(90 per 30 days)
ZUBSOLV 8.6-2.1 MG SUBLINGUAL TABLET <b>MO</b>	1	QL(60 per 30 days)
<b>ANTIBACTERIALS</b>		
acetic acid 2 % SOLUTION <b>MO</b>	1	
ACTICLATE 150 MG TABLET <b>DL</b>	4	ST,QL(30 per 30 days)
ACTICLATE 75 MG TABLET <b>DL</b>	4	ST,QL(60 per 30 days)
amikacin 1,000 mg/4 ml, 500 mg/2 ml SOLUTION <b>MO</b>	1	
amoxicillin 125 mg, 250 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin 250 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg CAPSULE <b>MO</b>	1	
amoxicillin 500 mg TABLET <b>MO</b>	1	
amoxicillin 875 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 1,000-62.5 mg TABLET, ER 12 HR. <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg, 400-57 mg CHEWABLE TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
amoxicillin-pot clavulanate 250-125 mg, 500-125 mg TABLET <b>MO</b>	1	
amoxicillin-pot clavulanate 875-125 mg TABLET <b>MO</b>	1	
ampicillin 500 mg CAPSULE <b>MO</b>	1	
ampicillin sodium 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ampicillin-sulbactam 1.5 gram, 15 gram, 3 gram RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR NEBULIZATION <b>DL</b>	4	PA,QL(235.2 per 28 days)
AUGMENTIN 125-31.25 MG/5 ML, 250-62.5 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
AUGMENTIN 500-125 MG TABLET <b>MO</b>	3	PA
AUGMENTIN ES-600 600-42.9 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
AUGMENTIN XR 1,000-62.5 MG TABLET, ER 12 HR. <b>MO</b>	3	
AVELOX IN NACL (ISO-OSMOTIC) 400 MG/250 ML PIGGYBACK <b>MO</b>	3	PA
<i>avidoxy 100 mg TABLET</i> <b>MO</b>	1	ST
AVYCAZ 2.5 GRAM RECON SOLUTION <b>DL</b>	4	
AZACTAM 1 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	PA
<i>azithromycin 1 gram PACKET</i> <b>MO</b>	1	
<i>azithromycin 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>azithromycin 250 mg TABLET</i> <b>MO</b>	1	
<i>azithromycin 500 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>azithromycin 500 mg, 600 mg TABLET</i> <b>MO</b>	1	
<i>aztreonam 1 gram, 2 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>bacitracin 50,000 unit RECON SOLUTION</i> <b>MO</b>	1	
BACTRIM 400-80 MG TABLET <b>MO</b>	3	
BACTRIM DS 800-160 MG TABLET <b>MO</b>	3	
BAXDELA 300 MG RECON SOLUTION <b>DL</b>	4	QL(28 per 14 days)
BAXDELA 450 MG TABLET <b>DL</b>	4	QL(28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
BICILLIN C-R 1,200,000 UNIT/ 2 ML(600K/600K), 1,200,000 UNIT/ 2 ML(900K/300K) SYRINGE <b>MO</b>	3	
BICILLIN L-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML SYRINGE <b>MO</b>	3	
<i>cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>cefaclor 250 mg, 500 mg CAPSULE</i> <b>MO</b>	1	
<i>cefaclor 500 mg TABLET, ER 12 HR.</i> <b>MO</b>	1	
<i>cefadroxil 1 gram TABLET</i> <b>MO</b>	1	
<i>cefadroxil 250 mg/5 ml, 500 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefadroxil 500 mg CAPSULE <b>MO</b>	1	
cefazolin 1 gram, 10 gram, 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
CEFAZOLIN 2 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	1	
cefazolin in dextrose (iso-os) 1 gram/50 ml, 2 gram/100 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefdinir 300 mg CAPSULE <b>MO</b>	1	
cefepime 1 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefepime in dextrose 5 % 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefepime in dextrose,iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK <b>MO</b>	3	
cefixime 100 mg/5 ml, 200 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefixime 400 mg CAPSULE <b>MO</b>	1	
cefotaxime 1 gram RECON SOLUTION <b>MO</b>	1	
cefotetan 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefoxitin 1 gram, 10 gram, 2 gram RECON SOLUTION <b>MO</b>	1	
cefoxitin in dextrose, iso-osm 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefpodoxime 100 mg, 200 mg TABLET <b>MO</b>	1	
cefpodoxime 100 mg/5 ml, 50 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cefprozil 250 mg, 500 mg TABLET <b>MO</b>	1	
ceftazidime 1 gram, 2 gram, 6 gram RECON SOLUTION <b>MO</b>	1	
ceftazidime in d5w 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
ceftriaxone in dextrose,iso-os 1 gram/50 ml, 2 gram/50 ml PIGGYBACK <b>MO</b>	1	
cefuroxime axetil 250 mg, 500 mg TABLET <b>MO</b>	1	
cefuroxime sodium 1.5 gram, 7.5 gram, 750 mg RECON SOLUTION <b>MO</b>	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
cephalexin 250 mg, 500 mg TABLET <b>MO</b>	1	
cephalexin 250 mg, 750 mg CAPSULE <b>MO</b>	1	
cephalexin 500 mg CAPSULE <b>MO</b>	1	
chloramphenicol sod succinate 1 gram RECON SOLUTION <b>MO</b>	1	
CIPRO 250 MG, 500 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CIPRO 250 MG/5 ML, 500 MG/5 ML SUSPENSION, MICROCAPSULE RECON <b>MO</b>	3	
<i>ciprofloxacin</i> 250 mg/5 ml, 500 mg/5 ml SUSPENSION, MICROCAPSULE RECON <b>MO</b>	1	
<i>ciprofloxacin hcl</i> 100 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
<i>ciprofloxacin hcl</i> 500 mg TABLET <b>MO</b>	1	
<i>ciprofloxacin</i> in 5 % dextrose 200 mg/100 ml, 400 mg/200 ml PIGGYBACK <b>MO</b>	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM RECON SOLUTION <b>MO</b>	3	
<i>clarithromycin</i> 125 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>clarithromycin</i> 250 mg, 500 mg TABLET <b>MO</b>	1	
<i>clarithromycin</i> 250 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
<i>clarithromycin</i> 500 mg TABLET, ER 24 HR. <b>MO</b>	1	
CLEOCIN 100 MG SUPPOSITORY <b>MO</b>	3	
CLEOCIN 150 MG/ML SOLUTION <b>MO</b>	1	
CLEOCIN 2 % CREAM <b>MO</b>	3	PA
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE <b>MO</b>	3	
CLEOCIN PEDIATRIC 75 MG/5 ML RECON SOLUTION <b>MO</b>	1	
<i>clindamycin hcl</i> 150 mg, 75 mg CAPSULE <b>MO</b>	1	
<i>clindamycin hcl</i> 300 mg CAPSULE <b>MO</b>	1	
<i>clindamycin</i> in 0.9 % sod chlor 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
<i>clindamycin</i> in 5 % dextrose 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml PIGGYBACK <b>MO</b>	1	
<i>clindamycin palmitate hcl</i> 75 mg/5 ml RECON SOLUTION <b>MO</b>	1	
<i>clindamycin pediatric</i> 75 mg/5 ml RECON SOLUTION <b>MO</b>	1	
<i>clindamycin phosphate</i> 150 mg/ml SOLUTION <b>MO</b>	1	
<i>clindamycin phosphate</i> 2 % CREAM <b>MO</b>	1	
CLINDESSE 2 % CREAM, ER <b>MO</b>	3	
<i>colistin (colistimethate na)</i> 150 mg RECON SOLUTION <b>MO</b>	1	
COLY-MYCIN M PARENTERAL 150 MG RECON SOLUTION <b>DL</b>	4	
<i>coremino</i> 135 mg, 45 mg, 90 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
CUBICIN 500 MG RECON SOLUTION <b>DL</b>	4	
CUBICIN RF 500 MG RECON SOLUTION <b>DL</b>	4	
DALVANCE 500 MG SOLUTION <b>DL</b>	4	QL(4 per 28 days)
<i>daptomycin</i> 350 mg RECON SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
daptomycin 500 mg RECON SOLUTION <b>DL</b>	4	
daptomycin in 0.9 % sod chlor 1,000 mg/100 ml, 350 mg/50 ml, 500 mg/50 ml, 700 mg/100 ml PIGGYBACK <b>MO</b>	3	
demeclocycline 150 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
demeclocycline 300 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
dicloxacillin 250 mg, 500 mg CAPSULE <b>MO</b>	1	
DIFICID 200 MG TABLET <b>DL</b>	4	
DIFICID 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
DORYX 200 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(30 per 30 days)
DORYX 50 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(60 per 30 days)
DORYX 80 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
DORYX MPC 120 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(60 per 30 days)
DORYX MPC 60 MG TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
doxy-100 100 mg RECON SOLUTION <b>MO</b>	1	
doxycycline hyclate 100 mg CAPSULE <b>MO</b>	1	
doxycycline hyclate 100 mg RECON SOLUTION <b>MO</b>	1	
doxycycline hyclate 100 mg TABLET <b>MO</b>	1	
doxycycline hyclate 100 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(90 per 30 days)
doxycycline hyclate 150 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline hyclate 150 mg, 50 mg, 75 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(60 per 30 days)
doxycycline hyclate 20 mg TABLET <b>MO</b>	1	
doxycycline hyclate 200 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline hyclate 50 mg CAPSULE <b>MO</b>	1	
doxycycline hyclate 50 mg TABLET <b>MO</b>	1	ST,QL(180 per 30 days)
doxycycline hyclate 75 mg TABLET <b>MO</b>	1	ST,QL(60 per 30 days)
doxycycline hyclate 80 mg TABLET, DR/EC <b>DL</b>	4	ST,QL(60 per 30 days)
doxycycline monohydrate 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
doxycycline monohydrate 100 mg, 50 mg CAPSULE <b>MO</b>	1	
doxycycline monohydrate 150 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
doxycycline monohydrate 25 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
doxycycline monohydrate 40 mg CAPSULE, IR/DR, BIPHASIC <b>MO</b>	1	ST,QL(30 per 30 days)
doxycycline monohydrate 75 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
E.E.S. 400 400 MG TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
E.E.S. GRANULES 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
<i>ertapenem 1 gram RECON SOLUTION</i> <b>MO</b>	1	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET, DR/EC <b>MO</b>	1	
ERYPED 200 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ERYPED 400 400 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	
ERYTHROCIN 500 MG RECON SOLUTION <b>MO</b>	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET <b>MO</b>	1	
<i>erythromycin 250 mg CAPSULE, DR/EC</i> <b>MO</b>	1	
<i>erythromycin 250 mg, 333 mg, 500 mg TABLET, DR/EC</i> <b>MO</b>	1	
<i>erythromycin 250 mg, 500 mg TABLET</i> <b>MO</b>	1	
<i>erythromycin ethylsuccinate 200 mg/5 ml, 400 mg/5 ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>erythromycin ethylsuccinate 400 mg TABLET</i> <b>MO</b>	1	
<i>erythromycin lactobionate 500 mg RECON SOLUTION</i> <b>MO</b>	1	
FETROJA 1 GRAM RECON SOLUTION <b>DL</b>	4	QL(84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML RECON SOLUTION <b>MO</b>	3	
FLAGYL 375 MG CAPSULE <b>MO</b>	3	QL(320 per 30 days)
<i>fosfomycin tromethamine 3 gram PACKET</i> <b>MO</b>	1	
FURADANTIN 25 MG/5 ML SUSPENSION <b>MO</b>	3	
<i>gentamicin 0.1 % CREAM</i> <b>MO</b>	1	
<i>gentamicin 0.1 % OINTMENT</i> <b>MO</b>	1	
<i>gentamicin 20 mg/2 ml, 40 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>gentamicin in nacl (iso-osm) 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml PIGGYBACK</i> <b>MO</b>	1	
<i>gentamicin sulfate (ped) (pf) 20 mg/2 ml SOLUTION</i> <b>MO</b>	1	
<i>gentamicin sulfate (pf) 100 mg/10 ml, 60 mg/6 ml SOLUTION</i> <b>MO</b>	1	
HIPREX 1 GRAM TABLET <b>MO</b>	3	PA
HUMATIN 250 MG CAPSULE <b>DL</b>	4	
<i>imipenem-cilastatin 250 mg, 500 mg RECON SOLUTION</i> <b>MO</b>	1	
INVANZ 1 GRAM RECON SOLUTION <b>MO</b>	3	
KEFLEX 750 MG CAPSULE <b>MO</b>	3	
KIMYRSA 1,200 MG RECON SOLUTION <b>DL</b>	4	QL(1 per 30 days)
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KLARON 10 % SUSPENSION <b>MO</b>	3	QL(118 per 30 days)
levofloxacin 25 mg/ml, 250 mg/10 ml SOLUTION <b>MO</b>	1	
levofloxacin 250 mg, 750 mg TABLET <b>MO</b>	1	
levofloxacin 500 mg TABLET <b>MO</b>	1	
levofloxacin in d5w 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	1	
LINCOCIN 300 MG/ML SOLUTION <b>MO</b>	3	
lincomycin 300 mg/ml SOLUTION <b>MO</b>	1	
linezolid 100 mg/5 ml SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(1800 per 30 days)
linezolid 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
linezolid in dextrose 5% 600 mg/300 ml PIGGYBACK <b>MO</b>	1	
linezolid-0.9% sodium chloride 600 mg/300 ml PARENTERAL SOLUTION <b>MO</b>	1	
MACROBID 100 MG CAPSULE <b>MO</b>	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	3	
meropenem 1 gram, 500 mg RECON SOLUTION <b>MO</b>	1	
meropenem-0.9% sodium chloride 1 gram/50 ml, 500 mg/50 ml PIGGYBACK <b>MO</b>	1	
methenamine hippurate 1 gram TABLET <b>MO</b>	1	
METRO I.V. 500 MG/100 ML PIGGYBACK <b>MO</b>	3	
METROCREAM 0.75 % CREAM <b>MO</b>	3	PA
METROGEL 1 % GEL <b>MO</b>	3	ST
METROGEL VAGINAL 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	3	
METROLOTION 0.75 % LOTION <b>MO</b>	3	PA
metronidazole 0.75 % CREAM <b>MO</b>	1	
metronidazole 0.75 % LOTION <b>MO</b>	1	
metronidazole 0.75 %, 0.75 % (37.5mg/5 gram), 1 % GEL <b>MO</b>	1	
metronidazole 1 % GEL WITH PUMP <b>MO</b>	1	
metronidazole 250 mg TABLET <b>MO</b>	1	
metronidazole 375 mg CAPSULE <b>MO</b>	1	QL(320 per 30 days)
metronidazole 500 mg TABLET <b>MO</b>	1	
metronidazole in nacl (iso-os) 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
MINOCIN 100 MG RECON SOLUTION <b>DL</b>	4	PA
minocycline 100 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>minocycline 100 mg, 50 mg, 75 mg TABLET</i> <b>MO</b>	1	
<i>minocycline 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	ST,QL(30 per 30 days)
MINOLIRA ER 105 MG, 135 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
<i>mondoxyne nl 100 mg CAPSULE</i> <b>MO</b>	1	
<i>mondoxyne nl 75 mg CAPSULE</i> <b>MO</b>	1	ST,QL(60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE <b>MO</b>	3	ST
MONODOX 75 MG CAPSULE <b>MO</b>	3	ST,QL(60 per 30 days)
MONUROL 3 GRAM PACKET <b>MO</b>	3	
<i>morgidox 100 mg, 50 mg CAPSULE</i> <b>MO</b>	1	ST
<i>moxifloxacin 400 mg TABLET</i> <b>MO</b>	1	
<i>moxifloxacin-sod.ace,sul-water 400 mg/250 ml PIGGYBACK</i> <b>MO</b>	1	
<i>moxifloxacin-sod.chloride(iso) 400 mg/250 ml PIGGYBACK</i> <b>MO</b>	1	
<i>nafcillin 1 gram, 10 gram, 2 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>nafcillin in dextrose iso-osm 1 gram/50 ml, 2 gram/100 ml PIGGYBACK</i> <b>DL</b>	4	
<i>neomycin 500 mg TABLET</i> <b>MO</b>	1	
<i>nitrofurantoin 25 mg/5 ml, 50 mg/5 ml SUSPENSION</i> <b>DL</b>	4	
<i>nitrofurantoin macrocrystal 100 mg, 25 mg, 50 mg CAPSULE</i> <b>MO</b>	1	
<i>nitrofurantoin monohyd/m-cryst 100 mg CAPSULE</i> <b>MO</b>	1	
NORITATE 1 % CREAM <b>DL</b>	4	ST,QL(60 per 30 days)
NUVESSA 1.3 % (65 MG/5 GRAM) GEL <b>MO</b>	3	
NUZYRA 100 MG RECON SOLUTION <b>DL</b>	4	
NUZYRA 150 MG TABLET <b>DL</b>	4	QL(30 per 14 days)
<i>ofloxacin 300 mg, 400 mg TABLET</i> <b>MO</b>	1	
ORACEA 40 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
ORBACTIV 400 MG RECON SOLUTION <b>DL</b>	4	QL(3 per 28 days)
<i>oxacillin 1 gram, 10 gram, 2 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>oxacillin in dextrose(iso-osm) 1 gram/50 ml, 2 gram/50 ml PIGGYBACK</i> <b>MO</b>	3	
<i>paramomycin 250 mg CAPSULE</i> <b>MO</b>	1	
<i>penicillin g pot in dextrose 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml PIGGYBACK</i> <b>MO</b>	3	
<i>penicillin g potassium 20 million unit, 5 million unit RECON SOLUTION</i> <b>MO</b>	1	
<i>penicillin g procaine 1.2 million unit/2 ml, 600,000 unit/ml SYRINGE</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>penicillin g sodium 5 million unit RECON SOLUTION</i> <b>MO</b>	1	
<i>penicillin v potassium 125 mg/5 ml, 250 mg/5 ml RECON SOLUTION</i> <b>MO</b>	1	
<i>penicillin v potassium 250 mg, 500 mg TABLET</i> <b>MO</b>	1	
<i>pfizerpen-g 20 million unit, 5 million unit RECON SOLUTION</i> <b>MO</b>	1	
<i>piperacillin-tazobactam 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>polymyxin b sulfate 500,000 unit RECON SOLUTION</i> <b>MO</b>	1	
PRIMAXIN IV 500 MG RECON SOLUTION <b>MO</b>	3	
PRIMSOL 50 MG/5 ML SOLUTION <b>MO</b>	3	
RECARBRIO 1.25 GRAM RECON SOLUTION <b>DL</b>	4	
<i>rosadan 0.75 % CREAM</i> <b>MO</b>	1	ST
<i>rosadan 0.75 % GEL</i> <b>MO</b>	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
SIVEXTRO 200 MG RECON SOLUTION <b>DL</b>	4	QL(6 per 28 days)
SIVEXTRO 200 MG TABLET <b>DL</b>	4	QL(6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
SOLOSEC 2 GRAM DR GRANULES IN PACKET <b>MO</b>	3	PA
<i>streptomycin 1 gram RECON SOLUTION</i> <b>DL</b>	4	
<i>sulfacetamide sodium 10 % OINTMENT</i> <b>MO</b>	1	
<i>sulfacetamide sodium (acne) 10 % SUSPENSION</i> <b>MO</b>	1	QL(118 per 30 days)
<i>sulfadiazine 500 mg TABLET</i> <b>MO</b>	1	
<i>sulfamethoxazole-trimethoprim 200-40 mg/5 ml SUSPENSION</i> <b>MO</b>	1	
<i>sulfamethoxazole-trimethoprim 400-80 mg TABLET</i> <b>MO</b>	1	
<i>sulfamethoxazole-trimethoprim 400-80 mg/5 ml SOLUTION</i> <b>MO</b>	1	
<i>sulfamethoxazole-trimethoprim 800-160 mg TABLET</i> <b>MO</b>	1	
SULFATRIM 200-40 MG/5 ML SUSPENSION <b>MO</b>	3	
SUPRAX 100 MG, 200 MG CHEWABLE TABLET <b>MO</b>	1	
SUPRAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
SUPRAX 400 MG CAPSULE <b>MO</b>	3	
SUPRAX 500 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
SYNERCID 500 MG RECON SOLUTION <b>DL</b>	4	
TARGADOX 50 MG TABLET <b>MO</b>	1	ST,QL(180 per 30 days)
<i>tazicef 1 gram, 2 gram, 6 gram RECON SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEFLARO 400 MG, 600 MG RECON SOLUTION <b>DL</b>	4	
tetracycline 250 mg, 500 mg CAPSULE <b>MO</b>	1	
tigecycline 50 mg RECON SOLUTION <b>DL</b>	4	
tinidazole 250 mg, 500 mg TABLET <b>MO</b>	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin 300 mg/4 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin in 0.225 % nacl 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	PA
tobramycin sulfate 1.2 gram RECON SOLUTION <b>DL</b>	4	
tobramycin sulfate 10 mg/ml, 40 mg/ml SOLUTION <b>MO</b>	1	
tobramycin with nebulizer 300 mg/5 ml SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
trimethoprim 100 mg TABLET <b>MO</b>	1	
TYGACIL 50 MG RECON SOLUTION <b>DL</b>	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
VABOMERE 2 GRAM RECON SOLUTION <b>DL</b>	4	QL(84 per 14 days)
VANCOGIN 125 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
VANCOGIN 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 25 mg/ml, 250 mg, 5 gram, 50 mg/ml, 500 mg, 750 mg RECON SOLUTION <b>MO</b>	1	
vancomycin 125 mg CAPSULE <b>MO</b>	1	PA,QL(120 per 30 days)
vancomycin 250 mg CAPSULE <b>MO</b>	1	PA,QL(240 per 30 days)
vancomycin in 0.9 % sodium chl 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
vancomycin in dextrose 5 % 1 gram/200 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
vancomycin in dextrose 5 % 500 mg/100 ml PIGGYBACK <b>DL</b>	3	
vancomycin-diluent combo no.1 1 gram/200 ml, 1.5 gram/300 ml, 500 mg/100 ml PIGGYBACK <b>DL</b>	3	
vancomycin-diluent combo no.1 1.25 gram/250 ml, 1.75 gram/350 ml, 2 gram/400 ml, 750 mg/150 ml PIGGYBACK <b>MO</b>	3	
VANDAZOLE 0.75 % (37.5MG/5 GRAM) GEL <b>MO</b>	3	
VIBATIV 750 MG RECON SOLUTION <b>DL</b>	4	
VIBRAMYCIN 100 MG CAPSULE <b>MO</b>	3	
VIBRAMYCIN (CALCIUM) 50 MG/5 ML SYRUP <b>MO</b>	3	ST
XACIATO 2 % GEL <b>MO</b>	3	
XENLETA 150 MG/15 ML SOLUTION <b>DL</b>	4	QL(210 per 7 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XENLETA 600 MG TABLET <b>DL</b>	4	
XERAVA 100 MG, 50 MG RECON SOLUTION <b>MO</b>	3	
XIMINO 135 MG, 90 MG CAPSULE, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
XIMINO 45 MG CAPSULE, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
ZEMDRI 50 MG/ML SOLUTION <b>DL</b>	4	
ZERBAXA 1.5 GRAM RECON SOLUTION <b>DL</b>	4	
ZITHROMAX 1 GRAM PACKET <b>MO</b>	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	
ZITHROMAX 250 MG, 500 MG TABLET <b>MO</b>	3	
ZITHROMAX 500 MG RECON SOLUTION <b>MO</b>	3	
ZITHROMAX TRI-PAK 500 MG TABLET <b>MO</b>	3	
ZITHROMAX Z-PAK 250 MG TABLET <b>MO</b>	3	
ZOSYN IN DEXTROSE (ISO-OSM) 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 100 MG/5 ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML PIGGYBACK <b>MO</b>	3	
ZYVOX 600 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>ANTICONVULSANTS</b>		
APTIOM 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
APTIOM 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BANZEL 200 MG TABLET <b>DL</b>	4	PA,QL(480 per 30 days)
BANZEL 40 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(2760 per 30 days)
BANZEL 400 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BRIVIACT 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(600 per 30 days)
BRIVIACT 50 MG/5 ML SOLUTION <b>DL</b>	4	PA
carbamazepine 100 mg CHEWABLE TABLET <b>MO</b>	1	
carbamazepine 100 mg, 200 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
carbamazepine 100 mg, 200 mg, 300 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	1	
carbamazepine 100 mg/5 ml, 200 mg/10 ml SUSPENSION <b>MO</b>	1	
carbamazepine 200 mg TABLET <b>MO</b>	1	
carbamazepine 400 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(225 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	
CELONTIN 300 MG CAPSULE <b>MO</b>	3	
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML SOLUTION <b>MO</b>	3	
<i>clobazam 10 mg, 20 mg TABLET</i> <b>DL</b>	1	PA
<i>clobazam 2.5 mg/ml SUSPENSION</i> <b>DL</b>	1	PA
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET, DR/EC <b>MO</b>	3	
DEPAKOTE ER 250 MG, 500 MG TABLET, ER 24 HR. <b>MO</b>	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	
DIACOMIT 250 MG, 500 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
DIACOMIT 250 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
DIASTAT 2.5 MG KIT <b>DL</b>	3	PA
DIASTAT ACUDIAL 12.5-15-17.5-20 MG, 5-7.5-10 MG KIT <b>DL</b>	3	PA
<i>diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg KIT</i> <b>DL</b>	1	
DILANTIN 30 MG CAPSULE <b>MO</b>	1	
DILANTIN EXTENDED 100 MG CAPSULE <b>MO</b>	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>	1	
DILANTIN-125 125 MG/5 ML SUSPENSION <b>MO</b>	3	
<i>divalproex 125 mg CAPSULE, DR SPRINKLE</i> <b>MO</b>	1	
<i>divalproex 125 mg, 250 mg, 500 mg TABLET, DR/EC</i> <b>MO</b>	1	
<i>divalproex 250 mg, 500 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
EPIDIOLEX 100 MG/ML SOLUTION <b>DL</b>	4	PA
<i>epitol 200 mg TABLET</i> <b>MO</b>	1	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	3	PA
<i>ethosuximide 250 mg CAPSULE</i> <b>MO</b>	1	
<i>ethosuximide 250 mg/5 ml SOLUTION</i> <b>MO</b>	1	
<i>felbamate 400 mg, 600 mg TABLET</i> <b>MO</b>	1	
<i>felbamate 600 mg/5 ml SUSPENSION</i> <b>MO</b>	1	
FELBATOL 400 MG, 600 MG TABLET <b>DL</b>	4	PA
FELBATOL 600 MG/5 ML SUSPENSION <b>DL</b>	4	PA
FINTEPLA 2.2 MG/ML SOLUTION <b>DL,LA</b>	4	PA,QL(360 per 30 days)
<i>fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml SOLUTION</i> <b>MO</b>	1	
FYCOMPA 0.5 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(680 per 28 days)
FYCOMPA 10 MG, 12 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FYCOMPA 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>gabapentin 100 mg, 300 mg, 400 mg CAPSULE</i> <b>MO</b>	1	QL(270 per 30 days)
<i>gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) SOLUTION</i> <b>MO</b>	1	QL(2250 per 30 days)
<i>gabapentin 600 mg, 800 mg TABLET</i> <b>MO</b>	1	QL(180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET <b>DL</b>	4	PA
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET <b>DL</b>	4	PA
KEPPRA 100 MG/ML, 500 MG/5 ML SOLUTION <b>DL</b>	4	PA
KEPPRA 250 MG TABLET <b>MO</b>	3	PA
KEPPRA XR 500 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(180 per 30 days)
KEPPRA XR 750 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(120 per 30 days)
<i>lacosamide 10 mg/ml SOLUTION</i> <b>MO</b>	1	QL(1395 per 30 days)
<i>lacosamide 100 mg, 150 mg, 200 mg, 50 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>lacosamide 200 mg/20 ml SOLUTION</i> <b>MO</b>	1	
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET <b>DL</b>	4	
LAMICTAL 25 MG, 5 MG TABLET, CHEWABLE DISPERSIBLE <b>DL</b>	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG TABLET, DISINTEGRATING <b>DL</b>	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42) -100 MG (14) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL ODT STARTER (ORANGE) 25 MG(14)-50 MG (14)-100 MG (7) TABLET, DISINTEGRATING,DOSE PK <b>DL</b>	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL STARTER (GREEN) KIT 25 MG (84) -100 MG (14) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42) -100 MG (7) TABLET, DOSE PACK <b>MO</b>	3	
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET, ER 24 HR. <b>DL</b>	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21) -50 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100MG (14)-200 MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LAMICTAL XR STARTER (ORANGE) 25MG (14)-50 MG (14)-100MG (7) TABLET, ER, DOSE PACK <b>MO</b>	3	
lamotrigine 100 mg, 200 mg TABLET <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
lamotrigine 100 mg, 200 mg, 25 mg, 50 mg TABLET, DISINTEGRATING <b>MO</b>	1	
lamotrigine 150 mg, 25 mg TABLET <b>MO</b>	1	
lamotrigine 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14) TABLET, DISINTEGRATING,DOSE PK <b>MO</b>	1	
lamotrigine 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
lamotrigine 25 mg, 5 mg TABLET, CHEWABLE DISPERSIBLE <b>MO</b>	1	
levetiracetam 1,000 mg, 250 mg, 750 mg TABLET <b>MO</b>	1	
levetiracetam 100 mg/ml, 500 mg/5 ml SOLUTION <b>MO</b>	1	
levetiracetam 500 mg TABLET <b>MO</b>	1	
levetiracetam 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(180 per 30 days)
levetiracetam 500 mg/5 ml (5 ml) SOLUTION <b>MO</b>	1	QL(900 per 30 days)
levetiracetam 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
levetiracetam in nacl (iso-os) 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml PIGGYBACK <b>MO</b>	1	
methsuximide 300 mg CAPSULE <b>MO</b>	1	
MYSOLINE 250 MG, 50 MG TABLET <b>DL</b>	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	3	QL(10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML SOLUTION <b>MO</b>	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	3	PA,QL(270 per 30 days)
NEURONTIN 250 MG/5 ML SOLUTION <b>DL</b>	4	PA,QL(2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
ONFI 10 MG, 20 MG TABLET <b>DL</b>	4	PA
ONFI 2.5 MG/ML SUSPENSION <b>DL</b>	4	PA
oxcarbazepine 150 mg, 300 mg, 600 mg TABLET <b>MO</b>	1	
oxcarbazepine 300 mg/5 ml (60 mg/ml) SUSPENSION <b>MO</b>	1	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET, ER 24 HR. <b>DL</b>	4	ST
pentobarbital sodium 50 mg/ml SOLUTION <b>MO</b>	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg TABLET <b>MO</b>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
phenobarbital 15 mg, 60 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
phenobarbital 20 mg/5 ml (4 mg/ml) ELIXIR <b>MO</b>	1	QL(1500 per 30 days)
phenobarbital 30 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
phenobarbital sodium 130 mg/ml, 65 mg/ml SOLUTION <b>DL</b>	4	
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml SUSPENSION <b>MO</b>	1	
phenytoin 50 mg CHEWABLE TABLET <b>MO</b>	1	
phenytoin sodium 50 mg/ml SOLUTION <b>MO</b>	1	
phenytoin sodium 50 mg/ml SYRINGE <b>MO</b>	1	
phenytoin sodium extended 100 mg, 200 mg, 300 mg CAPSULE <b>MO</b>	1	
primidone 125 mg, 250 mg TABLET <b>MO</b>	1	
primidone 50 mg TABLET <b>MO</b>	1	
roweepra 1,000 mg, 500 mg, 750 mg TABLET <b>MO</b>	1	
roweepra xr 500 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(180 per 30 days)
roweepra xr 750 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
rufinamide 200 mg TABLET <b>MO</b>	1	PA,QL(480 per 30 days)
rufinamide 40 mg/ml SUSPENSION <b>MO</b>	1	PA,QL(2760 per 30 days)
rufinamide 400 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
SABRIL 500 MG POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
SABRIL 500 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
SECONAL SODIUM 100 MG CAPSULE <b>DL</b>	4	QL(90 per 30 days)
SEZABY 100 MG RECON SOLUTION <b>DL</b>	4	
SPRITAM 1,000 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(90 per 30 days)
SPRITAM 250 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(360 per 30 days)
SPRITAM 500 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(180 per 30 days)
SPRITAM 750 MG TABLET FOR SUSPENSION <b>MO</b>	3	ST,QL(120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg TABLET <b>MO</b>	1	
subvenite starter (blue) kit 25 mg (35) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (green) kit 25 mg (84) -100 mg (14) TABLET, DOSE PACK <b>MO</b>	1	
subvenite starter (orange) kit 25 mg (42) -100 mg (7) TABLET, DOSE PACK <b>MO</b>	1	
SYMPAZAN 10 MG, 20 MG, 5 MG FILM <b>DL</b>	4	PA,QL(60 per 30 days)
TEGRETOL 100 MG/5 ML SUSPENSION <b>MO</b>	3	
TEGRETOL 200 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEGRETOL XR 100 MG, 200 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(120 per 30 days)
TEGRETOL XR 400 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(225 per 30 days)
<i>tiagabine 12 mg, 16 mg, 2 mg, 4 mg</i> TABLET <b>MO</b>	1	
TRILEPTAL 150 MG TABLET <b>MO</b>	3	PA
TRILEPTAL 300 MG, 600 MG TABLET <b>DL</b>	4	PA
TRILEPTAL 300 MG/5 ML (60 MG/ML) SUSPENSION <b>DL</b>	4	PA
<i>valproate sodium 500 mg/5 ml (100 mg/ml)</i> SOLUTION <b>MO</b>	1	
<i>valproic acid 250 mg</i> CAPSULE <b>MO</b>	1	
<i>valproic acid (as sodium salt) 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml)</i> SOLUTION <b>MO</b>	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>DL</b>	4	QL(10 per 30 days)
<i>vigabatrin 500 mg</i> POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigabatrin 500 mg</i> TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigadrone 500 mg</i> POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>vigadrone 500 mg</i> TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
VIMPAT 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIMPAT 200 MG/20 ML SOLUTION <b>DL</b>	4	PA
VIMPAT 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
XCOPRI 100 MG, 50 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
XCOPRI MAINTENANCE PACK 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) TABLET <b>DL</b>	4	QL(56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)- 25 MG (14) TABLET, DOSE PACK <b>MO</b>	3	QL(28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) TABLET, DOSE PACK <b>DL</b>	4	QL(28 per 28 days)
ZARONTIN 250 MG CAPSULE <b>MO</b>	3	
ZARONTIN 250 MG/5 ML SOLUTION <b>MO</b>	1	
ZONEGRAN 100 MG, 25 MG CAPSULE <b>DL</b>	4	PA
ZONISADE 100 MG/5 ML SUSPENSION <b>MO</b>	3	PA,QL(900 per 30 days)
<i>zonisamide 100 mg, 25 mg, 50 mg</i> CAPSULE <b>MO</b>	1	
ZTALMY 50 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(1080 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ANTIDEMENTIA AGENTS</b>		
ADLARITY 10 MG/24 HOUR, 5 MG/24 HOUR PATCH, WEEKLY <b>MO</b>	3	ST,QL(4 per 28 days)
ARICEPT 10 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
donepezil 10 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
donepezil 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
donepezil 23 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
donepezil 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ergoloid 1 mg TABLET <b>MO</b>	1	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HOUR, 9.5 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
galantamine 12 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
galantamine 16 mg, 24 mg, 8 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	QL(30 per 30 days)
galantamine 4 mg/ml SOLUTION <b>MO</b>	1	QL(200 per 30 days)
memantine 10 mg, 5 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
memantine 14 mg, 21 mg, 28 mg, 7 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
memantine 2 mg/ml SOLUTION <b>MO</b>	1	PA,QL(360 per 30 days)
memantine 5-10 mg TABLET, DOSE PACK <b>MO</b>	1	PA,QL(98 per 30 days)
NAMENDA 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
NAMENDA TITRATION PAK 5-10 MG TABLET, DOSE PACK <b>MO</b>	3	PA,QL(98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
NAMENDA XR 7-14-21-28 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
NAMZARIC 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	2	QL(30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	2	QL(28 per 28 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
rivastigmine 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
rivastigmine tartrate 1.5 mg, 3 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
rivastigmine tartrate 4.5 mg, 6 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
<b>ANTIDEPRESSANTS</b>		
amitriptyline 10 mg, 100 mg, 150 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
amitriptyline 25 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amitriptyline-chlordiazepoxide 12.5-5 mg, 25-10 mg TABLET <b>DL</b>	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
AUVELITY 45-105 MG TABLET, IR/ER, BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
BRISDELLE 7.5 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
bupropion hcl 100 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(120 per 30 days)
bupropion hcl 100 mg, 75 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
bupropion hcl 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 150 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(90 per 30 days)
bupropion hcl 200 mg TABLET, SR 12 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 300 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
bupropion hcl 450 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
CELEXA 10 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
CELEXA 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
citalopram 10 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
citalopram 10 mg/5 ml SOLUTION <b>MO</b>	1	
citalopram 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
CITALOPRAM 30 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
CYMBALTA 20 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(120 per 30 days)
CYMBALTA 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(90 per 30 days)
CYMBALTA 60 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
desvenlafaxine 100 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
desvenlafaxine succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE, DR SPRINKLE <b>MO</b>	3	PA,QL(60 per 30 days)
duloxetine 20 mg CAPSULE, DR/EC <b>MO</b>	1	QL(120 per 30 days)
duloxetine 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(90 per 30 days)
duloxetine 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
duloxetine 60 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
EFFEXOR XR 150 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EFFEXOR XR 37.5 MG, 75 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR PATCH, 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
<i>escitalopram oxalate 10 mg TABLET</i> <b>MO</b>	1	QL(45 per 30 days)
<i>escitalopram oxalate 20 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>escitalopram oxalate 5 mg/5 ml SOLUTION</i> <b>MO</b>	1	QL(600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
FETZIMA 20 MG (2)- 40 MG (26) CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(28 per 28 days)
<i>fluoxetine 10 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>fluoxetine 10 mg TABLET</i> <b>MO</b>	1	QL(240 per 30 days)
<i>fluoxetine 20 mg CAPSULE</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg TABLET</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluoxetine 20 mg/5 ml (4 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>fluoxetine 40 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>fluoxetine 60 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>fluoxetine 90 mg CAPSULE, DR/EC</i> <b>MO</b>	1	QL(4 per 28 days)
<i>fluvoxamine 100 mg, 150 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	QL(60 per 30 days)
<i>fluvoxamine 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	QL(90 per 30 days)
FORFIVO XL 450 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
<i>imipramine hcl 10 mg TABLET</i> <b>MO</b>	1	
<i>imipramine hcl 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg CAPSULE</i> <b>MO</b>	1	
LEXAPRO 10 MG TABLET <b>MO</b>	3	PA,QL(45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MARPLAN 10 MG TABLET <b>MO</b>	3	
<i>mirtazapine 15 mg, 30 mg, 45 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	QL(30 per 30 days)
<i>mirtazapine 15 mg, 30 mg, 7.5 mg TABLET</i> <b>MO</b>	1	
<i>mirtazapine 45 mg TABLET</i> <b>MO</b>	1	
NARDIL 15 MG TABLET <b>MO</b>	3	
<i>nefazodone 100 mg, 150 mg, 200 mg, 250 mg, 50 mg TABLET</i> <b>MO</b>	1	
NORPRAMIN 10 MG, 25 MG TABLET <b>MO</b>	3	
<i>nortriptyline 10 mg, 25 mg, 50 mg, 75 mg CAPSULE</i> <b>MO</b>	1	
<i>nortriptyline 10 mg/5 ml SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
PARNATE 10 MG TABLET <b>DL</b>	4	
paroxetine hcl 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 10 mg/5 ml SUSPENSION <b>MO</b>	1	
paroxetine hcl 12.5 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
paroxetine hcl 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
paroxetine hcl 25 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
paroxetine hcl 30 mg, 40 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
paroxetine mesylate(menop.sym) 7.5 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
PAXIL 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
PAXIL 10 MG/5 ML SUSPENSION <b>MO</b>	3	PA
PAXIL 30 MG, 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
PAXIL CR 25 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(90 per 30 days)
perphenazine-amitriptyline 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg TABLET <b>MO</b>	1	
PEXEVA 10 MG, 20 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
PEXEVA 30 MG, 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
phenelzine 15 mg TABLET <b>MO</b>	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
protriptyline 10 mg, 5 mg TABLET <b>MO</b>	1	
PROZAC 10 MG, 40 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
PROZAC 20 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
REMERON 15 MG, 30 MG TABLET <b>MO</b>	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
sertraline 100 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
SERTRALINE 150 MG, 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
sertraline 20 mg/ml CONCENTRATE <b>MO</b>	1	
sertraline 25 mg, 50 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
SYMBYAX 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
tranylcypromine 10 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
trazodone 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
trazodone 300 mg TABLET <b>MO</b>	1	
trimipramine 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
venlafaxine 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
venlafaxine 150 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
venlafaxine 150 mg, 225 mg, 37.5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
venlafaxine 37.5 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
venlafaxine 75 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
VENLAFAXINE BESYLATE 112.5 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
VIIIBRYD 10 MG (7)- 20 MG (23) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(30 per 30 days)
VIIIBRYD 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
vilazodone 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, SR 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
WELLBUTRIN XL 150 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
WELLBUTRIN XL 300 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
ZOLOFT 100 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ZOLOFT 20 MG/ML CONCENTRATE <b>MO</b>	3	PA
ZOLOFT 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ZULRESSO 5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(100 per 365 days)
<b>ANTIEMETICS</b>		
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG /20 ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
AKYNZEO (FOSNETUPITANT) 235-0.25 MG RECON SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
AKYNZEO (NETUPITANT) 300-0.5 MG CAPSULE <b>DL</b>	4	PA
ANTIVERT 25 MG CHEWABLE TABLET <b>MO</b>	3	
ANTIVERT 50 MG TABLET <b>MO</b>	3	
ANZEMET 50 MG TABLET <b>MO</b>	3	BvsD,QL(4 per 28 days)
APONVIE 7.2 MG/ML EMULSION <b>MO</b>	3	
aprepitant 125 mg (1)- 80 mg (2) CAPSULE, DOSE PACK <b>MO</b>	1	BvsD
aprepitant 125 mg, 40 mg CAPSULE <b>MO</b>	1	BvsD,QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>aprepitant 80 mg CAPSULE MO</i>	1	BvsD,QL(4 per 28 days)
BONJESTA 20-20 MG TABLET, IR, DR, BIPHASIC MO	3	QL(60 per 30 days)
COMPAZINE 10 MG, 5 MG TABLET MO	3	BvsD
COMPAZINE 25 MG SUPPOSITORY MO	1	
<i>compro 25 mg SUPPOSITORY MO</i>	1	
DICLEGIS 10-10 MG TABLET, DR/EC MO	3	QL(120 per 30 days)
<i>dimenhydrinate 50 mg/ml SOLUTION MO</i>	1	
<i>doxylamine-pyridoxine (vit b6) 10-10 mg TABLET, DR/EC MO</i>	1	QL(120 per 30 days)
<i>dronabinol 10 mg, 2.5 mg, 5 mg CAPSULE MO</i>	1	BvsD,QL(120 per 30 days)
EMEND 125 MG (1)- 80 MG (2) CAPSULE, DOSE PACK MO	3	BvsD
EMEND 125 MG (25 MG/ ML FINAL CONC.) SUSPENSION FOR RECONSTITUTION MO	3	BvsD,QL(3 per 28 days)
EMEND 80 MG CAPSULE MO	3	BvsD,QL(4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG RECON SOLUTION MO	3	PA
<i>fosaprepitant 150 mg RECON SOLUTION MO</i>	1	PA
GIMOTI 15 MG/SPRAY SPRAY WITH PUMP DL	4	PA,QL(9.8 per 28 days)
<i>granisetron (pf) 1 mg/ml (1 ml), 100 mcg/ml SOLUTION MO</i>	1	
<i>granisetron hcl 1 mg TABLET MO</i>	1	BvsD,QL(28 per 28 days)
<i>granisetron hcl 1 mg/ml, 1 mg/ml (1 ml) SOLUTION MO</i>	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE DL	4	BvsD,QL(120 per 30 days)
<i>meclizine 12.5 mg TABLET MO</i>	1	
<i>meclizine 25 mg TABLET MO</i>	1	
<i>meclizine 50 mg TABLET MO</i>	3	
<i>metoclopramide hcl 10 mg TABLET, DISINTEGRATING MO</i>	1	QL(180 per 30 days)
<i>metoclopramide hcl 10 mg, 5 mg TABLET MO</i>	1	
<i>metoclopramide hcl 5 mg TABLET, DISINTEGRATING MO</i>	1	QL(360 per 30 days)
<i>metoclopramide hcl 5 mg/5 ml, 5 mg/ml SOLUTION MO</i>	1	
<i>metoclopramide hcl 5 mg/ml SYRINGE MO</i>	1	
<i>ondansetron 4 mg TABLET, DISINTEGRATING MO</i>	1	BvsD
<i>ondansetron 8 mg TABLET, DISINTEGRATING MO</i>	1	BvsD
<i>ondansetron hcl 2 mg/ml SOLUTION MO</i>	1	
<i>ondansetron hcl 4 mg TABLET MO</i>	1	BvsD
<i>ondansetron hcl 4 mg/5 ml SOLUTION MO</i>	1	BvsD,QL(450 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ondansetron hcl 8 mg TABLET <b>MO</b>	1	BvsD
ondansetron hcl (pf) 4 mg/2 ml SOLUTION <b>MO</b>	1	
ondansetron hcl (pf) 4 mg/2 ml SYRINGE <b>MO</b>	1	
PHENERGAN 25 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	1	
prochlorperazine 25 mg SUPPOSITORY <b>MO</b>	1	
prochlorperazine edisylate 10 mg/2 ml (5 mg/ml), 5 mg/ml SOLUTION <b>MO</b>	1	
prochlorperazine maleate 10 mg, 5 mg TABLET <b>MO</b>	1	BvsD
promethazine 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	1	
promethazine 12.5 mg, 50 mg TABLET <b>MO</b>	1	
promethazine 25 mg TABLET <b>MO</b>	1	
promethazine 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
promethazine 6.25 mg/5 ml SYRUP <b>MO</b>	1	
promethegan 12.5 mg, 25 mg, 50 mg SUPPOSITORY <b>MO</b>	1	
REGLAN 10 MG, 5 MG TABLET <b>MO</b>	3	
SANCUSO 3.1 MG/24 HOUR PATCH, WEEKLY <b>DL</b>	4	QL(4 per 30 days)
scopolamine base 1 mg over 3 days PATCH, 3 DAY <b>MO</b>	1	QL(10 per 30 days)
SYNDROS 5 MG/ML SOLUTION <b>DL</b>	4	PA
TIGAN 100 MG/ML SOLUTION <b>MO</b>	3	
TRANSDERM-SCOP 1 MG OVER 3 DAYS PATCH, 3 DAY <b>MO</b>	3	QL(10 per 30 days)
trimethobenzamide 300 mg CAPSULE <b>MO</b>	1	BvsD
VARUBI 90 MG TABLET <b>DL</b>	4	PA
ZOFRAN 4 MG TABLET <b>DL</b>	4	BvsD
<b>ANTIFUNGALS</b>		
ABELCET 5 MG/ML SUSPENSION <b>MO</b>	3	BvsD
AMBISOME 50 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
amphotericin b 50 mg RECON SOLUTION <b>MO</b>	1	BvsD
amphotericin b liposome 50 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
ANCOBON 250 MG, 500 MG CAPSULE <b>MO</b>	3	
CANCIDAS 50 MG, 70 MG RECON SOLUTION <b>DL</b>	4	PA
caspofungin 50 mg RECON SOLUTION <b>DL</b>	4	
caspofungin 70 mg RECON SOLUTION <b>MO</b>	1	
ciclodan 8 % SOLUTION <b>MO</b>	1	QL(13.2 per 30 days)
ciclopirox 0.77 % CREAM <b>MO</b>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ciclopirox 0.77 % GEL</i> <b>MO</b>	1	QL(100 per 30 days)
<i>ciclopirox 0.77 % SUSPENSION</i> <b>MO</b>	1	QL(60 per 30 days)
<i>ciclopirox 1 % SHAMPOO</i> <b>MO</b>	1	QL(120 per 30 days)
<i>ciclopirox 8 % SOLUTION</i> <b>MO</b>	1	QL(13.2 per 30 days)
<i>clotrimazole 1 % CREAM</i> <b>MO</b>	1	
<i>clotrimazole 1 % SOLUTION</i> <b>MO</b>	1	
<i>clotrimazole 10 mg TROCHE</i> <b>MO</b>	1	
<i>clotrimazole-betamethasone 1-0.05 % CREAM</i> <b>MO</b>	1	QL(180 per 30 days)
<i>clotrimazole-betamethasone 1-0.05 % LOTION</i> <b>MO</b>	1	QL(90 per 28 days)
CRESEMBA 186 MG, 74.5 MG CAPSULE <b>DL</b>	4	PA
CRESEMBA 372 MG RECON SOLUTION <b>DL</b>	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>MO</b>	3	PA
<i>econazole 1 % CREAM</i> <b>MO</b>	1	PA,QL(85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG, 50 MG RECON SOLUTION <b>DL</b>	4	
ERTACZO 2 % CREAM <b>DL</b>	4	QL(60 per 30 days)
EXELDERM 1 % CREAM <b>MO</b>	3	
EXELDERM 1 % SOLUTION <b>MO</b>	3	QL(60 per 30 days)
EXTINA 2 % FOAM <b>MO</b>	3	QL(100 per 30 days)
<i>fluconazole 10 mg/ml, 40 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	
<i>fluconazole 100 mg, 200 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>fluconazole 150 mg TABLET</i> <b>MO</b>	1	
<i>fluconazole in nacl (iso-osm) 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml PIGGYBACK</i> <b>MO</b>	1	
<i>flucytosine 250 mg, 500 mg CAPSULE</i> <b>DL</b>	4	
<i>griseofulvin microsize 125 mg/5 ml SUSPENSION</i> <b>MO</b>	1	
<i>griseofulvin microsize 500 mg TABLET</i> <b>MO</b>	1	
<i>griseofulvin ultramicrosize 125 mg, 250 mg TABLET</i> <b>MO</b>	1	
<i>gynazole-1 2 % CREAM</i> <b>MO</b>	1	
<i>itraconazole 10 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>itraconazole 100 mg CAPSULE</i> <b>MO</b>	1	QL(120 per 30 days)
JUBLIA 10 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA,QL(4 per 28 days)
KERYDIN 5 % SOLUTION W/APPLICATOR <b>MO</b>	3	PA,QL(10 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ketoconazole 2 % CREAM</i> <b>MO</b>	1	QL(60 per 30 days)
<i>ketoconazole 2 % FOAM</i> <b>MO</b>	1	QL(100 per 30 days)
<i>ketoconazole 2 % SHAMPOO</i> <b>MO</b>	1	QL(120 per 30 days)
<i>ketoconazole 200 mg TABLET</i> <b>MO</b>	1	PA
<i>ketodan 2 % FOAM</i> <b>MO</b>	1	QL(100 per 30 days)
<i>LOPROX 1 % SHAMPOO</i> <b>MO</b>	3	PA,QL(120 per 30 days)
<i>LOPROX (AS OLAMINE) 0.77 % CREAM</i> <b>MO</b>	3	PA,QL(90 per 30 days)
<i>LOPROX (AS OLAMINE) 0.77 % SUSPENSION</i> <b>MO</b>	3	PA,QL(60 per 30 days)
<i>luliconazole 1 % CREAM</i> <b>MO</b>	1	ST,QL(60 per 28 days)
<i>LUZU 1 % CREAM</i> <b>MO</b>	3	ST,QL(60 per 28 days)
<i>MENTAX 1 % CREAM</i> <b>MO</b>	3	QL(30 per 30 days)
<i>micafungin 100 mg, 50 mg RECON SOLUTION</i> <b>DL</b>	4	
<i>miconazole nitrate-zinc ox-pet 0.25-15-81.35 % OINTMENT</i> <b>MO</b>	1	
<i>miconazole-3 200 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>MYCAMINE 100 MG, 50 MG RECON SOLUTION</i> <b>DL</b>	4	
<i>naftifine 1 % CREAM</i> <b>MO</b>	1	ST,QL(90 per 30 days)
<i>naftifine 1 % GEL</i> <b>MO</b>	1	ST,QL(90 per 30 days)
<i>naftifine 2 % CREAM</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>naftifine 2 % GEL</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>NAFTIN 1 % GEL</i> <b>MO</b>	3	ST,QL(90 per 30 days)
<i>NAFTIN 2 % GEL</i> <b>MO</b>	3	ST,QL(120 per 30 days)
<i>NOXAFIL 100 MG TABLET, DR/EC</i> <b>DL</b>	4	PA
<i>NOXAFIL 200 MG/5 ML (40 MG/ML) SUSPENSION</i> <b>DL</b>	4	PA,QL(840 per 28 days)
<i>NOXAFIL 300 MG SUSPENSION, DR FOR RECON</i> <b>DL</b>	4	PA,QL(32 per 30 days)
<i>NOXAFIL 300 MG/16.7 ML SOLUTION</i> <b>DL</b>	4	PA
<i>nyamyc 100,000 unit/gram POWDER</i> <b>MO</b>	1	PA
<i>nystatin 100,000 unit/gram CREAM</i> <b>MO</b>	1	
<i>nystatin 100,000 unit/gram OINTMENT</i> <b>MO</b>	1	
<i>nystatin 100,000 unit/gram POWDER</i> <b>MO</b>	1	PA
<i>nystatin 100,000 unit/ml SUSPENSION</i> <b>MO</b>	1	
<i>nystatin 500,000 unit TABLET</i> <b>MO</b>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/g-% CREAM</i> <b>MO</b>	1	
<i>nystatin-triamcinolone 100,000-0.1 unit/gram-% OINTMENT</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nystop 100,000 unit/gram POWDER</i> <b>MO</b>	1	PA
<i>oxiconazole 1 % CREAM</i> <b>MO</b>	1	PA,QL(60 per 30 days)
<i>OXISTAT 1 % CREAM</i> <b>MO</b>	3	QL(60 per 30 days)
<i>OXISTAT 1 % LOTION</i> <b>MO</b>	3	PA
<i>posaconazole 100 mg TABLET, DR/EC</i> <b>DL</b>	4	PA
<i>posaconazole 200 mg/5 ml (40 mg/ml) SUSPENSION</i> <b>DL</b>	4	PA,QL(840 per 28 days)
<i>posaconazole 300 mg/16.7 ml SOLUTION</i> <b>DL</b>	4	PA
<i>REZZAYO 200 MG RECON SOLUTION</i> <b>DL</b>	4	PA
<i>SPORANOX 10 MG/ML SOLUTION</i> <b>DL</b>	4	
<i>SPORANOX 100 MG CAPSULE</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>SPORANOX PULSEPAK 100 MG CAPSULE</i> <b>MO</b>	3	PA,QL(120 per 30 days)
<i>tavaborole 5 % SOLUTION W/APPLICATOR</i> <b>MO</b>	1	PA,QL(10 per 30 days)
<i>terbinafine hcl 250 mg TABLET</i> <b>MO</b>	1	
<i>terconazole 0.4 %, 0.8 % CREAM</i> <b>MO</b>	1	
<i>terconazole 80 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>TOLSURA 65 MG CAPSULE, SOLID DISPERSION</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>VFEND 200 MG, 50 MG TABLET</i> <b>MO</b>	3	PA,QL(120 per 30 days)
<i>VFEND 200 MG/5 ML (40 MG/ML) SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	PA,QL(400 per 30 days)
<i>VFEND IV 200 MG RECON SOLUTION</i> <b>MO</b>	3	PA
<i>VIVJOA 150 MG CAPSULE</i> <b>MO</b>	3	PA
<i>voriconazole 200 mg RECON SOLUTION</i> <b>MO</b>	1	PA
<i>voriconazole 200 mg, 50 mg TABLET</i> <b>MO</b>	1	PA,QL(120 per 30 days)
<i>voriconazole 200 mg/5 ml (40 mg/ml) SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	PA,QL(400 per 30 days)
<i>VUSION 0.25-15-81.35 % OINTMENT</i> <b>MO</b>	3	
<i>XOLEGEL 2 % GEL</i> <b>MO</b>	3	
<b>ANTIGOUT AGENTS</b>		
<i>allopurinol 100 mg, 300 mg TABLET</i> <b>MO</b>	1	
<i>allopurinol 200 mg TABLET</i> <b>MO</b>	3	
<i>allopurinol sodium 500 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>ALOPRIM 500 MG RECON SOLUTION</i> <b>MO</b>	3	
<i>colchicine (gout) 0.6 mg TABLET</i> <b>MO</b>	2	QL(120 per 30 days)
<i>DUZALLO 200-200 MG, 200-300 MG TABLET</i> <b>MO</b>	3	PA,QL(30 per 30 days)
<i>febuxostat 40 mg, 80 mg TABLET</i> <b>MO</b>	1	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLOPERBA 0.6 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(300 per 30 days)
MITIGARE 0.6 MG CAPSULE <b>MO</b>	2	
<i>probenecid</i> 500 mg TABLET <b>MO</b>	1	
<i>probenecid-colchicine</i> 500-0.5 mg TABLET <b>MO</b>	1	
ULORIC 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLOPRIM 100 MG TABLET <b>MO</b>	3	
<b>ANTIMIGRAINE AGENTS</b>		
AIMOVIG AUTOINJECTOR 140 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 30 days)
AIMOVIG AUTOINJECTOR 70 MG/ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 30 days)
AJOVY AUTOINJECTOR 225 MG/1.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.5 per 30 days)
AJOVY SYRINGE 225 MG/1.5 ML SYRINGE <b>MO</b>	3	PA,QL(1.5 per 30 days)
<i>almotriptan malate</i> 12.5 mg, 6.25 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
AMERGE 1 MG, 2.5 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
CAFERGOT 1-100 MG TABLET <b>MO</b>	1	PA,QL(40 per 30 days)
D.H.E.45 1 MG/ML SOLUTION <b>DL</b>	4	
<i>dihydroergotamine</i> 0.5 mg/pump act. (4 mg/ml) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
<i>dihydroergotamine</i> 1 mg/ml SOLUTION <b>DL</b>	4	PA
<i>eletriptan</i> 20 mg, 40 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
EMGALITY PEN 120 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 120 MG/ML SYRINGE <b>MO</b>	3	PA,QL(2 per 30 days)
EMGALITY SYRINGE 300 MG/3 ML (100 MG/ML X 3) SYRINGE <b>MO</b>	3	PA,QL(3 per 30 days)
EPRONTIA 25 MG/ML SOLUTION <b>MO</b>	3	PA,QL(480 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET <b>DL</b>	4	QL(20 per 28 days)
<i>ergotamine-caffeine</i> 1-100 mg TABLET <b>MO</b>	1	QL(40 per 30 days)
FROVA 2.5 MG TABLET <b>DL</b>	4	ST,QL(12 per 30 days)
<i>frovatriptan</i> 2.5 mg TABLET <b>MO</b>	1	ST,QL(12 per 30 days)
IMITREX 100 MG TABLET <b>DL</b>	4	PA,QL(9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(12 per 30 days)
IMITREX 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
IMITREX 6 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML PEN INJECTOR <b>MO</b>	3	PA,QL(6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML CARTRIDGE <b>DL</b>	4	PA,QL(6 per 30 days)
MAXALT 10 MG TABLET <b>MO</b>	3	PA,QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAXALT-MLT 10 MG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(12 per 30 days)
migergot 2-100 mg SUPPOSITORY <b>DL</b>	4	QL(20 per 28 days)
MIGRANAL 0.5 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	4	QL(8 per 30 days)
naratriptan 1 mg, 2.5 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
ONZETRA XSAIL 11 MG AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(16 per 30 days)
QUDEXY XR 100 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
QUDEXY XR 25 MG CAPSULE ER SPRINKLE 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
QULIPTA 10 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RELPAX 20 MG, 40 MG TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
REYVOW 100 MG TABLET <b>MO</b>	3	PA,QL(8 per 30 days)
REYVOW 50 MG TABLET <b>MO</b>	3	PA,QL(4 per 30 days)
rizatriptan 10 mg TABLET <b>MO</b>	1	QL(12 per 30 days)
rizatriptan 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(12 per 30 days)
rizatriptan 5 mg TABLET <b>MO</b>	1	QL(12 per 30 days)
sumatriptan 20 mg/actuation, 5 mg/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(12 per 30 days)
sumatriptan succinate 100 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 25 mg, 50 mg TABLET <b>MO</b>	1	QL(9 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml CARTRIDGE <b>MO</b>	3	QL(6 per 30 days)
sumatriptan succinate 4 mg/0.5 ml, 6 mg/0.5 ml PEN INJECTOR <b>MO</b>	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SOLUTION <b>MO</b>	1	QL(6 per 30 days)
sumatriptan succinate 6 mg/0.5 ml SYRINGE <b>MO</b>	1	QL(6 per 30 days)
sumatriptan-naproxen 85-500 mg TABLET <b>MO</b>	1	ST,QL(18 per 30 days)
TOPAMAX 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
TOPAMAX 15 MG, 25 MG CAPSULE, SPRINKLE <b>DL</b>	4	
TOPAMAX 25 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
topiramate 100 mg, 200 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
topiramate 100 mg, 50 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
topiramate 100 mg, 50 mg CAPSULE, ER 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
topiramate 15 mg, 25 mg CAPSULE, SPRINKLE <b>MO</b>	1	
topiramate 150 mg, 200 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
topiramate 200 mg CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
topiramate 25 mg CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
topiramate 25 mg CAPSULE, ER 24 HR. <b>MO</b>	1	PA,QL(90 per 30 days)
topiramate 25 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
topiramate 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
TOSYMRA 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
TREXIMET 85-500 MG TABLET <b>DL</b>	4	ST,QL(18 per 30 days)
TROKENDI XR 100 MG, 50 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
TROKENDI XR 200 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
TROKENDI XR 25 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
TRUDHESA 0.725 MG/PUMP ACT. (4 MG/ML) SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
VYEPTI 100 MG/ML SOLUTION <b>MO</b>	3	PA,QL(3 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	ST,QL(6 per 30 days)
zolmitriptan 2.5 mg TABLET <b>MO</b>	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(9 per 30 days)
zolmitriptan 2.5 mg, 5 mg SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(12 per 30 days)
zolmitriptan 5 mg TABLET <b>MO</b>	1	ST,QL(6 per 30 days)
zolmitriptan 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(6 per 30 days)
zomig 2.5 mg TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG TABLET <b>DL</b>	4	ST,QL(9 per 30 days)
ZOMIG 2.5 MG, 5 MG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12 per 30 days)
zomig 5 mg TABLET <b>DL</b>	4	ST,QL(6 per 30 days)
ZOMIG 5 MG TABLET <b>DL</b>	4	ST,QL(6 per 30 days)
<b>ANTIMYASTHENIC AGENTS</b>		
MESTINON 60 MG TABLET <b>DL</b>	4	PA
MESTINON 60 MG/5 ML SYRUP <b>DL</b>	4	
MESTINON TIMESPAN 180 MG TABLET ER <b>DL</b>	4	PA
pyridostigmine bromide 180 mg TABLET ER <b>MO</b>	1	
pyridostigmine bromide 30 mg, 60 mg TABLET <b>MO</b>	1	
pyridostigmine bromide 60 mg/5 ml SYRUP <b>MO</b>	1	
REGONOL 5 MG/ML SOLUTION <b>MO</b>	3	
<b>ANTIMYCOBACTERIALS</b>		
cycloserine 250 mg CAPSULE <b>DL</b>	4	
dapsone 100 mg, 25 mg TABLET <b>MO</b>	1	
ethambutol 100 mg, 400 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>isoniazid 100 mg, 300 mg TABLET</i> <b>MO</b>	1	
<i>isoniazid 100 mg/ml, 50 mg/5 ml SOLUTION</i> <b>MO</b>	1	
MYAMBUTOL 400 MG TABLET <b>MO</b>	3	
MYCOBUTIN 150 MG CAPSULE <b>MO</b>	3	
PASER 4 GRAM DR GRANULES IN PACKET <b>MO</b>	1	
PRETOMANID 200 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
PRIFTIN 150 MG TABLET <b>MO</b>	3	
<i>pyrazinamide 500 mg TABLET</i> <b>MO</b>	1	
<i>rifabutin 150 mg CAPSULE</i> <b>MO</b>	1	
RIFADIN 600 MG RECON SOLUTION <b>MO</b>	3	
<i>rifampin 150 mg, 300 mg CAPSULE</i> <b>MO</b>	1	
<i>rifampin 600 mg RECON SOLUTION</i> <b>MO</b>	1	
SIRTURO 100 MG, 20 MG TABLET <b>DL</b>	4	PA
TRECTOR 250 MG TABLET <b>MO</b>	3	
<b>ANTINEOPLASTICS</b>		
<i>abiraterone 250 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
<i>abiraterone 500 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
ABRAXANE 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
ADCETRIS 50 MG RECON SOLUTION <b>DL</b>	4	PA
<i>adriamycin 10 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>adriamycin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION</i> <b>MO</b>	1	BvsD
ADRIAMYCIN 50 MG RECON SOLUTION <b>MO</b>	1	BvsD
<i>adrucil 2.5 gram/50 ml SOLUTION</i> <b>MO</b>	1	BvsD
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA
AKEEGA 100-500 MG, 50-500 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ALECENSA 150 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
ALIMTA 100 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
ALIQOPA 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
ALKERAN 2 MG TABLET <b>MO</b>	3	BvsD
ALKERAN (AS HCL) 50 MG RECON SOLUTION <b>MO</b>	3	
ALUNBRIG 180 MG, 90 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALUNBRIG 90 MG (7)- 180 MG (23) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(30 per 30 days)
ALYMSYS 25 MG/ML SOLUTION <b>DL</b>	4	PA
<i>anastrozole 1 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
ARIMIDEX 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AROMASIN 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ARRANON 250 MG/50 ML SOLUTION <b>DL</b>	4	
<i>arsenic trioxide 1 mg/ml, 2 mg/ml SOLUTION</i> <b>DL</b>	4	PA
ASPARLAS 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
AVASTIN 25 MG/ML SOLUTION <b>DL</b>	4	PA
AYVAKIT 100 MG, 200 MG, 25 MG, 300 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>azacitidine 100 mg RECON SOLUTION</i> <b>DL</b>	4	PA
BALVERSA 3 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
BALVERSA 4 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BALVERSA 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BAVENCIO 20 MG/ML SOLUTION <b>DL</b>	4	PA
BELEODAQ 500 MG RECON SOLUTION <b>DL</b>	4	PA
BELRAPZO 25 MG/ML SOLUTION <b>DL</b>	4	PA
<i>bendamustine 100 mg, 25 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>bendamustine 25 mg/ml SOLUTION</i> <b>DL</b>	4	PA
BENDEKA 25 MG/ML SOLUTION <b>DL</b>	4	PA
BESPONSA 0.9 MG (0.25 MG/ML INITIAL) RECON SOLUTION <b>DL</b>	4	PA
<i>bexarotene 1 % GEL</i> <b>DL</b>	4	PA,QL(240 per 30 days)
<i>bexarotene 75 mg CAPSULE</i> <b>DL</b>	4	PA,QL(300 per 30 days)
<i>bicalutamide 50 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
BICNU 100 MG RECON SOLUTION <b>MO</b>	3	
<i>bleomycin 15 unit, 30 unit RECON SOLUTION</i> <b>MO</b>	1	BvsD
BORTEZOMIB 1 MG, 2.5 MG RECON SOLUTION <b>DL</b>	4	PA
<i>bortezomib 3.5 mg RECON SOLUTION</i> <b>DL</b>	4	PA
BOSULIF 100 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
<i>busulfan 60 mg/10 ml SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BUSULFEX 60 MG/10 ML SOLUTION <b>MO</b>	3	
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CALQUENCE 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) 100 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML SOLUTION <b>DL</b>	4	
CAPRELSA 100 MG TABLET <b>DL,LA</b>	4	PA,QL(60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
<i>carboplatin 10 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>carmustine 100 mg RECON SOLUTION</i> <b>MO</b>	1	
CASODEX 50 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>cisplatin 1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>cladribine 10 mg/10 ml SOLUTION</i> <b>DL</b>	4	BvsD
<i>clofarabine 1 mg/ml SOLUTION</i> <b>DL</b>	4	
CLOLAR 1 MG/ML SOLUTION <b>DL</b>	4	
COLUMVI 1 MG/ML SOLUTION <b>DL</b>	4	PA
COMETRIQ 100 MG/DAY(80 MG X1-20 MG X1) CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)
COMETRIQ 140 MG/DAY(80 MG X1-20 MG X3) CAPSULE <b>DL</b>	4	PA,QL(112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>	4	PA,QL(56 per 28 days)
COSMEGEN 0.5 MG RECON SOLUTION <b>DL</b>	4	
COTELLIC 20 MG TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
<i>cyclophosphamide 1 gram, 2 gram, 500 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
CYCLOPHOSPHAMIDE 200 MG/ML SOLUTION <b>MO</b>	1	BvsD
<i>cyclophosphamide 200 mg/ml, 500 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg CAPSULE</i> <b>MO</b>	1	BvsD
<i>cyclophosphamide 25 mg, 50 mg TABLET</i> <b>MO</b>	1	BvsD
CYRAMZA 10 MG/ML SOLUTION <b>DL</b>	4	PA
<i>cytarabine 20 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>cytarabine (pf) 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>dacarbazine 100 mg, 200 mg RECON SOLUTION</i> <b>MO</b>	1	
DACOGEN 50 MG RECON SOLUTION <b>DL</b>	4	PA
<i>dactinomycin 0.5 mg RECON SOLUTION</i> <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DANYELZA 4 MG/ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
DARZALEX 20 MG/ML SOLUTION <b>DL</b>	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SOLUTION <b>DL</b>	4	PA
<i>daunorubicin 5 mg/ml SOLUTION</i> <b>MO</b>	1	
DAURISMO 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
DAURISMO 25 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>decitabine 50 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>dexrazoxane hcl 250 mg, 500 mg RECON SOLUTION</i> <b>MO</b>	1	
DOCEFREZ 20 MG RECON SOLUTION <b>MO</b>	3	
DOCEFREZ 80 MG RECON SOLUTION <b>DL</b>	4	
<i>docetaxel 160 mg/16 ml (10 mg/ml), 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml) SOLUTION</i> <b>MO</b>	1	
DOXIL 2 MG/ML SUSPENSION <b>DL</b>	4	PA
<i>doxorubicin 10 mg, 50 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>doxorubicin 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>doxorubicin, peg-liposomal 2 mg/ml SUSPENSION</i> <b>DL</b>	4	PA
ELITEK 1.5 MG, 7.5 MG RECON SOLUTION <b>DL</b>	4	PA
ELLENC 200 MG/100 ML, 50 MG/25 ML SOLUTION <b>DL</b>	4	
ELREXFIO 40 MG/ML SOLUTION <b>DL</b>	4	PA
ELZONRIS 1,000 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
EMCYT 140 MG CAPSULE <b>MO</b>	3	
EMPLICITI 300 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
ENHERTU 100 MG RECON SOLUTION <b>DL</b>	4	PA
<i>epirubicin 200 mg/100 ml, 50 mg/25 ml SOLUTION</i> <b>MO</b>	1	
<i>epirubicin 50 mg RECON SOLUTION</i> <b>MO</b>	3	
EPKINLY 4 MG/0.8 ML, 48 MG/0.8 ML SOLUTION <b>DL</b>	4	PA
ERBITUX 100 MG/50 ML, 200 MG/100 ML SOLUTION <b>DL</b>	4	PA
ERIVEDGE 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
ERLEADA 240 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ERLEADA 60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
<i>erlotinib 100 mg, 150 mg TABLET</i> <b>MO</b>	1	PA,QL(30 per 30 days)
<i>erlotinib 25 mg TABLET</i> <b>MO</b>	1	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ETHYOL 500 MG RECON SOLUTION <b>DL</b>	4	
ETOPOPHOS 100 MG RECON SOLUTION <b>MO</b>	3	
<i>etoposide 20 mg/ml SOLUTION</i> <b>MO</b>	1	
EULEXIN 125 MG CAPSULE <b>DL</b>	4	PA
<i>everolimus (antineoplastic) 10 mg, 2.5 mg, 5 mg, 7.5 mg TABLET</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>everolimus (antineoplastic) 2 mg, 3 mg, 5 mg TABLET FOR SUSPENSION</i> <b>DL</b>	4	PA
EVOMELA 50 MG RECON SOLUTION <b>DL</b>	4	
<i>exemestane 25 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
EXKIVITY 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
FARESTON 60 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
FASLODEX 250 MG/5 ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
FEMARA 2.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>floxuridine 0.5 gram RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>fludarabine 50 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>fludarabine 50 mg/2 ml SOLUTION</i> <b>DL</b>	4	
<i>fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>flutamide 125 mg CAPSULE</i> <b>MO</b>	1	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
FOTIVDA 0.89 MG, 1.34 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
<i>fulvestrant 250 mg/5 ml SYRINGE</i> <b>MO</b>	1	PA,QL(30 per 30 days)
FUSILEV 50 MG RECON SOLUTION <b>DL</b>	4	PA
FYARRO 100 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
GAVRETO 100 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
GAZYVA 1,000 MG/40 ML SOLUTION <b>DL</b>	4	PA,QL(120 per 28 days)
<i>gefitinib 250 mg TABLET</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>gemcitabine 1 gram, 2 gram, 200 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>gemcitabine 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml) SOLUTION</i> <b>MO</b>	1	
GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
GLEEVEC 100 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
GLEEVEC 400 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
GLEOSTINE 10 MG, 40 MG CAPSULE	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLEOSTINE 100 MG CAPSULE <b>DL</b>	4	PA
HALAVEN 1 MG/2 ML (0.5 MG/ML) SOLUTION <b>DL</b>	4	
HERCEPTIN 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
HERZUMA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
HYCANTIN 4 MG RECON SOLUTION <b>DL</b>	4	
HYDREA 500 MG CAPSULE <b>MO</b>	3	
<i>hydroxyurea 500 mg CAPSULE</i> <b>MO</b>	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
ICLUSIG 10 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ICLUSIG 15 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
IDAMYCIN PFS 1 MG/ML SOLUTION <b>DL</b>	4	
<i>idarubicin 1 mg/ml SOLUTION</i> <b>DL</b>	4	
IDHIFA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
IFEX 1 GRAM, 3 GRAM RECON SOLUTION <b>MO</b>	3	
<i>ifosfamide 1 gram, 3 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>ifosfamide 1 gram/20 ml, 3 gram/60 ml SOLUTION</i> <b>MO</b>	1	
<i>imatinib 100 mg TABLET</i> <b>DL</b>	4	PA,QL(90 per 30 days)
<i>imatinib 400 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
IMBRUVICA 70 MG/ML SUSPENSION <b>DL</b>	4	PA
IMFINZI 50 MG/ML SOLUTION <b>DL</b>	4	PA
IMJUDO 20 MG/ML SOLUTION <b>DL</b>	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION <b>DL</b>	4	PA,QL(8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) PIGGYBACK <b>DL</b>	4	
INLYTA 1 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INLYTA 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
INQOVI 35-100 MG TABLET <b>DL</b>	4	PA,QL(5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
IRESSA 250 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>irinotecan</i> 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml SOLUTION <b>MO</b>	1	
ISTODAX 10 MG/2 ML RECON SOLUTION <b>DL</b>	4	PA
IXEMPRA 15 MG, 45 MG RECON SOLUTION <b>DL</b>	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
JAYPIRCA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
JEMPERLI 50 MG/ML SOLUTION	4	PA,QL(20 per 42 days)
JEVTANA 10 MG/ML (FIRST DILUTION) SOLUTION <b>DL</b>	4	PA
KADCYLA 100 MG, 160 MG RECON SOLUTION <b>DL</b>	4	PA
KANJINTI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
KEYTRUDA 25 MG/ML SOLUTION <b>DL</b>	4	PA
KHAPZORY 175 MG, 300 MG RECON SOLUTION <b>DL</b>	4	PA
KIMMTRAK 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>	4	PA,QL(42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>	4	PA,QL(63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>	4	PA,QL(49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>	4	PA,QL(70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>	4	PA,QL(91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
KRAZATI 200 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
KYPROLIS 10 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
KYPROLIS 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
KYPROLIS 60 MG RECON SOLUTION <b>DL</b>	4	PA,QL(12 per 28 days)
<i>lapatinib</i> 250 mg TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
<i>lenalidomide</i> 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
letrozole 2.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg TABLET <b>MO</b>	1	
leucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	1	
leucovorin calcium 100 mg, 200 mg, 350 mg, 50 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
LEUKERAN 2 MG TABLET <b>DL</b>	4	
levoleucovorin calcium 10 mg/ml SOLUTION <b>MO</b>	1	PA
levoleucovorin calcium 50 mg RECON SOLUTION <b>MO</b>	1	PA
LEVULAN 20 % SOLUTION <b>MO</b>	3	
LIBTAYO 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(7 per 21 days)
LONSURF 15-6.14 MG TABLET <b>DL</b>	4	PA,QL(100 per 30 days)
LONSURF 20-8.19 MG TABLET <b>DL</b>	4	PA,QL(80 per 30 days)
LORBRENA 100 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LORBRENA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
LUMAKRAS 120 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
LUMAKRAS 320 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
LUNSUMIO 1 MG/ML SOLUTION <b>DL</b>	4	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
LYTGOBI 4 MG TABLET <b>DL</b>	4	PA,QL(140 per 28 days)
MARGENZA 25 MG/ML SOLUTION <b>DL</b>	4	PA
MATULANE 50 MG CAPSULE <b>DL</b>	4	
MEKINIST 0.05 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(1170 per 28 days)
MEKINIST 0.5 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MEKINIST 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
melphalan 2 mg TABLET <b>MO</b>	1	BvsD
melphalan hcl 50 mg RECON SOLUTION <b>MO</b>	1	
mercaptopurine 50 mg TABLET <b>MO</b>	1	
mesna 100 mg/ml SOLUTION <b>MO</b>	1	
MESNEX 100 MG/ML SOLUTION <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MESNEX 400 MG TABLET <b>MO</b>	3	
mitomycin 20 mg, 40 mg, 5 mg RECON SOLUTION <b>DL</b>	4	
mitoxantrone 2 mg/ml CONCENTRATE <b>MO</b>	1	
MUTAMYCIN 20 MG, 40 MG, 5 MG RECON SOLUTION <b>DL</b>	4	
MVASI 25 MG/ML SOLUTION <b>DL</b>	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONC) RECON SOLUTION <b>DL</b>	4	PA
nelarabine 250 mg/50 ml SOLUTION <b>DL</b>	4	
NERLYNX 40 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
NEXAVAR 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
NILANDRON 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
nilutamide 150 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(3 per 28 days)
NIPENT 10 MG RECON SOLUTION <b>DL</b>	4	
NUBEQA 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ODOMZO 200 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
OGIVRI 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
ONCASPAR 750 UNIT/ML SOLUTION <b>DL</b>	4	PA
ONIVYDE 4.3 MG/ML DISPERSION <b>DL</b>	4	PA
ONTRUZANT 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
ONUREG 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(14 per 28 days)
OPDIVO 100 MG/10 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
OPDIVO 120 MG/12 ML, 240 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(48 per 28 days)
OPDIVO 40 MG/4 ML SOLUTION <b>DL</b>	4	PA,QL(16 per 28 days)
OPDUALAG 240-80 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(40 per 28 days)
ORSERDU 345 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ORSERDU 86 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
oxaliplatin 100 mg, 50 mg RECON SOLUTION <b>MO</b>	1	
oxaliplatin 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml) SOLUTION <b>MO</b>	1	
paclitaxel 6 mg/ml CONCENTRATE <b>MO</b>	1	
paclitaxel protein-bound 100 mg SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA
PADCEV 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(21 per 28 days)
PADCEV 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
PANRETIN 0.1 % GEL <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>paraplatin 10 mg/ml SOLUTION</i> <b>MO</b>	1	
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
<i>pemetrexed 1 gram, 100 mg, 500 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>pemetrexed disodium 1,000 mg, 100 mg, 500 mg, 750 mg RECON SOLUTION</i> <b>DL</b>	4	PA
<i>pemetrexed disodium 25 mg/ml SOLUTION</i> <b>DL</b>	4	PA
PERJETA 420 MG/14 ML (30 MG/ML) SOLUTION <b>DL</b>	4	PA
PHESGO 1,200 MG-600MG- 30000 UNIT/15ML SOLUTION <b>DL</b>	4	PA,QL(15 per 21 days)
PHESGO 600 MG-600 MG- 20000 UNIT/10ML SOLUTION <b>DL</b>	4	PA,QL(10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
POLIVY 140 MG RECON SOLUTION <b>DL</b>	4	PA,QL(2 per 21 days)
POLIVY 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(100 per 21 days)
POTELIGEO 4 MG/ML SOLUTION <b>DL</b>	4	PA
PROLEUKIN 22 MILLION UNIT RECON SOLUTION <b>DL</b>	4	
PURIXAN 20 MG/ML SUSPENSION <b>DL</b>	4	QL(300 per 30 days)
QINLOCK 50 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
RETEVMO 80 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
REZLIDHIA 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
RIABNI 10 MG/ML SOLUTION <b>DL</b>	4	PA
RITUXAN 10 MG/ML CONCENTRATE <b>DL</b>	4	PA
RITUXAN HYCELA 1400 MG/11.7 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(46.8 per 28 days)
RITUXAN HYCELA 1600 MG/13.4 ML (120 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(13.4 per 28 days)
<i>romidepsin 10 mg/2 ml RECON SOLUTION</i> <b>DL</b>	4	PA
ROMIDEPSIN 5 MG/ML SOLUTION <b>DL</b>	4	PA
ROZLYTREK 100 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ROZLYTREK 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
RUXIENCE 10 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYBREVANT 50 MG/ML SOLUTION <b>DL</b>	4	PA,QL(784 per 365 days)
RYDAPT 25 MG CAPSULE <b>DL</b>	4	PA,QL(224 per 28 days)
RYLAZE 10 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
SARCLISA 20 MG/ML SOLUTION <b>DL</b>	4	PA
SCEMBLIX 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SCEMBLIX 40 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
SOLTAMOX 20 MG/10 ML SOLUTION <b>DL</b>	4	
<i>sorafenib 200 mg TABLET</i> <b>DL</b>	4	PA,QL(120 per 30 days)
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
STIVARGA 40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
<i>sunitinib malate 12.5 mg, 25 mg, 37.5 mg, 50 mg CAPSULE</i> <b>DL</b>	4	PA,QL(28 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
SYNRIBO 3.5 MG RECON SOLUTION <b>DL</b>	4	PA
TABLOID 40 MG TABLET <b>MO</b>	3	
TABRECTA 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
TAFINLAR 10 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(840 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAGRISSE 40 MG, 80 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TALVEY 2 MG/ML, 40 MG/ML SOLUTION <b>DL</b>	4	PA
TALZENNA 0.1 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
<i>tamoxifen 10 mg, 20 mg TABLET</i> <b>MO</b>	1	
TARCEVA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
TARCEVA 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
TARGRETIN 1 % GEL <b>DL</b>	4	PA,QL(240 per 30 days)
TARGRETIN 75 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
TAZVERIK 200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TECVAYLI 10 MG/ML, 90 MG/ML SOLUTION <b>DL</b>	4	PA
TEMODAR 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(27 per 30 days)
<i>temsirolimus 30 mg/3 ml (10 mg/ml) (first) RECON SOLUTION</i> <b>DL</b>	4	PA,QL(8 per 28 days)
<i>teniposide 50 mg/5 ml SOLUTION</i> <b>MO</b>	1	
TEPADINA 100 MG, 15 MG RECON SOLUTION <b>DL</b>	4	
TEPMETKO 225 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
THALOMID 150 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
<i>thiotepa 100 mg RECON SOLUTION</i> <b>DL</b>	4	
<i>thiotepa 15 mg RECON SOLUTION</i> <b>MO</b>	1	
TIBSOVO 250 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TIVDAK 40 MG RECON SOLUTION <b>DL</b>	4	PA,QL(5 per 21 days)
<i>toposar 20 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>topotecan 4 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>topotecan 4 mg/4 ml (1 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>toremifene 60 mg TABLET</i> <b>DL</b>	4	QL(30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
TOTECT 500 MG RECON SOLUTION <b>DL</b>	4	
TRAZIMERA 150 MG, 420 MG RECON SOLUTION <b>DL</b>	4	PA
TREANDA 100 MG, 25 MG RECON SOLUTION <b>DL</b>	4	PA
<i>tretinoin (antineoplastic) 10 mg CAPSULE</i> <b>DL</b>	4	
TRISENOX 2 MG/ML SOLUTION <b>DL</b>	4	PA
TRODELVY 180 MG RECON SOLUTION <b>DL</b>	4	PA
TRUSELTIQ 100 MG/DAY (100 MG X 1) CAPSULE <b>DL</b>	4	PA,QL(21 per 28 days)
TRUSELTIQ 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2) CAPSULE <b>DL</b>	4	PA,QL(42 per 28 days)
TRUSELTIQ 75 MG/DAY (25 MG X 3) CAPSULE <b>DL</b>	4	PA,QL(63 per 28 days)
TRUXIMA 10 MG/ML SOLUTION <b>DL</b>	4	PA
TUKYSA 150 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
TUKYSA 50 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
TURALIO 125 MG, 200 MG CAPSULE <b>DL,LA</b>	4	PA,QL(120 per 30 days)
TYKERB 250 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
UNITUXIN 3.5 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VALCHLOR 0.016 % GEL <b>DL</b>	4	PA,QL(60 per 28 days)
<i>valrubicin</i> 40 mg/ml SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VALSTAR 40 MG/ML SOLUTION <b>DL</b>	4	PA,QL(80 per 28 days)
VANFLYTA 17.7 MG, 26.5 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA
VEGZELMA 25 MG/ML SOLUTION <b>DL</b>	4	PA
VELCADE 3.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	2	PA,QL(56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
VENCLEXTA 50 MG TABLET <b>MO</b>	2	PA,QL(28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG- 100 MG TABLET, DOSE PACK <b>DL</b>	4	PA,QL(42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VIDAZA 100 MG RECON SOLUTION <b>DL</b>	4	PA
<i>vinblastine</i> 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
<i>vincasar pfs</i> 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
<i>vincristine</i> 1 mg/ml, 2 mg/2 ml SOLUTION <b>MO</b>	1	BvsD
<i>vinorelbine</i> 10 mg/ml, 50 mg/5 ml SOLUTION <b>MO</b>	1	
VISTOGARD 10 GRAM GRANULES IN PACKET <b>DL</b>	4	QL(20 per 365 days)
VITRAKVI 100 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VITRAKVI 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)
VITRAKVI 25 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
VONJO 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
VOTRIENT 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VYXEOS 44-100 MG RECON SOLUTION <b>DL</b>	4	PA
WELIREG 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XOSPATA 40 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
XPOVIO 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) TABLET <b>DL</b>	4	PA,QL(8 per 28 days)
XPOVIO 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) TABLET <b>DL</b>	4	PA,QL(4 per 28 days)
XPOVIO 60MG TWICE WEEK (120 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(24 per 28 days)
XPOVIO 80MG TWICE WEEK (160 MG/WEEK) TABLET <b>DL</b>	4	PA,QL(32 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XTANDI 40 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 40 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
XTANDI 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
YERVOY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) SOLUTION <b>DL</b>	4	PA
YONDELIS 1 MG RECON SOLUTION <b>DL</b>	4	PA
YONSA 125 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) SOLUTION <b>DL</b>	4	PA
ZANOSAR 1 GRAM RECON SOLUTION <b>MO</b>	3	
ZEJULA 100 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ZEJULA 100 MG, 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ZELBORAF 240 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
ZEPZELCA 4 MG RECON SOLUTION <b>DL</b>	4	PA
ZIRABEV 25 MG/ML SOLUTION <b>DL</b>	4	PA
ZOLINZA 100 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ZYKADIA 150 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ZYNLONTA 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZYNYZ 500 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
ZYTIGA 250 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ZYTIGA 500 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<b>ANTIPARASITICS</b>		
<i>albendazole 200 mg TABLET <b>MO</b></i>	1	
ALBENZA 200 MG TABLET <b>DL</b>	4	
<i>atovaquone 750 mg/5 ml SUSPENSION <b>MO</b></i>	1	
<i>atovaquone-proguanil 250-100 mg, 62.5-25 mg TABLET <b>MO</b></i>	1	
<i>benznidazole 100 mg, 12.5 mg TABLET <b>MO</b></i>	3	
BILTRICIDE 600 MG TABLET <b>DL</b>	4	PA
<i>chloroquine phosphate 250 mg, 500 mg TABLET <b>MO</b></i>	1	
COARTEM 20-120 MG TABLET <b>MO</b>	3	QL(24 per 30 days)
DARAPRIM 25 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
EGATEN 250 MG TABLET <b>MO</b>	3	
<i>emverm 100 mg CHEWABLE TABLET <b>DL</b></i>	4	
<i>hydroxychloroquine 100 mg, 300 mg, 400 mg TABLET <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>hydroxychloroquine 200 mg TABLET</i> <b>MO</b>	1	
IMPAVIDO 50 MG CAPSULE <b>DL</b>	4	QL(84 per 28 days)
<i>ivermectin 3 mg TABLET</i> <b>MO</b>	1	
KRINTAFEL 150 MG TABLET <b>MO</b>	2	QL(4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	3	
MALARONE 250-100 MG TABLET <b>MO</b>	3	PA
MALARONE PEDIATRIC 62.5-25 MG TABLET <b>MO</b>	3	PA
<i>mefloquine 250 mg TABLET</i> <b>MO</b>	1	
MEPRON 750 MG/5 ML SUSPENSION <b>DL</b>	4	
NEBUPENT 300 MG RECON SOLUTION <b>MO</b>	3	BvsD
<i>nitazoxanide 500 mg TABLET</i> <b>DL</b>	4	
PENTAM 300 MG RECON SOLUTION <b>MO</b>	3	
<i>pentamidine 300 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>pentamidine 300 mg RECON SOLUTION</i> <b>MO</b>	1	
PLAQUENIL 200 MG TABLET <b>MO</b>	3	PA
<i>praziquantel 600 mg TABLET</i> <b>MO</b>	1	
<i>primaquine 26.3 mg TABLET</i> <b>MO</b>	1	
<i>pyrimethamine 25 mg TABLET</i> <b>DL</b>	4	QL(90 per 30 days)
QUALAQUIN 324 MG CAPSULE <b>MO</b>	3	PA,QL(42 per 7 days)
<i>quinine sulfate 324 mg CAPSULE</i> <b>MO</b>	1	PA,QL(42 per 7 days)
SKLICE 0.5 % LOTION <b>MO</b>	3	QL(117 per 30 days)
STROMEKTOL 3 MG TABLET <b>MO</b>	3	PA
<b>ANTIPARKINSON AGENTS</b>		
<i>amantadine hcl 100 mg CAPSULE</i> <b>MO</b>	1	
<i>amantadine hcl 100 mg TABLET</i> <b>MO</b>	1	
<i>amantadine hcl 50 mg/5 ml SOLUTION</i> <b>MO</b>	1	
APOKYN 10 MG/ML CARTRIDGE <b>DL</b>	4	PA,QL(84 per 28 days)
<i>apomorphine 10 mg/ml CARTRIDGE</i> <b>DL</b>	4	PA,QL(84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
<i>benztropine 0.5 mg, 1 mg, 2 mg TABLET</i> <b>MO</b>	1	
<i>benztropine 1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>bromocriptine 2.5 mg TABLET</i> <b>MO</b>	1	
<i>bromocriptine 5 mg CAPSULE</i> <b>MO</b>	1	QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
carbidopa 25 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-100 mg, 25-250 mg TABLET, DISINTEGRATING <b>MO</b>	1	
carbidopa-levodopa 10-100 mg, 25-250 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 25-100 mg TABLET <b>MO</b>	1	
carbidopa-levodopa 25-100 mg, 50-200 mg TABLET ER <b>MO</b>	1	
carbidopa-levodopa-entacapone 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg TABLET <b>MO</b>	1	QL(240 per 30 days)
carbidopa-levodopa-entacapone 50-200-200 mg TABLET <b>MO</b>	1	
COMTAN 200 MG TABLET <b>MO</b>	3	PA,QL(300 per 30 days)
DHIVY 25-100 MG TABLET <b>MO</b>	3	
DUOPA 4.63-20 MG/ML INTESTINAL PUMP SUSPENSION <b>DL</b>	4	PA,QL(2800 per 28 days)
entacapone 200 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
GOCOVRI 137 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
INBRIJA 42 MG CAPSULE <b>DL</b>	4	PA,QL(300 per 30 days)
INBRIJA 42 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(300 per 30 days)
LODOSYN 25 MG TABLET <b>DL</b>	4	PA
MIRAPEX 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG TABLET <b>MO</b>	3	ST
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ONGENTYS 25 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
OSMOLEX ER 322 MG/DAY(129 MG X1-193MG X1) TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
PARLODEL 2.5 MG TABLET <b>MO</b>	3	PA
PARLODEL 5 MG CAPSULE <b>MO</b>	3	PA,QL(600 per 30 days)
pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg TABLET <b>MO</b>	1	
pramipexole 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
rasagiline 0.5 mg, 1 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ropinirole</i> 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg TABLET <b>MO</b>	1	
<i>ropinirole</i> 12 mg, 2 mg, 4 mg, 6 mg, 8 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(90 per 30 days)
RYTARY 23.75-95 MG CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
RYTARY 36.25-145 MG CAPSULE, ER <b>MO</b>	3	ST,QL(270 per 30 days)
RYTARY 48.75-195 MG CAPSULE, ER <b>MO</b>	3	ST,QL(360 per 30 days)
RYTARY 61.25-245 MG CAPSULE, ER <b>MO</b>	3	ST,QL(300 per 30 days)
<i>selegiline hcl</i> 5 mg CAPSULE <b>MO</b>	1	
<i>selegiline hcl</i> 5 mg TABLET <b>MO</b>	1	
SINEMET 10-100 MG, 25-100 MG TABLET <b>MO</b>	3	PA
STALEVO 100 25-100-200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
STALEVO 125 31.25-125-200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
STALEVO 150 37.5-150-200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
STALEVO 200 50-200-200 MG TABLET <b>DL</b>	4	PA
STALEVO 50 12.5-50-200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
STALEVO 75 18.75-75-200 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
TASMAR 100 MG TABLET <b>DL</b>	4	PA
<i>tolcapone</i> 100 mg TABLET <b>DL</b>	4	PA
<i>trihexyphenidyl</i> 0.4 mg/ml ELIXIR <b>MO</b>	1	
<i>trihexyphenidyl</i> 2 mg, 5 mg TABLET <b>MO</b>	1	
XADAGO 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ZELAPAR 1.25 MG TABLET, DISINTEGRATING <b>DL</b>	4	
<b>ANTIPSYCHOTICS</b>		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET <b>MO</b>	3	PA
ABILIFY ASIMTUFII 720 MG/2.4 ML SUSPENSION, ER, SYRINGE	4	QL(2.4 per 56 days)
ABILIFY ASIMTUFII 960 MG/3.2 ML SUSPENSION, ER, SYRINGE	4	QL(3.2 per 56 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, RECON <b>DL</b>	4	QL(1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1 per 28 days)
ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND PATCH <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE 30 MG TABLET WITH SENSOR AND PATCH <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE MAINTENANCE KIT 10 MG, 30 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABILIFY MYCITE MAINTENANCE KIT 15 MG, 2 MG, 20 MG, 5 MG TABLET WITH SENSOR AND STRIP <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 10 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	4	PA,QL(30 per 30 days)
ABILIFY MYCITE STARTER KIT 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET W/SENSOR AND STRIP, POD <b>DL</b>	4	PA,QL(30 per 30 days)
<i>aripiprazole 1 mg/ml SOLUTION</i> <b>MO</b>	1	QL(750 per 30 days)
<i>aripiprazole 10 mg, 15 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	QL(60 per 30 days)
<i>aripiprazole 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg TABLET</i> <b>MO</b>	1	
ARISTADA 1,064 MG/3.9 ML SUSPENSION, ER, SYRINGE	4	QL(3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(2.4 per 42 days)
<i>asenapine maleate 10 mg, 2.5 mg, 5 mg SUBLINGUAL TABLET</i> <b>MO</b>	1	PA,QL(60 per 30 days)
CAPLYTA 10.5 MG, 21 MG, 42 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>chlorpromazine 10 mg, 25 mg TABLET</i> <b>MO</b>	1	BvsD
<i>chlorpromazine 100 mg, 200 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>chlorpromazine 100 mg/ml, 30 mg/ml CONCENTRATE</i> <b>MO</b>	1	
<i>chlorpromazine 25 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>clozapine 100 mg TABLET</i> <b>MO</b>	1	QL(270 per 30 days)
<i>clozapine 100 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	PA,QL(270 per 30 days)
<i>clozapine 12.5 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	PA
<i>clozapine 150 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	PA,QL(180 per 30 days)
<i>clozapine 200 mg TABLET</i> <b>MO</b>	1	QL(135 per 30 days)
<i>clozapine 200 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	PA,QL(135 per 30 days)
<i>clozapine 25 mg TABLET</i> <b>MO</b>	1	QL(1080 per 30 days)
<i>clozapine 25 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	PA,QL(1080 per 30 days)
<i>clozapine 50 mg TABLET</i> <b>MO</b>	1	
CLOZARIL 100 MG TABLET <b>DL</b>	4	QL(270 per 30 days)
CLOZARIL 200 MG TABLET <b>DL</b>	4	QL(135 per 30 days)
CLOZARIL 25 MG TABLET <b>DL</b>	4	QL(1080 per 30 days)
CLOZARIL 50 MG TABLET <b>DL</b>	4	
<i>droperidol 2.5 mg/ml SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
FANAPT 1MG(2)-2MG(2)- 4MG(2)-6MG(2) TABLET, DOSE PACK <b>MO</b>	3	PA,QL(56 per 28 days)
fluphenazine decanoate 25 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 1 mg, 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
fluphenazine hcl 2.5 mg/5 ml ELIXIR <b>MO</b>	1	
fluphenazine hcl 2.5 mg/ml SOLUTION <b>MO</b>	1	
fluphenazine hcl 5 mg/ml CONCENTRATE <b>MO</b>	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA
GEODON 20 MG/ML (FINAL CONC.) RECON SOLUTION <b>MO</b>	3	PA
HALDOL DECANOATE 100 MG/ML, 50 MG/ML SOLUTION <b>MO</b>	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
haloperidol decanoate 100 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 2 mg/ml CONCENTRATE <b>MO</b>	1	
haloperidol lactate 5 mg/ml SOLUTION <b>MO</b>	1	
haloperidol lactate 5 mg/ml SYRINGE <b>MO</b>	1	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
INVEGA 6 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
INVEGA HAFYERA 1,092 MG/3.5 ML SYRINGE	4	QL(3.5 per 180 days)
INVEGA HAFYERA 1,560 MG/5 ML SYRINGE	4	QL(5 per 180 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML SYRINGE <b>DL</b>	4	QL(1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML SYRINGE <b>DL</b>	4	QL(1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML SYRINGE <b>MO</b>	3	QL(1.5 per 28 days)
INVEGA TRINZA 273 MG/0.88 ML SYRINGE	4	QL(0.88 per 90 days)
INVEGA TRINZA 410 MG/1.32 ML SYRINGE	4	QL(1.32 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML SYRINGE	4	QL(1.75 per 90 days)
INVEGA TRINZA 819 MG/2.63 ML SYRINGE	4	QL(2.63 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
LATUDA 80 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
loxapine succinate 10 mg, 25 mg, 5 mg, 50 mg CAPSULE <b>MO</b>	1	
lurasidone 120 mg, 20 mg, 40 mg, 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
lurasidone 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LYBALVI 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
molindone 10 mg TABLET <b>MO</b>	1	PA,QL(240 per 30 days)
molindone 25 mg TABLET <b>MO</b>	1	PA,QL(270 per 30 days)
molindone 5 mg TABLET <b>MO</b>	1	PA,QL(360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
olanzapine 10 mg RECON SOLUTION <b>MO</b>	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg TABLET <b>MO</b>	1	
olanzapine 10 mg, 5 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(30 per 30 days)
olanzapine 15 mg, 20 mg TABLET, DISINTEGRATING <b>MO</b>	1	QL(60 per 30 days)
paliperidone 1.5 mg, 3 mg, 9 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
paliperidone 6 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
PERSERIS 120 MG, 90 MG SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(1 per 28 days)
pimozide 1 mg, 2 mg TABLET <b>MO</b>	1	
quetiapine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
quetiapine 150 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
quetiapine 150 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(90 per 30 days)
quetiapine 200 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 200 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
quetiapine 25 mg, 50 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
quetiapine 300 mg, 400 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
quetiapine 300 mg, 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
quetiapine 50 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RISPERDAL 0.5 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
RISPERDAL 1 MG, 2 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
RISPERDAL 1 MG/ML SOLUTION <b>DL</b>	4	
RISPERDAL 3 MG, 4 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML SUSPENSION, ER, RECON <b>DL</b>	4	QL(2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg TABLET, DISINTEGRATING <b>MO</b>	1	ST,QL(60 per 30 days)
risperidone 0.5 mg TABLET <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>risperidone 0.5 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	ST,QL(120 per 30 days)
<i>risperidone 1 mg/ml SOLUTION</i> <b>MO</b>	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR PATCH, 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
SEROQUEL 100 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
SEROQUEL 300 MG, 400 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SEROQUEL XR 150 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
SEROQUEL XR 200 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
SEROQUEL XR 50 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG (1)-300 MG(11) TABLET, ER 24 HR., DOSE PACK <b>MO</b>	3	PA,QL(15 per 30 days)
<i>thioridazine 10 mg, 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
<i>thiothixene 1 mg, 10 mg, 2 mg, 5 mg CAPSULE</i> <b>MO</b>	1	
<i>trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg TABLET</i> <b>MO</b>	1	
UZEDY 100 MG/0.28 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.28 per 28 days)
UZEDY 125 MG/0.35 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.35 per 28 days)
UZEDY 150 MG/0.42 ML SUSPENSION, ER, SYRINGE	4	QL(0.42 per 56 days)
UZEDY 200 MG/0.56 ML SUSPENSION, ER, SYRINGE	4	QL(0.56 per 56 days)
UZEDY 250 MG/0.7 ML SUSPENSION, ER, SYRINGE	4	QL(0.7 per 56 days)
UZEDY 50 MG/0.14 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.14 per 28 days)
UZEDY 75 MG/0.21 ML SUSPENSION, ER, SYRINGE <b>DL</b>	4	QL(0.21 per 28 days)
VERSACLOZ 50 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(540 per 30 days)
VRAYLAR 1.5 MG (1)- 3 MG (6) CAPSULE, DOSE PACK <b>MO</b>	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg CAPSULE</i> <b>MO</b>	1	
<i>ziprasidone mesylate 20 mg/ml (final conc.) RECON SOLUTION</i> <b>MO</b>	1	
ZYPREXA 10 MG RECON SOLUTION <b>MO</b>	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	
ZYPREXA RELPREVV 210 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	QL(4 per 28 days)
ZYPREXA RELPREVV 300 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYPREXA RELPREVV 405 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	QL(1 per 28 days)
ZYPREXA ZYDIS 10 MG TABLET, DISINTEGRATING <b>DL</b>	4	QL(30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG TABLET, DISINTEGRATING <b>DL</b>	4	QL(60 per 30 days)
ZYPREXA ZYDIS 5 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(30 per 30 days)
<b>ANTISPASTICITY AGENTS</b>		
baclofen 10 mg TABLET <b>MO</b>	1	
baclofen 20 mg TABLET <b>MO</b>	1	
baclofen 25 mg/5 ml (5 mg/ml) SUSPENSION <b>DL</b>	4	QL(480 per 30 days)
baclofen 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
DANTRIUM 20 MG RECON SOLUTION <b>MO</b>	3	
DANTRIUM 25 MG, 50 MG CAPSULE <b>MO</b>	3	
dantrolene 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b>	1	
dantrolene 20 mg RECON SOLUTION <b>MO</b>	1	
FLEQSUVY 25 MG/5 ML (5 MG/ML) SUSPENSION <b>DL</b>	4	QL(480 per 30 days)
LYVISPAH 10 MG, 20 MG GRANULES IN PACKET <b>DL</b>	4	ST,QL(120 per 30 days)
LYVISPAH 5 MG GRANULES IN PACKET <b>MO</b>	3	ST,QL(270 per 30 days)
revonto 20 mg RECON SOLUTION <b>MO</b>	1	
tizanidine 2 mg, 4 mg TABLET <b>MO</b>	1	
tizanidine 2 mg, 4 mg, 6 mg CAPSULE <b>MO</b>	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE <b>MO</b>	3	ST
ZANAFLEX 4 MG TABLET <b>MO</b>	3	ST
<b>ANTIVIRALS</b>		
abacavir 20 mg/ml SOLUTION <b>MO</b>	1	QL(960 per 30 days)
abacavir 300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
abacavir-lamivudine 600-300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
abacavir-lamivudine-zidovudine 300-150-300 mg TABLET <b>DL</b>	4	QL(60 per 30 days)
acyclovir 200 mg CAPSULE <b>MO</b>	1	
acyclovir 200 mg/5 ml SUSPENSION <b>MO</b>	1	
acyclovir 400 mg TABLET <b>MO</b>	1	
acyclovir 5 % CREAM <b>MO</b>	3	PA,QL(5 per 30 days)
acyclovir 5 % OINTMENT <b>MO</b>	1	PA,QL(30 per 30 days)
acyclovir 800 mg TABLET <b>MO</b>	1	
acyclovir sodium 1,000 mg, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>acyclovir sodium 50 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>adefovir 10 mg TABLET</i> <b>MO</b>	1	
APRETUDE 600 MG/3 ML (200 MG/ML) SUSPENSION, ER <b>DL</b>	4	QL(21 per 365 days)
APTIVUS 250 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
<i>atazanavir 150 mg, 200 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>atazanavir 300 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
ATRIPLA 600-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
BARACLUDE 0.05 MG/ML SOLUTION <b>MO</b>	3	QL(630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
BIKTARVY 30-120-15 MG, 50-200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
CABENUVA 400 MG/2 ML - 600 MG/2 ML, 600 MG/3 ML - 900 MG/3 ML SUSPENSION, ER <b>DL</b>	4	QL(50 per 365 days)
<i>cidofovir 75 mg/ml SOLUTION</i> <b>DL</b>	4	
CIMDUO 300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
COMBIVIR 150-300 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
COMPLERA 200-25-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>darunavir ethanolate 600 mg TABLET</i> <b>DL</b>	4	QL(60 per 30 days)
<i>darunavir ethanolate 800 mg TABLET</i> <b>DL</b>	4	QL(30 per 30 days)
DELSTRIGO 100-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
DENAVIR 1 % CREAM <b>MO</b>	3	PA
DESCOVY 120-15 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
DESCOVY 200-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>didanosine 250 mg, 400 mg CAPSULE, DR/EC</i> <b>MO</b>	1	QL(30 per 30 days)
DOVATO 50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
EDURANT 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>efavirenz 200 mg CAPSULE</i> <b>MO</b>	1	QL(120 per 30 days)
<i>efavirenz 50 mg CAPSULE</i> <b>MO</b>	1	QL(480 per 30 days)
<i>efavirenz 600 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>efavirenz-emtricitabin-tenofovir 600-200-300 mg TABLET</i> <b>DL</b>	1	QL(30 per 30 days)
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate 400-300-300 mg, 600-300-300 mg TABLET</i> <b>DL</b>	4	QL(30 per 30 days)
<i>emtricitabine 200 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>emtricitabine-tenofovir (tdf) 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EMTRIVA 10 MG/ML SOLUTION <b>MO</b>	3	QL(680 per 28 days)
EMTRIVA 200 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
<i>entecavir 0.5 mg, 1 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
EPCLUSA 150-37.5 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
EPCLUSA 200-50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
EPCLUSA 200-50 MG, 400-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
EPIVIR 10 MG/ML SOLUTION <b>MO</b>	3	QL(900 per 30 days)
EPIVIR 150 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
EPIVIR 300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
EPIVIR HBV 100 MG TABLET <b>MO</b>	3	QL(90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) SOLUTION <b>MO</b>	3	
EPZICOM 600-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>etravirine 100 mg TABLET</i> <b>DL</b>	4	QL(120 per 30 days)
<i>etravirine 200 mg TABLET</i> <b>DL</b>	4	QL(60 per 30 days)
EVOTAZ 300-150 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
<i>famciclovir 125 mg, 250 mg, 500 mg TABLET</i> <b>MO</b>	1	QL(90 per 30 days)
FLUMADINE 100 MG TABLET <b>MO</b>	3	
<i>fosamprenavir 700 mg TABLET</i> <b>DL</b>	4	QL(120 per 30 days)
<i>foscarnet 24 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
FOSCAVIR 24 MG/ML SOLUTION <b>MO</b>	3	BvsD
FUZEON 90 MG RECON SOLUTION <b>DL</b>	4	QL(60 per 30 days)
<i>ganciclovir sodium 50 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
<i>ganciclovir sodium 500 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
GENVOYA 150-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
HARVONI 33.75-150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
HARVONI 45-200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
HARVONI 45-200 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
HARVONI 90-400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
HEPSERA 10 MG TABLET <b>DL</b>	4	
INTELENCE 100 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
INTELENCE 200 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
INTELENCE 25 MG TABLET <b>MO</b>	3	QL(120 per 30 days)
INVIRASE 500 MG TABLET <b>MO</b>	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>	4	QL(180 per 30 days)
ISENTRESS 100 MG POWDER IN PACKET <b>MO</b>	2	QL(300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	3	QL(180 per 30 days)
ISENTRESS 400 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
JULUCA 50-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
KALETRA 100-25 MG TABLET <b>MO</b>	3	QL(300 per 30 days)
KALETRA 200-50 MG TABLET <b>MO</b>	3	QL(150 per 30 days)
KALETRA 400-100 MG/5 ML SOLUTION <b>DL</b>	4	
lamivudine 10 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
lamivudine 100 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
lamivudine 150 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
lamivudine 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
lamivudine-zidovudine 150-300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
LEXIVA 50 MG/ML SUSPENSION <b>MO</b>	3	QL(1575 per 28 days)
LEXIVA 700 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
LIVTENCITY 200 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
lopinavir-ritonavir 100-25 mg TABLET <b>MO</b>	1	QL(300 per 30 days)
lopinavir-ritonavir 200-50 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
lopinavir-ritonavir 400-100 mg/5 ml SOLUTION <b>MO</b>	1	
maraviroc 150 mg TABLET <b>DL</b>	4	QL(240 per 30 days)
maraviroc 300 mg TABLET <b>DL</b>	4	QL(120 per 30 days)
MAVYRET 100-40 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
MAVYRET 50-20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(150 per 30 days)
nevirapine 100 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(120 per 30 days)
nevirapine 200 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
nevirapine 400 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
nevirapine 50 mg/5 ml SUSPENSION <b>MO</b>	1	QL(1200 per 30 days)
NORVIR 100 MG POWDER IN PACKET <b>MO</b>	3	QL(360 per 30 days)
NORVIR 100 MG TABLET <b>MO</b>	3	QL(360 per 30 days)
NORVIR 80 MG/ML SOLUTION <b>MO</b>	3	QL(480 per 30 days)
ODEFSEY 200-25-25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
oseltamivir 30 mg CAPSULE <b>MO</b>	1	QL(224 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
oseltamivir 45 mg, 75 mg CAPSULE <b>MO</b>	1	QL(112 per 365 days)
oseltamivir 6 mg/ml SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	QL(1440 per 365 days)
penciclovir 1 % CREAM <b>MO</b>	1	PA
PIFELTRO 100 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREVYMIS 240 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
PREVYMIS 240 MG/12 ML SOLUTION <b>DL</b>	4	PA,QL(336 per 28 days)
PREVYMIS 480 MG TABLET <b>DL</b>	4	PA
PREVYMIS 480 MG/24 ML SOLUTION <b>DL</b>	4	PA,QL(672 per 28 days)
PREZCOBIX 800-150 MG-MG TABLET <b>DL</b>	4	QL(30 per 30 days)
PREZISTA 100 MG/ML SUSPENSION <b>DL</b>	4	QL(360 per 30 days)
PREZISTA 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
PREZISTA 600 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	3	QL(480 per 30 days)
PREZISTA 800 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	QL(60 per 180 days)
RETROVIR 10 MG/ML SOLUTION <b>MO</b>	3	
RETROVIR 10 MG/ML SYRUP <b>MO</b>	3	QL(1680 per 28 days)
RETROVIR 100 MG CAPSULE <b>MO</b>	3	QL(180 per 30 days)
REYATAZ 150 MG, 200 MG CAPSULE <b>DL</b>	4	QL(60 per 30 days)
REYATAZ 300 MG CAPSULE <b>DL</b>	4	QL(30 per 30 days)
REYATAZ 50 MG POWDER IN PACKET <b>MO</b>	3	
ribavirin 200 mg CAPSULE <b>MO</b>	1	QL(168 per 28 days)
ribavirin 200 mg TABLET <b>MO</b>	1	QL(168 per 28 days)
rimantadine 100 mg TABLET <b>MO</b>	1	
ritonavir 100 mg TABLET <b>MO</b>	1	QL(360 per 30 days)
RUKOBIA 600 MG TABLET, ER 12 HR. <b>DL</b>	4	QL(60 per 30 days)
SELZENTRY 150 MG TABLET <b>DL</b>	4	QL(240 per 30 days)
SELZENTRY 20 MG/ML SOLUTION <b>DL</b>	4	QL(1800 per 30 days)
SELZENTRY 25 MG TABLET <b>MO</b>	3	QL(240 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
SITAVIG 50 MG MUCO-ADHESIVE BUCCAL TABLET <b>MO</b>	3	PA,QL(1 per 28 days)
SOVALDI 150 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(28 per 28 days)
SOVALDI 200 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOVALDI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
<i>stavudine 15 mg, 20 mg CAPSULE</i> <b>MO</b>	1	QL(120 per 30 days)
<i>stavudine 30 mg, 40 mg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
STRIBILD 150-150-200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SUNLENCA 300 MG TABLET <b>DL</b>	4	QL(10 per 365 days)
SUNLENCA 309 MG/ML SOLUTION	4	QL(9 per 365 days)
SUSTIVA 200 MG CAPSULE <b>DL</b>	4	QL(120 per 30 days)
SUSTIVA 50 MG CAPSULE <b>DL</b>	4	QL(480 per 30 days)
SUSTIVA 600 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMFI 600-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMFI LO 400-300-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
SYMTUZA 800-150-200-10 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TAMIFLU 30 MG CAPSULE <b>MO</b>	3	PA,QL(224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL(112 per 365 days)
TAMIFLU 6 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA,QL(1440 per 365 days)
TEMIXYS 300-300 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>tenofovir disoproxil fumarate 300 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
TIVICAY 10 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
TIVICAY PD 5 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
TRIUMEQ 600-50-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TRIUMEQ PD 60-5-30 MG TABLET FOR SUSPENSION <b>DL</b>	4	QL(180 per 30 days)
TRIZIVIR 300-150-300 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) SOLUTION <b>DL</b>	4	
TRUVADA 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
TYBOST 150 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
<i>valacyclovir 1 gram, 500 mg TABLET</i> <b>MO</b>	1	
VALCYTE 450 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
VALCYTE 50 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(1056 per 30 days)
<i>valganciclovir 450 mg TABLET</i> <b>MO</b>	1	QL(120 per 30 days)
<i>valganciclovir 50 mg/ml RECON SOLUTION</i> <b>DL</b>	4	QL(1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET <b>MO</b>	3	PA
VEMLIDY 25 MG TABLET <b>DL</b>	4	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIEKIRA PAK 12.5 MG-75 MG -50 MG/250 MG TABLET, DOSE PACK <b>DL</b>	4	PA,QL(112 per 28 days)
VIRACEPT 250 MG TABLET <b>DL</b>	4	QL(300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
VIRAMUNE XR 400 MG TABLET, ER 24 HR. <b>DL</b>	4	QL(30 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) POWDER <b>DL</b>	4	QL(240 per 30 days)
VOCABRIA 30 MG TABLET <b>DL</b>	4	QL(30 per 30 days)
VOSEVI 400-100-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
XERESE 5-1 % CREAM <b>DL</b>	4	QL(5 per 30 days)
XOFLUZA 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
ZEPATIER 50-100 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ZIAGEN 20 MG/ML SOLUTION <b>MO</b>	3	QL(960 per 30 days)
ZIAGEN 300 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
zidovudine 10 mg/ml SYRUP <b>MO</b>	1	QL(1680 per 28 days)
zidovudine 100 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
zidovudine 300 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ZIRGAN 0.15 % GEL <b>MO</b>	3	QL(5 per 30 days)
ZOVIRAX 200 MG/5 ML SUSPENSION <b>MO</b>	3	PA
ZOVIRAX 5 % CREAM <b>MO</b>	3	PA,QL(5 per 30 days)
ZOVIRAX 5 % OINTMENT <b>DL</b>	4	PA,QL(30 per 30 days)
<b>ANXIOLYTICS</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
alprazolam 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
alprazolam 0.5 mg, 1 mg, 2 mg, 3 mg TABLET, ER 24 HR. <b>DL</b>	1	QL(60 per 30 days)
alprazolam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
alprazolam intensol 1 mg/ml CONCENTRATE <b>DL</b>	1	
ATIVAN 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
ATIVAN 2 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML SOLUTION <b>DL</b>	3	PA
bupirone 10 mg, 15 mg, 5 mg TABLET <b>MO</b>	1	
bupirone 30 mg, 7.5 mg TABLET <b>MO</b>	1	
chlordiazepoxide hcl 10 mg, 25 mg, 5 mg CAPSULE <b>DL</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg TABLET, DISINTEGRATING <b>DL</b>	1	
clonazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	
clonazepam 2 mg TABLET <b>DL</b>	1	
clorazepate dipotassium 15 mg, 3.75 mg, 7.5 mg TABLET <b>DL</b>	1	
diazepam 10 mg TABLET <b>DL</b>	1	QL(120 per 30 days)
diazepam 2 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
diazepam 5 mg/5 ml (1 mg/ml), 5 mg/5 ml (1 mg/ml, 5 ml) SOLUTION <b>DL</b>	1	QL(1200 per 30 days)
diazepam 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
diazepam 5 mg/ml SOLUTION <b>DL</b>	1	
diazepam 5 mg/ml SYRINGE <b>DL</b>	1	
diazepam intensol 5 mg/ml CONCENTRATE <b>DL</b>	1	QL(240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	
doxepin 10 mg/ml CONCENTRATE <b>MO</b>	1	
hydroxyzine hcl 10 mg, 50 mg TABLET <b>MO</b>	1	
hydroxyzine hcl 10 mg/5 ml, 25 mg/ml, 50 mg/ml SOLUTION <b>MO</b>	1	
hydroxyzine hcl 25 mg TABLET <b>MO</b>	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	3	PA
lorazepam 0.5 mg, 1 mg TABLET <b>DL</b>	1	QL(90 per 30 days)
lorazepam 2 mg TABLET <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
lorazepam 2 mg/ml, 4 mg/ml SOLUTION <b>DL</b>	1	
lorazepam 2 mg/ml, 4 mg/ml SYRINGE <b>DL</b>	1	
lorazepam intensol 2 mg/ml CONCENTRATE <b>DL</b>	1	QL(150 per 30 days)
LOREEV XR 1 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(210 per 30 days)
LOREEV XR 1.5 MG, 2 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(150 per 30 days)
LOREEV XR 3 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
meprobamate 200 mg, 400 mg TABLET <b>MO</b>	1	
oxazepam 10 mg, 15 mg, 30 mg CAPSULE <b>DL</b>	1	
TRANXENE T-TAB 7.5 MG TABLET <b>DL</b>	3	PA
VALIUM 10 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
VALIUM 2 MG, 5 MG TABLET <b>DL</b>	3	PA,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET <b>DL</b>	3	PA,QL(120 per 30 days)
XANAX 2 MG TABLET <b>DL</b>	3	PA,QL(150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET, ER 24 HR. <b>DL</b>	3	PA,QL(60 per 30 days)
<b>BIPOLAR AGENTS</b>		
<i>lithium carbonate 150 mg, 300 mg, 600 mg CAPSULE</i> <b>MO</b>	1	
<i>lithium carbonate 300 mg TABLET</i> <b>MO</b>	1	
<i>lithium carbonate 300 mg, 450 mg TABLET ER</i> <b>MO</b>	1	
<i>lithium citrate 8 meq/5 ml SOLUTION</i> <b>MO</b>	1	
LITHOBID 300 MG TABLET ER <b>MO</b>	3	
<b>BLOOD GLUCOSE REGULATORS</b>		
<i>acarbose 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
ACTOPLUS MET 15-500 MG, 15-850 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ADLYXIN 10 MCG/0.2 ML - 20 MCG/0.2 ML, 20 MCG/0.2 ML PEN INJECTOR <b>MO</b>	3	ST,QL(6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	ST
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
AFREZZA 12 UNIT CARTRIDGE WITH INHALER <b>CI,DL</b>	4	PA,QL(90 per 30 days)
AFREZZA 4 UNIT (90)/ 8 UNIT (90), 4 UNIT/8 UNIT/ 12 UNIT (60), 8 UNIT (90)/ 12 UNIT (90) CARTRIDGE WITH INHALER <b>CI,DL</b>	4	PA,QL(180 per 30 days)
AFREZZA 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER <b>CI,MO</b>	3	PA,QL(90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	ST
BAQSIMI 3 MG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
BASAGLAR TEMPO PEN(U-100)INSLN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
BYDUREON BCISE 2 MG/0.85 ML AUTO-INJECTOR <b>MO</b>	3	QL(3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML) 2.4 ML, 5 MCG/DOSE (250 MCG/ML) 1.2 ML PEN INJECTOR <b>MO</b>	3	ST,QL(2.4 per 30 days)
CYCLOSET 0.8 MG TABLET <b>MO</b>	3	ST,QL(180 per 30 days)
<i>diazoxide 50 mg/ml SUSPENSION</i> <b>MO</b>	1	
DUETACT 30-2 MG, 30-4 MG TABLET <b>MO</b>	3	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FARXIGA 10 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FARXIGA 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) CARTRIDGE <b>CI,MO</b>	2	
FIASP U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
<i>glimepiride 1 mg TABLET <b>MO</b></i>	1	
<i>glimepiride 2 mg, 4 mg TABLET <b>MO</b></i>	1	
<i>glipizide 10 mg TABLET, ER 24 HR. <b>MO</b></i>	1	
<i>glipizide 10 mg, 5 mg TABLET <b>MO</b></i>	1	
<i>glipizide 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b></i>	1	
<i>glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b></i>	1	
GLUCAGEN HYPOKIT 1 MG RECON SOLUTION <b>MO</b>	2	
GLUCAGON (HCL) EMERGENCY KIT 1 MG RECON SOLUTION <b>MO</b>	3	ST
<i>glucagon emergency kit (human) 1 mg RECON SOLUTION <b>MO</b></i>	3	ST
GLUCAGON EMERGENCY KIT (HUMAN) 1 MG RECON SOLUTION <b>MO</b>	3	ST
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	3	
GLUMETZA 1,000 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(60 per 30 days)
GLUMETZA 500 MG TABLET, GAST. RETENTION 24 HR. <b>DL</b>	4	ST,QL(120 per 30 days)
<i>glyburide 1.25 mg, 2.5 mg, 5 mg TABLET <b>MO</b></i>	1	
<i>glyburide micronized 1.5 mg, 3 mg, 6 mg TABLET <b>MO</b></i>	1	
<i>glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg TABLET <b>MO</b></i>	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET <b>MO</b>	3	
GLYXAMBI 10-5 MG, 25-5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
GVOKE 1 MG/0.2 ML SOLUTION <b>MO</b>	2	
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	2	
GVOKE PFS 1-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	2	
GVOKE PFS 2-PACK SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML SYRINGE <b>MO</b>	2	
HUMALOG JUNIOR KWIKPEN U-100 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	2	
HUMALOG KWIKPEN INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
HUMALOG MIX 50-50 INSULN U-100 100 UNIT/ML (50-50) SUSPENSION <b>CI,MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMALOG MIX 50-50 KWIKPEN 100 UNIT/ML (50-50) INSULIN PEN <b>CI,MO</b>	2	
HUMALOG MIX 75-25 KWIKPEN 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	2	
HUMALOG MIX 75-25(U-100)INSULN 100 UNIT/ML (75-25) SUSPENSION <b>CI,MO</b>	2	
HUMALOG TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	2	
HUMALOG U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	2	
HUMALOG U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	2	
HUMULIN 70/30 U-100 KWIKPEN 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
HUMULIN N NPH INSULIN KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
HUMULIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	2	
HUMULIN R REGULAR U-100 INSULN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
HUMULIN R U-500 (CONC) INSULIN 500 UNIT/ML SOLUTION <b>CI,DL</b>	4	
HUMULIN R U-500 (CONC) KWIKPEN 500 UNIT/ML (3 ML) INSULIN PEN <b>CI,DL</b>	4	
INPEFA 200 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
INSULIN ASP PRT-INSULIN ASPART 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	2	
INSULIN ASPART U-100 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
INSULIN DEGLUDEC 100 UNIT/ML (3 ML), 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN DEGLUDEC 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
INSULIN GLARGINE 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN GLARGINE 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
INSULIN GLARGINE-YFGN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
INSULIN LISPRO 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	2	
INSULIN LISPRO 100 UNIT/ML INSULIN PEN, HALF-UNIT <b>CI,MO</b>	2	
INSULIN LISPRO 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
INSULIN LISPRO PROTAMIN-LISPRO 100 UNIT/ML (75-25) INSULIN PEN <b>CI,MO</b>	2	
INVOKAMET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVOKAMET XR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JANUMET 50-1,000 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JANUMET 50-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JANUMET XR 100-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(30 per 30 days)
JANUMET XR 50-1,000 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
JANUMET XR 50-500 MG TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	2	QL(60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
JENTADUETO 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
JENTADUETO XR 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
KAZANO 12.5-1,000 MG, 12.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
LANTUS U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
LEVEMIR FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
LEVEMIR FLEXTOUCH U100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
LEVEMIR U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	2	
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
LYUMJEV TEMPO PEN(U-100)INSULN 100 UNIT/ML INSULIN PEN <b>CI,MO</b>	2	
LYUMJEV U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
<i>metformin 1,000 mg TABLET, ER 24 HR. <b>MO</b></i>	3	ST,QL(60 per 30 days)
<i>metformin 1,000 mg TABLET, GAST. RETENTION 24 HR. <b>DL</b></i>	4	ST,QL(60 per 30 days)
<i>metformin 1,000 mg, 500 mg TABLET <b>MO</b></i>	1	
<i>metformin 500 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(120 per 30 days)
<i>metformin 500 mg TABLET, ER 24 HR. <b>MO</b></i>	3	ST,QL(150 per 30 days)
<i>metformin 500 mg TABLET, GAST. RETENTION 24 HR. <b>DL</b></i>	4	ST,QL(120 per 30 days)
<i>metformin 500 mg/5 ml SOLUTION <b>MO</b></i>	1	QL(750 per 30 days)
<i>metformin 625 mg TABLET <b>DL</b></i>	4	ST,QL(120 per 30 days)
<i>metformin 750 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(60 per 30 days)
<i>metformin 850 mg TABLET <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>migliitol 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	
MOUNJARO 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	QL(2 per 28 days)
<i>nateglinide 120 mg, 60 mg TABLET</i> <b>MO</b>	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML (70-30) SUSPENSION <b>CI,MO</b>	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN N NPH U-100 INSULIN 100 UNIT/ML SUSPENSION <b>CI,MO</b>	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLIN R REGULAR U100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
NOVOLOG FLEXPEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
NOVOLOG MIX 70-30 U-100 INSULN 100 UNIT/ML (70-30) SOLUTION <b>CI,MO</b>	2	
NOVOLOG MIX 70-30FLEXPEN U-100 100 UNIT/ML (70-30) INSULIN PEN <b>CI,MO</b>	2	
NOVOLOG PENFILL U-100 INSULIN 100 UNIT/ML CARTRIDGE <b>CI,MO</b>	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
OSENI 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OZEMPIC 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	2	QL(3 per 28 days)
OZEMPIC 0.25 MG OR 0.5 MG(2 MG/1.5 ML) PEN INJECTOR <b>MO</b>	2	QL(1.5 per 28 days)
OZEMPIC 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(3 per 28 days)
<i>pioglitazone 15 mg, 30 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>pioglitazone 45 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>pioglitazone-glimepiride 30-2 mg, 30-4 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>pioglitazone-metformin 15-500 mg, 15-850 mg TABLET</i> <b>MO</b>	1	QL(90 per 30 days)
PRECOSE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
PROGLYCEM 50 MG/ML SUSPENSION <b>DL</b>	4	PA
QTERN 10-5 MG, 5-5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>repaglinide 0.5 mg, 1 mg, 2 mg TABLET</i> <b>MO</b>	1	
REZVOGLAR KWIKPEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
RIOMET 500 MG/5 ML SOLUTION <b>MO</b>	3	QL(750 per 30 days)
RIOMET ER 500 MG/5 ML SUSPENSION, ER, RECON <b>MO</b>	3	QL(750 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
saxagliptin 2.5 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
saxagliptin-metformin 2.5-1,000 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	QL(60 per 30 days)
saxagliptin-metformin 5-1,000 mg, 5-500 mg TABLET, ER 24 HR., MULTIPHASE <b>MO</b>	1	QL(30 per 30 days)
SEGLUROMET 2.5-1,000 MG, 2.5-500 MG, 7.5-1,000 MG, 7.5-500 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
SEMGLEE PEN U-100 INSULIN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
SEMGLEE U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
SEMGLEE(INSULIN GLARG-YFGN)PEN 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	3	PA
SEMGLEE(INSULIN GLARGINE-YFGN) 100 UNIT/ML SOLUTION <b>CI,MO</b>	3	PA
SOLIQUA 100/33 100 UNIT-33 MCG/ML INSULIN PEN <b>CI,MO</b>	2	QL(15 per 24 days)
STEGLATRO 15 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
STEGLUJAN 15-100 MG, 5-100 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML PEN INJECTOR <b>DL</b>	4	QL(10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML PEN INJECTOR <b>DL</b>	4	QL(10.5 per 28 days)
SYNJARDY 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
SYNJARDY XR 10-1,000 MG, 25-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
SYNJARDY XR 12.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) INSULIN PEN <b>CI,MO</b>	2	
TRADJENTA 5 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
TRESIBA FLEXTOUCH U-100 100 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TRESIBA FLEXTOUCH U-200 200 UNIT/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SOLUTION <b>CI,MO</b>	2	
TRIJARDY XR 10-5-1,000 MG, 25-5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(30 per 30 days)
TRIJARDY XR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	2	QL(60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML PEN INJECTOR <b>MO</b>	2	QL(2 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) PEN INJECTOR <b>MO</b>	2	QL(9 per 30 days)
XIGDUO XR 10-1,000 MG, 10-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
XIGDUO XR 2.5-1,000 MG, 5-1,000 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(60 per 30 days)
XIGDUO XR 5-500 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG/ML (3 ML) INSULIN PEN <b>CI,MO</b>	2	QL(15 per 30 days)
ZEGALOGUE AUTOINJECTOR 0.6 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	2	
ZEGALOGUE SYRINGE 0.6 MG/0.6 ML SYRINGE <b>MO</b>	2	
<b>BLOOD PRODUCTS AND MODIFIERS</b>		
AGGRASTAT CONCENTRATE 250 MCG/ML CONCENTRATE <b>MO</b>	3	
AGGRASTAT IN SODIUM CHLORIDE 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) SOLUTION <b>MO</b>	3	
AGRYLIN 0.5 MG CAPSULE <b>MO</b>	3	PA
AMICAR 1,000 MG, 500 MG TABLET <b>DL</b>	4	PA
AMICAR 250 MG/ML (25 %) SOLUTION <b>DL</b>	4	PA
<i>aminocaproic acid 1,000 mg TABLET <b>DL</b></i>	4	
<i>aminocaproic acid 250 mg/ml, 250 mg/ml (25 %) SOLUTION <b>MO</b></i>	1	
<i>aminocaproic acid 500 mg TABLET <b>MO</b></i>	1	
<i>anagrelide 0.5 mg, 1 mg CAPSULE <b>MO</b></i>	1	
ARANESP (IN POLYSORBATE) 10 MCG/0.4 ML, 40 MCG/0.4 ML SYRINGE <b>MO</b>	3	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 30 days)
ARANESP (IN POLYSORBATE) 100 MCG/ML, 200 MCG/ML, 60 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 150 MCG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 30 days)
ARANESP (IN POLYSORBATE) 200 MCG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/0.42 ML SYRINGE <b>MO</b>	3	PA,QL(1.68 per 30 days)
ARANESP (IN POLYSORBATE) 25 MCG/ML, 40 MCG/ML SOLUTION <b>MO</b>	3	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 300 MCG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 30 days)
ARANESP (IN POLYSORBATE) 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 30 days)
ARANESP (IN POLYSORBATE) 60 MCG/0.3 ML SYRINGE <b>MO</b>	3	PA,QL(1.2 per 30 days)
ARIXTRA 10 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(24 per 30 days)
ARIXTRA 2.5 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(15 per 30 days)
ARIXTRA 5 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(12 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARIXTRA 7.5 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
aspirin-dipyridamole 25-200 mg CAPSULE ER MULTIPHASE 12 HR. <b>MO</b>	1	ST,QL(60 per 30 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
CABLIVI 11 MG KIT <b>DL</b>	4	PA,QL(30 per 30 days)
cilostazol 100 mg, 50 mg TABLET <b>MO</b>	1	
clopidogrel 300 mg TABLET <b>MO</b>	1	
clopidogrel 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) SOLUTION <b>DL</b>	4	PA
dabigatran etexilate 150 mg, 75 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
dipyridamole 25 mg, 50 mg, 75 mg TABLET <b>MO</b>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
EFFIENT 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	2	QL(74 per 30 days)
ELIQUIS DVT-PE TREAT 30D START 5 MG (74 TABS) TABLET, DOSE PACK <b>MO</b>	2	QL(74 per 30 days)
enoxaparin 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml SYRINGE <b>MO</b>	1	
enoxaparin 300 mg/3 ml SOLUTION <b>MO</b>	1	
EPOGEN 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
EPOGEN 20,000 UNIT/2 ML SOLUTION <b>MO</b>	3	PA,QL(28 per 30 days)
eptifibatide 0.75 mg/ml, 2 mg/ml SOLUTION <b>MO</b>	1	
fondaparinux 10 mg/0.8 ml SYRINGE <b>DL</b>	4	QL(24 per 30 days)
fondaparinux 2.5 mg/0.5 ml SYRINGE <b>DL</b>	4	QL(15 per 30 days)
fondaparinux 5 mg/0.4 ml SYRINGE <b>DL</b>	4	QL(12 per 30 days)
fondaparinux 7.5 mg/0.6 ml SYRINGE <b>DL</b>	4	QL(18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SYRINGE <b>DL</b>	4	QL(30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SYRINGE <b>DL</b>	4	QL(15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SYRINGE <b>DL</b>	4	QL(18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SYRINGE <b>DL</b>	4	QL(21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SYRINGE <b>DL</b>	4	QL(6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FRAGMIN 2,500 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	4	QL(120 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SOLUTION <b>DL</b>	4	QL(22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SYRINGE <b>DL</b>	4	QL(9 per 30 days)
FULPHILA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
FYLNETRA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 28 days)
GRANIX 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 28 days)
GRANIX 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 28 days)
heparin (porcine) 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml SOLUTION <b>MO</b>	1	
heparin (porcine) 5,000 unit/ml (1 ml) CARTRIDGE <b>MO</b>	1	
heparin (porcine) 5,000 unit/ml SYRINGE <b>MO</b>	1	
heparin, porcine (pf) 1,000 unit/ml, 5,000 unit/0.5 ml SOLUTION <b>MO</b>	1	
heparin, porcine (pf) 5,000 unit/0.5 ml, 5,000 unit/ml SYRINGE <b>MO</b>	1	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
KENGREAL 50 MG RECON SOLUTION <b>DL</b>	4	
LEUKINE 250 MCG RECON SOLUTION <b>DL</b>	4	PA
LOVENOX 100 MG/ML, 120 MG/0.8 ML, 150 MG/ML, 30 MG/0.3 ML, 40 MG/0.4 ML, 60 MG/0.6 ML, 80 MG/0.8 ML SYRINGE <b>DL</b>	4	PA
LOVENOX 300 MG/3 ML SOLUTION <b>DL</b>	4	PA
LYSTEDA 650 MG TABLET <b>MO</b>	3	QL(30 per 5 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(9.6 per 30 days)
MULPLETA 3 MG TABLET <b>DL</b>	4	PA
NEULASTA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
NEULASTA ONPRO 6 MG/0.6 ML SYRINGE W/WEARABLE INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
NEUPOGEN 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
NIVESTYM 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NIVESTYM 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)
NYVEPRIA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
PLAVIX 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
PRADAXA 110 MG, 30 MG, 40 MG, 50 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
PRADAXA 150 MG, 20 MG PELLETS IN PACKET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>prasugrel 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
PROCRIT 10,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
PROCRIT 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
PROCRIT 20,000 UNIT/2 ML SOLUTION <b>DL</b>	3	PA,QL(28 per 30 days)
PROCRIT 20,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>DL</b>	3	PA,QL(14 per 30 days)
PROMACTA 12.5 MG POWDER IN PACKET <b>DL,LA</b>	4	PA,QL(360 per 30 days)
PROMACTA 12.5 MG, 75 MG TABLET <b>DL,LA</b>	4	PA,QL(60 per 30 days)
PROMACTA 25 MG POWDER IN PACKET <b>DL,LA</b>	4	PA,QL(180 per 30 days)
PROMACTA 25 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
PROMACTA 50 MG TABLET <b>DL,LA</b>	4	PA,QL(90 per 30 days)
PYRUKYND 20 MG (7)- 5 MG (7), 50 MG (7)- 20 MG (7) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 14 days)
PYRUKYND 20 MG, 5 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
REBLOZYL 25 MG, 75 MG RECON SOLUTION <b>DL</b>	4	PA
RELEUKO 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
RELEUKO 300 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(14 per 30 days)
RELEUKO 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
RELEUKO 480 MCG/1.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 30 days)
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML SOLUTION <b>MO</b>	3	PA,QL(14 per 30 days)
RIASTAP 1 GRAM (900MG-1,300MG) RECON SOLUTION <b>MO</b>	3	
ROLVEDON 13.2 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
SAVAYSA 15 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TAVALISSE 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>tirofiban-0.9% sodium chloride 12.5 mg/250 ml (50 mcg/ml), 5 mg/100 ml (50 mcg/ml) SOLUTION</i> <b>MO</b>	1	
<i>tranexamic acid 1,000 mg/10 ml (100 mg/ml) SOLUTION</i> <b>MO</b>	1	PA
<i>tranexamic acid 650 mg TABLET</i> <b>MO</b>	1	QL(30 per 5 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UDENYCA 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
UDENYCA AUTOINJECTOR 6 MG/0.6 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
warfarin 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 6 mg, 7.5 mg TABLET <b>MO</b>	1	
warfarin 5 mg TABLET <b>MO</b>	1	
XARELTO 1 MG/ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	2	ST,QL(600 per 30 days)
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
XARELTO DVT-PE TREAT 30D START 15 MG (42)- 20 MG (9) TABLET, DOSE PACK <b>MO</b>	2	QL(51 per 30 days)
YOSPRALA 325-40 MG, 81-40 MG TABLET, IR, DR, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
ZARXIO 300 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(7 per 30 days)
ZARXIO 480 MCG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<b>CARDIOVASCULAR AGENTS</b>		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	
ACCURETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
acebutolol 200 mg, 400 mg CAPSULE <b>MO</b>	1	
acetazolamide 125 mg, 250 mg TABLET <b>MO</b>	1	
acetazolamide 500 mg CAPSULE, ER <b>MO</b>	1	
acetazolamide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SOLUTION <b>MO</b>	1	
adenosine 3 mg/ml SYRINGE <b>MO</b>	1	
ALDACTAZIDE 25-25 MG, 50-50 MG TABLET <b>MO</b>	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
aliskiren 150 mg, 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>MO</b>	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET, ER 24 HR. <b>DL</b>	4	ST,QL(30 per 30 days)
amiloride 5 mg TABLET <b>MO</b>	1	
amiloride-hydrochlorothiazide 5-50 mg TABLET <b>MO</b>	1	
amiodarone 100 mg TABLET <b>MO</b>	1	
amiodarone 150 mg/3 ml SYRINGE <b>MO</b>	1	
amiodarone 200 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amiodarone 400 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
amiodarone 50 mg/ml SOLUTION <b>MO</b>	1	
amlodipine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
amlodipine-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-valsartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
amlodipine-valsartan-hcthiiazid 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ANTARA 30 MG, 90 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
ASPRUZYO SPRINKLE 1,000 MG, 500 MG ER GRANULES, PACKET <b>MO</b>	3	QL(60 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ATACAND 32 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ATACAND HCT 16-12.5 MG, 32-12.5 MG, 32-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
atenolol 100 mg TABLET <b>MO</b>	1	
atenolol 25 mg, 50 mg TABLET <b>MO</b>	1	
atenolol-chlorthalidone 100-25 mg, 50-25 mg TABLET <b>MO</b>	1	
ATORVALIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>MO</b>	3	ST,QL(600 per 30 days)
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	
AVALIDE 150-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
AVALIDE 300-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AZOR 10-20 MG, 10-40 MG, 5-20 MG, 5-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
benazepril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
benazepril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg TABLET <b>MO</b>	1	
BENICAR 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BENICAR 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
BENICAR HCT 20-12.5 MG, 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET <b>DL</b>	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET <b>DL</b>	4	PA
betaxolol 10 mg, 20 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BIDIL 20-37.5 MG TABLET <b>MO</b>	3	PA,QL(180 per 30 days)
BIORPHEN 0.1 MG/ML SOLUTION <b>MO</b>	3	
<i>bisoprolol fumarate 10 mg, 5 mg TABLET <b>MO</b></i>	1	
<i>bisoprolol-hydrochlorothiazide 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg TABLET <b>MO</b></i>	1	
<i>bretylium tosylate 50 mg/ml SOLUTION <b>MO</b></i>	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) SOLUTION <b>MO</b>	3	
BREVIBLOC IN NAACL (ISO-OSM) 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) PARENTERAL SOLUTION <b>MO</b>	3	
<i>bumetanide 0.25 mg/ml SOLUTION <b>MO</b></i>	1	
<i>bumetanide 0.5 mg, 2 mg TABLET <b>MO</b></i>	1	
<i>bumetanide 1 mg TABLET <b>MO</b></i>	1	
BYSTOLIC 10 MG TABLET <b>MO</b>	3	PA,QL(120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
BYSTOLIC 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CADUET 10-10 MG, 10-20 MG, 10-40 MG, 10-80 MG, 5-10 MG, 5-20 MG, 5-40 MG, 5-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
CALAN SR 120 MG, 240 MG TABLET ER <b>MO</b>	3	
CAMZYOS 10 MG, 15 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>candesartan 16 mg, 4 mg, 8 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>candesartan 32 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>candesartan-hydrochlorothiazid 16-12.5 mg, 32-12.5 mg, 32-25 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>captopril 100 mg, 12.5 mg, 25 mg, 50 mg TABLET <b>MO</b></i>	1	
<i>captopril-hydrochlorothiazide 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg TABLET <b>MO</b></i>	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	
CARDURA XL 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
CAROSPIR 25 MG/5 ML SUSPENSION <b>MO</b>	3	PA,QL(450 per 30 days)
<i>cartia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b></i>	1	QL(60 per 30 days)
<i>cartia xt 300 mg CAPSULE, ER 24 HR. <b>MO</b></i>	1	QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg TABLET <b>MO</b>	1	
carvedilol phosphate 10 mg, 20 mg, 40 mg, 80 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	1	QL(30 per 30 days)
CATAPRES-TTS-1 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	PA,QL(4 per 28 days)
chlorothiazide sodium 500 mg RECON SOLUTION <b>MO</b>	1	
chlorthalidone 25 mg TABLET <b>MO</b>	1	
chlorthalidone 50 mg TABLET <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER <b>MO</b>	1	
cholestyramine (with sugar) 4 gram POWDER IN PACKET <b>MO</b>	1	
cholestyramine light 4 gram POWDER <b>MO</b>	1	
cholestyramine light 4 gram POWDER IN PACKET <b>MO</b>	1	
cholestyramine-aspartame 4 gram POWDER IN PACKET <b>MO</b>	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML EMULSION <b>MO</b>	3	
clonidine 0.1 mg/24 hr, 0.2 mg/24 hr, 0.3 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
clonidine hcl 0.1 mg TABLET <b>MO</b>	1	
clonidine hcl 0.2 mg, 0.3 mg TABLET <b>MO</b>	1	
colesevelam 3.75 gram POWDER IN PACKET <b>MO</b>	1	QL(30 per 30 days)
colesevelam 625 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
COLESTID 1 GRAM TABLET <b>MO</b>	3	
COLESTID 5 GRAM GRANULES <b>MO</b>	3	QL(1000 per 30 days)
COLESTID 5 GRAM PACKET <b>MO</b>	3	
COLESTID FLAVORED 5 GRAM GRANULES <b>MO</b>	3	QL(1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET <b>MO</b>	3	
colestipol 1 gram TABLET <b>MO</b>	1	
colestipol 5 gram GRANULES <b>MO</b>	1	QL(1000 per 30 days)
colestipol 5 gram PACKET <b>MO</b>	1	
CONJUPRI 2.5 MG, 5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET <b>MO</b>	3	PA
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CORLANOR 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(560 per 28 days)
CORLOPAM 10 MG/ML SOLUTION <b>MO</b>	3	
CORVERT 0.1 MG/ML SOLUTION <b>MO</b>	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
DEMSER 250 MG CAPSULE <b>DL</b>	4	
DIBENZYLINE 10 MG CAPSULE <b>DL</b>	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 125 mcg (0.125 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 250 mcg (0.25 mg), 62.5 mcg (0.0625 mg) TABLET <b>MO</b>	1	QL(30 per 30 days)
digoxin 250 mcg/ml (0.25 mg/ml), 50 mcg/ml (0.05 mg/ml) SOLUTION <b>MO</b>	1	
dilt-xr 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 100 mg RECON SOLUTION <b>MO</b>	1	
diltiazem hcl 120 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(90 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 120 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	1	
diltiazem hcl 120 mg, 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
diltiazem hcl 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
diltiazem hcl 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
diltiazem hcl 5 mg/ml SOLUTION <b>MO</b>	1	
diltiazem hcl 60 mg, 90 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(180 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DIOVAN HCT 160-12.5 MG, 160-25 MG, 320-12.5 MG, 320-25 MG, 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
disopyramide phosphate 100 mg, 150 mg CAPSULE <b>MO</b>	1	
DIURIL 250 MG/5 ML SUSPENSION <b>MO</b>	3	
dobutamine 250 mg/20 ml (12.5 mg/ml) SOLUTION <b>MO</b>	1	BvsD
dobutamine in d5w 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml) PARENTERAL SOLUTION <b>MO</b>	1	BvsD
dofetilide 125 mcg, 250 mcg, 500 mcg CAPSULE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dopamine 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml) SOLUTION <b>MO</b>	1	BvsD
dopamine in 5 % dextrose 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml) SOLUTION <b>MO</b>	1	BvsD
doxazosin 1 mg, 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
droxidopa 100 mg, 200 mg CAPSULE <b>MO</b>	1	PA,QL(90 per 30 days)
droxidopa 300 mg CAPSULE <b>MO</b>	1	PA,QL(180 per 30 days)
DYRENIUM 100 MG, 50 MG CAPSULE <b>MO</b>	3	
EDARBI 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDARBYCLOR 40-12.5 MG, 40-25 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
EDECIN 25 MG TABLET <b>DL</b>	4	QL(480 per 30 days)
enalapril maleate 1 mg/ml SOLUTION <b>MO</b>	1	
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
enalapril-hydrochlorothiazide 10-25 mg, 5-12.5 mg TABLET <b>MO</b>	1	
enalaprilat 1.25 mg/ml SOLUTION <b>MO</b>	1	
ENTRESTO 24-26 MG, 49-51 MG, 97-103 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
EPANED 1 MG/ML SOLUTION <b>DL</b>	4	
eplerenone 25 mg, 50 mg TABLET <b>MO</b>	1	PA
eprosartan 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
esmolol 100 mg/10 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
esmolol in nacl (iso-osm) 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml) PARENTERAL SOLUTION <b>MO</b>	1	
ethacrynate sodium 50 mg RECON SOLUTION <b>MO</b>	1	
ethacrynic acid 25 mg TABLET <b>MO</b>	1	QL(480 per 30 days)
EVKEEZA 150 MG/ML SOLUTION <b>DL</b>	4	PA
EXFORGE 10-160 MG, 10-320 MG, 5-160 MG, 5-320 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EXFORGE HCT 10-160-12.5 MG, 10-160-25 MG, 10-320-25 MG, 5-160-12.5 MG, 5-160-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE, SPRINKLE <b>MO</b>	3	ST,QL(30 per 30 days)
ezetimibe 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ezetimibe-atorvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	1	ST,QL(30 per 30 days)
ezetimibe-rosuvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-5 mg TABLET <b>MO</b>	3	ST,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
felodipine 10 mg, 2.5 mg, 5 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 120 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 150 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 160 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate 40 mg, 54 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibrate 50 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate micronized 130 mg, 43 mg CAPSULE <b>MO</b>	1	ST,QL(30 per 30 days)
fenofibrate micronized 134 mg, 200 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
fenofibrate micronized 30 mg, 90 mg CAPSULE <b>MO</b>	3	QL(30 per 30 days)
fenofibrate micronized 67 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
fenofibrate nanocrystallized 145 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
fenofibrate nanocrystallized 48 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
fenofibric acid 105 mg, 35 mg TABLET <b>MO</b>	2	QL(30 per 30 days)
fenofibric acid (choline) 135 mg, 45 mg CAPSULE, DR/EC <b>MO</b>	1	QL(30 per 30 days)
FENOGLIDE 120 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
FENOGLIDE 40 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
flecainide 100 mg, 150 mg, 50 mg TABLET <b>MO</b>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) SUSPENSION <b>MO</b>	3	ST,QL(150 per 30 days)
fluvastatin 20 mg, 40 mg CAPSULE <b>MO</b>	1	ST,QL(60 per 30 days)
fluvastatin 80 mg TABLET, ER 24 HR. <b>MO</b>	1	ST,QL(30 per 30 days)
fosinopril 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
fosinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg TABLET <b>MO</b>	1	
FUROSCIX 80 MG/10 ML KIT <b>MO</b>	3	PA
furosemide 10 mg/ml SYRINGE <b>MO</b>	1	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
furosemide 20 mg, 40 mg TABLET <b>MO</b>	1	
furosemide 80 mg TABLET <b>MO</b>	1	
gemfibrozil 600 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
GONITRO 400 MCG POWDER IN PACKET <b>MO</b>	3	
guanfacine 1 mg TABLET <b>MO</b>	1	
guanfacine 2 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HEMANGEOL 4.28 MG/ML SOLUTION <b>MO</b>	3	
hydralazine 10 mg, 100 mg TABLET <b>MO</b>	1	
hydralazine 20 mg/ml SOLUTION <b>MO</b>	1	
hydralazine 25 mg, 50 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 12.5 mg CAPSULE <b>MO</b>	1	
hydrochlorothiazide 12.5 mg, 25 mg TABLET <b>MO</b>	1	
hydrochlorothiazide 50 mg TABLET <b>MO</b>	1	
HYZAAR 100-12.5 MG, 100-25 MG, 50-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
ibutilide fumarate 0.1 mg/ml SOLUTION <b>MO</b>	1	
indapamide 1.25 mg, 2.5 mg TABLET <b>MO</b>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE, ER 24 HR. <b>DL</b>	4	
INSPRA 25 MG, 50 MG TABLET <b>MO</b>	3	PA
irbesartan 150 mg, 75 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan 300 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
irbesartan-hydrochlorothiazide 150-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
irbesartan-hydrochlorothiazide 300-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
ISORDIL 40 MG TABLET <b>DL</b>	4	
ISORDIL TITRADOSE 5 MG TABLET <b>DL</b>	4	PA
isosorbide dinitrate 10 mg, 20 mg, 30 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 10 mg, 20 mg TABLET <b>MO</b>	1	
isosorbide mononitrate 120 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide mononitrate 30 mg, 60 mg TABLET, ER 24 HR. <b>MO</b>	1	
isosorbide-hydralazine 20-37.5 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
isradipine 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
ISUPREL 0.2 MG/ML SOLUTION <b>MO</b>	3	
JUXTAPID 10 MG, 30 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
JUXTAPID 20 MG CAPSULE <b>DL</b>	4	PA,QL(84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE ER SPRINKLE 24 HR. <b>MO</b>	3	ST,QL(60 per 30 days)
KATERZIA 1 MG/ML SUSPENSION <b>MO</b>	3	ST,QL(300 per 30 days)
KERENDIA 10 MG, 20 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>labetalol 100 mg, 200 mg, 300 mg TABLET</i> <b>MO</b>	1	
<i>labetalol 5 mg/ml SOLUTION</i> <b>MO</b>	1	
LABELALOL IN DEXTROSE,ISO-OSM 1 MG/ML SOLUTION <b>MO</b>	1	
LABELALOL IN NAACL (ISO-OSMOT) 1 MG/ ML SOLUTION <b>MO</b>	1	
LANOXIN 125 MCG (0.125 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET <b>MO</b>	3	QL(30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) SOLUTION <b>MO</b>	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) SOLUTION <b>MO</b>	3	
LASIX 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
LEQVIO 284 MG/1.5 ML SYRINGE	4	PA,QL(4.5 per 365 days)
LESCOL XL 80 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
<i>levamlodipine 2.5 mg, 5 mg TABLET</i> <b>MO</b>	3	QL(30 per 30 days)
LEVOPHED (BITARTRATE) 1 MG/ML SOLUTION <b>MO</b>	3	
<i>lidocaine (pf) 20 mg/ml (2 %) SOLUTION</i> <b>MO</b>	1	
<i>lidocaine in 5 % dextrose (pf) 4 mg/ml (0.4 %), 8 mg/ml (0.8 %) PARENTERAL SOLUTION</i> <b>MO</b>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
LIPOFEN 150 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
LIPOFEN 50 MG CAPSULE <b>MO</b>	3	QL(60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 40 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>lisinopril 30 mg TABLET</i> <b>MO</b>	1	
<i>lisinopril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET</i> <b>MO</b>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
LODOCO 0.5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
LOPID 600 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET <b>MO</b>	3	
<i>losartan 100 mg, 25 mg, 50 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>losartan-hydrochlorothiazide 100-12.5 mg, 100-25 mg, 50-12.5 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	
LOTENSIN HCT 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
LOTREL 10-20 MG, 5-10 MG, 5-20 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LOTREL 10-40 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
<i>lovastatin 10 mg TABLET</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lovastatin 20 mg, 40 mg TABLET <b>MO</b>	1	
LOVAZA 1 GRAM CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
mannitol 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	1	
mannitol 25 % 25 % SOLUTION <b>MO</b>	1	
mannitol 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	1	
matzim la 180 mg, 240 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
matzim la 300 mg, 360 mg, 420 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
MAXZIDE 75-50 MG TABLET <b>MO</b>	3	PA
MAXZIDE-25MG 37.5-25 MG TABLET <b>MO</b>	3	PA
methazolamide 25 mg, 50 mg TABLET <b>MO</b>	1	
methyldopa 250 mg, 500 mg TABLET <b>MO</b>	1	
methyldopa-hydrochlorothiazide 250-15 mg, 250-25 mg TABLET <b>MO</b>	1	
methyldopate 250 mg/5 ml SOLUTION <b>MO</b>	1	
metolazone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
metoprolol succinate 100 mg, 25 mg, 50 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol succinate 200 mg TABLET, ER 24 HR. <b>MO</b>	1	
metoprolol ta-hydrochlorothiaz 100-25 mg, 100-50 mg, 50-25 mg TABLET <b>MO</b>	1	
metoprolol tartrate 100 mg, 25 mg, 50 mg TABLET <b>MO</b>	1	
metoprolol tartrate 37.5 mg, 75 mg TABLET <b>MO</b>	1	
metoprolol tartrate 5 mg/5 ml SOLUTION <b>MO</b>	1	
metyrosine 250 mg CAPSULE <b>DL</b>	4	
mexiletine 150 mg, 200 mg, 250 mg CAPSULE <b>MO</b>	1	
MICARDIS 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS 80 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
MICARDIS HCT 40-12.5 MG, 80-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MICARDIS HCT 80-12.5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
midodrine 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
milrinone 1 mg/ml SOLUTION <b>MO</b>	1	BvsD
milrinone in 5 % dextrose 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml) PIGGYBACK <b>MO</b>	1	BvsD
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE <b>MO</b>	3	
minitran 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR. <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>minoxidil 10 mg, 2.5 mg TABLET</i> <b>MO</b>	1	
<i>moexipril 15 mg, 7.5 mg TABLET</i> <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
<i>nadolol 20 mg, 40 mg, 80 mg TABLET</i> <b>MO</b>	1	
<i>nebivolol 10 mg TABLET</i> <b>MO</b>	1	QL(120 per 30 days)
<i>nebivolol 2.5 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>nebivolol 20 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
NEXLETOL 180 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXLIZET 180-10 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) SOLUTION <b>MO</b>	3	
<i>niacin 1,000 mg, 500 mg, 750 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
<i>niacin 500 mg TABLET</i> <b>MO</b>	1	
<i>niacor 500 mg TABLET</i> <b>MO</b>	1	
NIASPAN EXTENDED-RELEASE 500 MG, 750 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
<i>nicardipine 20 mg, 30 mg CAPSULE</i> <b>MO</b>	1	
<i>nicardipine 25 mg/10 ml SOLUTION</i> <b>MO</b>	1	
<i>nifedipine 10 mg, 20 mg CAPSULE</i> <b>MO</b>	1	
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET ER</i> <b>MO</b>	1	QL(60 per 30 days)
<i>nifedipine 30 mg, 60 mg, 90 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	QL(60 per 30 days)
<i>nimodipine 30 mg CAPSULE</i> <b>MO</b>	1	
<i>nisoldipine 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	QL(30 per 30 days)
<i>nisoldipine 25.5 mg, 30 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	QL(60 per 30 days)
NITRO-BID 2 % OINTMENT <b>MO</b>	1	
NITRO-DUR 0.1 MG/HR, 0.4 MG/HR PATCH, 24 HR. <b>MO</b>	3	
NITRO-DUR 0.2 MG/HR, 0.3 MG/HR, 0.6 MG/HR, 0.8 MG/HR PATCH, 24 HR. <b>DL</b>	4	
<i>nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr PATCH, 24 HR.</i> <b>MO</b>	1	
<i>nitroglycerin 0.3 mg, 0.6 mg SUBLINGUAL TABLET</i> <b>MO</b>	1	
<i>nitroglycerin 0.4 mg SUBLINGUAL TABLET</i> <b>MO</b>	1	
<i>nitroglycerin 400 mcg/spray SPRAY, NON-AEROSOL</i> <b>MO</b>	1	
<i>nitroglycerin 50 mg/10 ml (5 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>nitroglycerin in 5 % dextrose 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml) SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NITROLINGUAL 400 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>	2	
<i>norepinephrine bitartrate</i> 1 mg/ml SOLUTION <b>MO</b>	1	
NORLIQVA 1 MG/ML SOLUTION <b>DL</b>	4	ST,QL(300 per 30 days)
NORPACE 100 MG, 150 MG CAPSULE <b>MO</b>	3	
NORPACE CR 100 MG, 150 MG CAPSULE, ER <b>MO</b>	3	
NORTHERA 100 MG, 200 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
NORTHERA 300 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
NORVASC 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA
NYMALIZE 30 MG/5 ML SYRINGE <b>DL</b>	4	QL(630 per 28 days)
NYMALIZE 60 MG/10 ML SOLUTION <b>DL</b>	4	QL(1260 per 28 days)
NYMALIZE 60 MG/10 ML SYRINGE <b>DL</b>	4	QL(1260 per 28 days)
<i>olmesartan</i> 20 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>olmesartan</i> 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>olmesartan</i> 5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>olmesartan-amlodipin-hcthiazyd</i> 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>olmesartan-hydrochlorothiazide</i> 20-12.5 mg, 40-12.5 mg, 40-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>omega-3 acid ethyl esters</i> 1 gram CAPSULE <b>MO</b>	1	QL(120 per 30 days)
OSMITROL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 20 % 20 % PARENTERAL SOLUTION <b>MO</b>	3	
OSMITROL 5 % 5 % PARENTERAL SOLUTION <b>MO</b>	3	
PACERONE 100 MG TABLET <b>MO</b>	1	
<i>pacerone</i> 200 mg TABLET <b>MO</b>	1	
PACERONE 400 MG TABLET <b>MO</b>	1	QL(60 per 30 days)
<i>pentoxifylline</i> 400 mg TABLET ER <b>MO</b>	1	
<i>perindopril erbumine</i> 2 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	
<i>phenoxybenzamine</i> 10 mg CAPSULE <b>DL</b>	4	
<i>phenylephrine hcl</i> 10 mg/ml SOLUTION <b>MO</b>	1	
<i>pindolol</i> 10 mg, 5 mg TABLET <b>MO</b>	1	
PRALUENT PEN 150 MG/ML, 75 MG/ML PEN INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
<i>pravastatin</i> 10 mg, 20 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
prazosin 1 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
PRESTALIA 14-10 MG, 3.5-2.5 MG, 7-5 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
prevalite 4 gram POWDER <b>MO</b>	1	
prevalite 4 gram POWDER IN PACKET <b>MO</b>	1	
PRINIVIL 20 MG TABLET <b>MO</b>	3	
procainamide 100 mg/ml, 500 mg/ml SOLUTION <b>MO</b>	1	
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
propafenone 150 mg, 225 mg, 300 mg TABLET <b>MO</b>	1	
propafenone 225 mg, 325 mg CAPSULE, ER 12 HR. <b>MO</b>	1	QL(60 per 30 days)
propafenone 425 mg CAPSULE, ER 12 HR. <b>MO</b>	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) SOLUTION <b>MO</b>	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg TABLET <b>MO</b>	1	
propranolol 120 mg, 160 mg, 60 mg, 80 mg CAPSULE, ER 24 HR. <b>MO</b>	1	
propranolol-hydrochlorothiazid 40-25 mg, 80-25 mg TABLET <b>MO</b>	1	
QBRELIS 1 MG/ML SOLUTION <b>DL</b>	4	QL(1200 per 30 days)
QUESTRAN 4 GRAM POWDER <b>MO</b>	1	
QUESTRAN 4 GRAM POWDER IN PACKET <b>MO</b>	1	
QUESTRAN LIGHT 4 GRAM POWDER <b>MO</b>	1	
quinapril 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
quinapril-hydrochlorothiazide 10-12.5 mg, 20-12.5 mg, 20-25 mg TABLET <b>MO</b>	1	
quinidine gluconate 324 mg TABLET ER <b>MO</b>	1	
quinidine sulfate 200 mg, 300 mg TABLET <b>MO</b>	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg CAPSULE <b>MO</b>	1	
RANEXA 1,000 MG, 500 MG TABLET, ER 12 HR. <b>MO</b>	3	PA,QL(120 per 30 days)
ranolazine 1,000 mg, 500 mg TABLET, ER 12 HR. <b>MO</b>	1	QL(120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML WEARABLE INJECTOR <b>MO</b>	2	PA,QL(3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML PEN INJECTOR <b>MO</b>	2	PA,QL(3 per 28 days)
REPATHA SYRINGE 140 MG/ML SYRINGE <b>MO</b>	2	PA,QL(3 per 28 days)
rosuvastatin 10 mg, 20 mg, 40 mg, 5 mg TABLET <b>MO</b>	1	
ROSZET 10-10 MG, 10-20 MG, 10-40 MG, 10-5 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
RYTHMOL SR 225 MG, 325 MG CAPSULE, ER 12 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
RYTHMOL SR 425 MG CAPSULE, ER 12 HR. <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
simvastatin 10 mg, 20 mg, 40 mg TABLET <b>MO</b>	1	
simvastatin 5 mg, 80 mg TABLET <b>MO</b>	1	
SOAANZ 20 MG, 40 MG, 60 MG TABLET <b>MO</b>	3	ST
SODIUM EDECRIN 50 MG RECON SOLUTION <b>MO</b>	3	
sorine 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg TABLET <b>MO</b>	1	
sotalol 150 mg/10 ml (15 mg/ml) SOLUTION <b>MO</b>	1	
sotalol af 120 mg, 160 mg, 80 mg TABLET <b>MO</b>	1	
SOTYLIZE 5 MG/ML SOLUTION <b>MO</b>	3	
spironolacton-hydrochlorothiaz 25-25 mg TABLET <b>MO</b>	1	
spironolactone 100 mg TABLET <b>MO</b>	1	
spironolactone 25 mg, 50 mg TABLET <b>MO</b>	1	
SULAR 17 MG, 34 MG, 8.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
taztia xt 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
taztia xt 300 mg, 360 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TEKTURNA 150 MG, 300 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TEKTURNA HCT 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
telmisartan 20 mg, 40 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 40-12.5 mg, 80-25 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
telmisartan-hydrochlorothiazid 80-12.5 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
TENORETIC 100 100-25 MG TABLET <b>MO</b>	3	
TENORETIC 50 50-25 MG TABLET <b>MO</b>	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA
terazosin 1 mg, 10 mg, 2 mg, 5 mg CAPSULE <b>MO</b>	1	
THALITONE 15 MG TABLET <b>MO</b>	3	
tiadylt er 120 mg, 180 mg, 240 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE, ER 24 HR. <b>MO</b>	3	QL(60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
timolol maleate 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	3	
toremide 10 mg, 100 mg, 5 mg TABLET <b>MO</b>	1	
toremide 20 mg TABLET <b>MO</b>	1	
trandolapril 1 mg, 2 mg, 4 mg TABLET <b>MO</b>	1	
trandolapril-verapamil 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	1	
triamterene 100 mg, 50 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg CAPSULE <b>MO</b>	1	
triamterene-hydrochlorothiazid 37.5-25 mg TABLET <b>MO</b>	1	
triamterene-hydrochlorothiazid 75-50 mg TABLET <b>MO</b>	1	
TRIBENZOR 20-5-12.5 MG, 40-10-12.5 MG, 40-10-25 MG, 40-5-12.5 MG, 40-5-25 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 145 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TRICOR 48 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(30 per 30 days)
TWYNSTA 40-10 MG, 40-5 MG, 80-10 MG, 80-5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
valsartan 160 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
valsartan 320 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
VALSARTAN 4 MG/ML SOLUTION <b>DL</b>	4	ST,QL(2400 per 30 days)
valsartan-hydrochlorothiazide 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	2	QL(240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	2	QL(120 per 30 days)
VASERETIC 10-25 MG TABLET <b>MO</b>	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET <b>DL</b>	4	PA
VAZCULEP 10 MG/ML SOLUTION <b>MO</b>	3	
vecamyl 2.5 mg TABLET <b>DL</b>	4	QL(300 per 30 days)
verapamil 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	
verapamil 120 mg, 180 mg, 240 mg TABLET ER <b>MO</b>	1	
verapamil 120 mg, 40 mg, 80 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
verapamil 2.5 mg/ml SOLUTION <b>MO</b>	1	
verapamil 2.5 mg/ml SYRINGE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
verapamil 360 mg CAPSULE ER PELLETS 24 HR. <b>MO</b>	1	QL(60 per 30 days)
VERELAN 120 MG, 180 MG, 240 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	
VERELAN 360 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	QL(60 per 30 days)
VERELAN PM 100 MG, 200 MG, 300 MG CAPSULE ER PELLETS 24 HR. <b>MO</b>	3	PA
VERQUVO 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	2	PA,QL(30 per 30 days)
VYTORIN 10-10 10-10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-20 10-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-40 10-40 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYTORIN 10-80 10-80 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
WELCHOL 3.75 GRAM POWDER IN PACKET <b>MO</b>	3	QL(30 per 30 days)
WELCHOL 625 MG TABLET <b>MO</b>	3	QL(180 per 30 days)
ZESTORETIC 10-12.5 MG, 20-12.5 MG, 20-25 MG TABLET <b>MO</b>	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
ZETIA 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ZIAC 10-6.25 MG, 2.5-6.25 MG, 5-6.25 MG TABLET <b>MO</b>	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
ZYPITAMAG 2 MG, 4 MG TABLET <b>MO</b>	2	ST,QL(30 per 30 days)
<b>CENTRAL NERVOUS SYSTEM AGENTS</b>		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	PA,QL(90 per 30 days)
ADDERALL 30 MG TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
amphetamine 1.25 mg/ml SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(450 per 30 days)
amphetamine sulfate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
AMPYRA 10 MG TABLET, ER 12 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
atomoxetine 10 mg, 18 mg, 25 mg, 40 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
atomoxetine 100 mg, 60 mg, 80 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AUSTEDO 6 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
AUSTEDO XR 12 MG, 6 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(90 per 30 days)
AUSTEDO XR 24 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(60 per 30 days)
AUSTEDO XR TITRATION KT(WK1-4) 6 MG (14)-12 MG (14)-24 MG (14) TABLET, ER 24 HR., DOSE PACK <b>DL</b>	4	PA,QL(42 per 28 days)
AVONEX 30 MCG/0.5 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(1 per 28 days)
AVONEX 30 MCG/0.5 ML SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 28 days)
AZSTARYS 26.1 MG- 5.2 MG, 39.2 MG- 7.8 MG, 52.3 MG- 10.4 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
BAFIERTAM 95 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
BETASERON 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
BRIUMVI 25 MG/ML SOLUTION	4	PA
<i>clonidine hcl 0.1 mg TABLET, ER 12 HR. <b>MO</b></i>	1	QL(120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
CONCERTA 36 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
COPAXONE 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(30 per 30 days)
COPAXONE 40 MG/ML SYRINGE <b>DL</b>	4	PA,QL(12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(30 per 30 days)
COTEMPLA XR-ODT 25.9 MG TABLET, DISINTEGRATING ER BIPH <b>MO</b>	3	QL(60 per 30 days)
<i>dalfampridine 10 mg TABLET, ER 12 HR. <b>MO</b></i>	1	PA,QL(60 per 30 days)
DAYBUE 200 MG/ML SOLUTION <b>DL</b>	4	PA,QL(3600 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
DESOXYN 5 MG TABLET <b>DL</b>	4	PA,QL(150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE, ER <b>DL</b>	4	PA,QL(180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE, ER <b>DL</b>	4	PA,QL(120 per 30 days)
DEXEDRINE SPANSULE 5 MG CAPSULE, ER <b>DL</b>	4	PA,QL(60 per 30 days)
<i>dexmethylphenidate 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg CAPSULE, ER, BIPHASIC <b>MO</b></i>	1	QL(30 per 30 days)
<i>dexmethylphenidate 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b></i>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 10 mg CAPSULE, ER <b>MO</b></i>	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 10 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>dextroamphetamine sulfate 15 mg CAPSULE, ER <b>MO</b></i>	1	QL(120 per 30 days)
<i>dextroamphetamine sulfate 15 mg TABLET <b>MO</b></i>	1	QL(120 per 30 days)
<i>dextroamphetamine sulfate 20 mg TABLET <b>MO</b></i>	1	QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>dextroamphetamine sulfate 30 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 5 mg CAPSULE, ER</i> <b>MO</b>	1	QL(60 per 30 days)
<i>dextroamphetamine sulfate 5 mg TABLET</i> <b>MO</b>	1	QL(150 per 30 days)
<i>dextroamphetamine sulfate 5 mg/5 ml SOLUTION</i> <b>MO</b>	1	QL(1800 per 30 days)
<i>dextroamphetamine-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg TABLET</i> <b>MO</b>	1	QL(90 per 30 days)
<i>dextroamphetamine-amphetamine 10 mg, 15 mg, 5 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	QL(30 per 30 days)
<i>dextroamphetamine-amphetamine 20 mg, 25 mg, 30 mg CAPSULE, ER 24 HR.</i> <b>MO</b>	1	QL(60 per 30 days)
<i>dextroamphetamine-amphetamine 30 mg TABLET</i> <b>MO</b>	1	QL(60 per 30 days)
<i>dimethyl fumarate 120 mg (14)- 240 mg (46), 240 mg CAPSULE, DR/EC</i> <b>MO</b>	1	PA,QL(60 per 30 days)
<i>dimethyl fumarate 120 mg CAPSULE, DR/EC</i> <b>MO</b>	1	PA,QL(14 per 30 days)
DYANAVEL XR 10 MG, 15 MG, 20 MG, 5 MG TABLET, IR/ER 24 HR., BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
DYANAVEL XR 2.5 MG/ML SUSPENSION, IR/ER BIPHASIC <b>MO</b>	3	QL(240 per 30 days)
EVEKEO 10 MG, 5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
EVEKEO ODT 10 MG, 5 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(90 per 30 days)
EVEKEO ODT 15 MG, 20 MG TABLET, DISINTEGRATING <b>MO</b>	3	QL(60 per 30 days)
EXSERVAN 50 MG FILM <b>DL</b>	4	PA,QL(60 per 30 days)
EXTAVIA 0.3 MG KIT <b>DL</b>	4	PA,QL(15 per 30 days)
EXTAVIA 0.3 MG RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
<i>fingolimod 0.5 mg CAPSULE</i> <b>MO</b>	1	PA,QL(30 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
GILENYA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
GILENYA 0.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
<i>glatiramer 20 mg/ml SYRINGE</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>glatiramer 40 mg/ml SYRINGE</i> <b>DL</b>	4	PA,QL(12 per 28 days)
<i>glatopa 20 mg/ml SYRINGE</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>glatopa 40 mg/ml SYRINGE</i> <b>DL</b>	4	PA,QL(12 per 28 days)
GRALISE 300 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(30 per 30 days)
GRALISE 450 MG, 600 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GRALISE 750 MG, 900 MG TABLET, ER 24 HR. <b>MO</b>	3	ST,QL(60 per 30 days)
guanfacine 1 mg, 2 mg, 3 mg, 4 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
HORIZANT 300 MG, 600 MG TABLET ER <b>MO</b>	3	PA,QL(60 per 30 days)
INGREZZA 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
INGREZZA INITIATION PACK 40 MG (7)- 80 MG (21) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE, DR, ER SPRINKLE <b>MO</b>	3	QL(30 per 30 days)
KAPVAY 0.1 MG TABLET, ER 12 HR. <b>MO</b>	3	QL(120 per 30 days)
KESIMPTA PEN 20 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.2 per 28 days)
LEMTRADA 12 MG/1.2 ML SOLUTION <b>DL</b>	4	PA,QL(6 per 365 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CHEWABLE TABLET <b>MO</b>	1	PA,QL(30 per 30 days)
lisdexamfetamine 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 70 mg CAPSULE <b>MO</b>	1	PA,QL(30 per 30 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL(90 per 30 days)
LYRICA 20 MG/ML SOLUTION <b>MO</b>	3	PA,QL(900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
LYRICA CR 330 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (4 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (5 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (6 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (7 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (8 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAVENCLAD (9 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA
MAYZENT 0.25 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
MAYZENT 1 MG, 2 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) 0.25 MG (7 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(7 per 30 days)
MAYZENT STARTER(FOR 2MG MAINT) 0.25 MG (12 TABS) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(12 per 30 days)
metadate er 20 mg TABLET ER <b>MO</b>	1	QL(90 per 30 days)
methamphetamine 5 mg TABLET <b>DL</b>	4	QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
METHYLIN 10 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(900 per 30 days)
METHYLIN 5 MG/5 ML SOLUTION <b>MO</b>	3	PA,QL(1800 per 30 days)
methylphenidate 10 mg/9 hr, 15 mg/9 hr, 20 mg/9 hr, 30 mg/9 hr PATCH, 24 HR. <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 10 mg CHEWABLE TABLET <b>MO</b>	1	QL(180 per 30 days)
methylphenidate hcl 10 mg TABLET ER <b>MO</b>	1	QL(180 per 30 days)
methylphenidate hcl 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER SPRINKLE, BIPHASIC <b>MO</b>	3	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 40 mg, 50 mg, 60 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
methylphenidate hcl 10 mg/5 ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
methylphenidate hcl 18 mg, 27 mg, 54 mg, 72 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
methylphenidate hcl 2.5 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(150 per 30 days)
methylphenidate hcl 20 mg TABLET ER <b>MO</b>	1	QL(90 per 30 days)
methylphenidate hcl 20 mg, 30 mg CAPSULE, ER, BIPHASIC <b>MO</b>	1	QL(60 per 30 days)
methylphenidate hcl 36 mg TABLET, ER 24 HR. <b>MO</b>	1	QL(60 per 30 days)
methylphenidate hcl 45 mg, 63 mg TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
methylphenidate hcl 5 mg/5 ml SOLUTION <b>MO</b>	1	QL(1800 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE ER TRIPHASIC 24 HR. <b>MO</b>	3	QL(30 per 30 days)
NUJEDXTA 20-10 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
OCREVUS 30 MG/ML SOLUTION	4	PA,QL(40 per 365 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
PONVORY 20 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
PONVORY 14-DAY STARTER PACK 2 MG (2) - 10 MG (3) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(14 per 30 days)
pregabalin 100 mg, 150 mg, 50 mg, 75 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
pregabalin 165 mg, 82.5 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(30 per 30 days)
pregabalin 20 mg/ml SOLUTION <b>MO</b>	1	QL(900 per 30 days)
pregabalin 200 mg, 25 mg CAPSULE <b>MO</b>	1	QL(90 per 30 days)
pregabalin 225 mg, 300 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
pregabalin 330 mg TABLET, ER 24 HR. <b>MO</b>	1	PA,QL(60 per 30 days)
procentra 5 mg/5 ml SOLUTION <b>DL</b>	4	QL(1800 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QALSODY 100 MG/15 ML (6.7 MG/ML) SOLUTION <b>DL</b>	4	PA
QELBREE 100 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
QELBREE 150 MG, 200 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
QUILLICHEW ER 20 MG, 40 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(30 per 30 days)
QUILLICHEW ER 30 MG CHEWABLE TABLET, IR/ER BIPHASE <b>MO</b>	3	QL(60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) SUSPENSION, ER, RECON <b>MO</b>	3	QL(360 per 30 days)
RADICAVA 30 MG/100 ML SOLUTION <b>DL</b>	4	PA
RADICAVA ORS 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
RADICAVA ORS STARTER KIT SUSP 105 MG/5 ML SUSPENSION <b>DL</b>	4	PA,QL(70 per 28 days)
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
REBIF REBIDOSE 8.8MCG/0.2ML-22 MCG/0.5ML (6) PEN INJECTOR <b>DL</b>	4	PA,QL(4.2 per 28 days)
REBIF TITRATION PACK 8.8MCG/0.2ML-22 MCG/0.5ML (6) SYRINGE <b>DL</b>	4	PA,QL(4.2 per 28 days)
RELEXXII 45 MG, 63 MG TABLET, ER 24 HR. <b>MO</b>	3	QL(30 per 30 days)
<i>relexxii 72 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(30 per 30 days)
RELYVRIO 3-1 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
RILUTEK 50 MG TABLET <b>DL</b>	4	
<i>riluzole 50 mg TABLET <b>MO</b></i>	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(30 per 30 days)
RITALIN LA 30 MG CAPSULE, ER, BIPHASIC <b>MO</b>	3	PA,QL(60 per 30 days)
SAVELLA 100 MG, 12.5 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
SAVELLA 12.5 MG (5)-25 MG(8)-50 MG(42) TABLET, DOSE PACK <b>MO</b>	2	QL(55 per 28 days)
SKYCLARYS 50 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
TASCENSO ODT 0.25 MG, 0.5 MG TABLET, DISINTEGRATING <b>DL</b>	4	PA,QL(30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)
TECFIDERA 120 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(14 per 30 days)
<i>teriflunomide 14 mg, 7 mg TABLET <b>MO</b></i>	1	PA,QL(30 per 30 days)
<i>tetrabenazine 12.5 mg TABLET <b>MO</b></i>	1	PA,QL(240 per 30 days)
<i>tetrabenazine 25 mg TABLET <b>MO</b></i>	1	PA,QL(120 per 30 days)
TIGLUTIK 50 MG/10 ML SUSPENSION <b>DL</b>	4	PA,QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TYSABRI 300 MG/15 ML SOLUTION <b>DL</b>	4	PA,QL(15 per 28 days)
VUMERITY 231 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
XELSTRYM 13.5 MG/9 HOUR, 18 MG/9 HOUR, 4.5 MG/9 HOUR, 9 MG/9 HOUR PATCH, 24 HR. <b>MO</b>	3	QL(30 per 30 days)
XENAZINE 12.5 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
XENAZINE 25 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
zenzedi 10 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
ZENZEDI 15 MG TABLET <b>MO</b>	1	QL(120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET <b>MO</b>	1	QL(90 per 30 days)
ZENZEDI 30 MG TABLET <b>MO</b>	1	QL(60 per 30 days)
zenzedi 5 mg TABLET <b>MO</b>	1	QL(150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ZEPOSIA STARTER KIT (28-DAY) 0.23 MG-0.46 MG -0.92 MG (21) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(28 per 28 days)
ZEPOSIA STARTER KIT (37-DAY) 0.23 MG-0.46 MG -0.92 MG (30) CAPSULE, DOSE PACK	4	PA,QL(37 per 37 days)
ZEPOSIA STARTER PACK (7-DAY) 0.23 MG (4)- 0.46 MG (3) CAPSULE, DOSE PACK <b>DL</b>	4	PA,QL(7 per 7 days)
<b>DENTAL &amp; ORAL AGENTS</b>		
cevimeline 30 mg CAPSULE <b>MO</b>	1	
chlorhexidine gluconate 0.12 % MOUTHWASH <b>MO</b>	1	
EVOXAC 30 MG CAPSULE <b>MO</b>	3	PA
KEPIVANCE 6.25 MG RECON SOLUTION <b>DL</b>	4	
kourzeq 0.1 % PASTE <b>MO</b>	1	
oralone 0.1 % PASTE <b>MO</b>	1	
paroex oral rinse 0.12 % MOUTHWASH <b>MO</b>	1	
periogard 0.12 % MOUTHWASH <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg TABLET <b>MO</b>	1	
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET <b>MO</b>	3	
triamcinolone acetonide 0.1 % PASTE <b>MO</b>	1	
<b>DERMATOLOGICAL AGENTS</b>		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE <b>DL</b>	4	ST,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ABSORICA 40 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE <b>DL</b>	4	ST,QL(60 per 30 days)
ABSORICA LD 32 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
ACANYA 1.2-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
accutane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
accutane 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
acitretin 10 mg CAPSULE <b>MO</b>	1	PA,QL(90 per 30 days)
acitretin 17.5 mg CAPSULE <b>MO</b>	1	PA,QL(60 per 30 days)
acitretin 25 mg CAPSULE <b>MO</b>	1	PA
ACZONE 5 % GEL <b>MO</b>	3	QL(90 per 30 days)
ACZONE 7.5 % GEL WITH PUMP <b>MO</b>	3	QL(90 per 30 days)
adapalene 0.1 % CREAM <b>MO</b>	1	QL(45 per 30 days)
adapalene 0.1 % SOLUTION <b>DL</b>	4	QL(60 per 30 days)
adapalene 0.1 % SWAB <b>MO</b>	1	QL(30 per 30 days)
adapalene 0.3 % GEL <b>MO</b>	1	QL(45 per 30 days)
adapalene 0.3 % GEL WITH PUMP <b>MO</b>	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.1-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(45 per 30 days)
adapalene-benzoyl peroxide 0.3-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(60 per 30 days)
AKLIEF 0.005 % CREAM <b>MO</b>	3	PA,QL(90 per 30 days)
ALA-CORT 1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
ALA-SCALP 2 % LOTION <b>MO</b>	1	QL(236.8 per 30 days)
alclometasone 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
alclometasone 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
ALDARA 5 % CREAM IN PACKET <b>MO</b>	3	PA,QL(12 per 30 days)
ALTABAX 1 % OINTMENT <b>MO</b>	3	
ALTRENO 0.05 % LOTION <b>MO</b>	3	PA,QL(90 per 30 days)
amcinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 30 days)
amcinonide 0.1 % OINTMENT <b>DL</b>	4	ST,QL(120 per 30 days)
ammonium lactate 12 % CREAM <b>MO</b>	1	
ammonium lactate 12 % LOTION <b>MO</b>	1	
amnesteem 10 mg, 20 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
amnesteem 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
AMZEEQ 4 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>anusol-hc 2.5 % CREAM W/PERINEAL APPLICATOR</i> <b>MO</b>	1	QL(60 per 30 days)
<i>apexicon e 0.05 % CREAM</i> <b>MO</b>	1	QL(60 per 30 days)
<i>ARAZLO 0.045 % LOTION</i> <b>MO</b>	3	PA
<i>ATRALIN 0.05 % GEL</i> <b>MO</b>	3	PA,QL(45 per 30 days)
<i>AVITA 0.025 % CREAM</i> <b>MO</b>	3	PA,QL(45 per 30 days)
<i>AVITA 0.025 % GEL</i> <b>MO</b>	3	PA,QL(45 per 30 days)
<i>azelaic acid 15 % GEL</i> <b>MO</b>	1	ST,QL(50 per 30 days)
<i>AZELEX 20 % CREAM</i> <b>MO</b>	3	QL(50 per 30 days)
<i>BENZACLIN 1-5 % GEL</i> <b>MO</b>	3	QL(50 per 30 days)
<i>BENZACLIN PUMP 1-5 % GEL WITH PUMP</i> <b>MO</b>	3	QL(50 per 30 days)
<i>BENZAMYCIN 3-5 % GEL</i> <b>MO</b>	3	QL(46.6 per 30 days)
<i>beser 0.05 % LOTION</i> <b>MO</b>	1	QL(240 per 30 days)
<i>betamethasone dipropionate 0.05 % CREAM</i> <b>MO</b>	1	QL(90 per 30 days)
<i>betamethasone dipropionate 0.05 % LOTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>betamethasone dipropionate 0.05 % OINTMENT</i> <b>MO</b>	1	QL(90 per 30 days)
<i>betamethasone valerate 0.1 % CREAM</i> <b>MO</b>	1	QL(180 per 30 days)
<i>betamethasone valerate 0.1 % LOTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>betamethasone valerate 0.1 % OINTMENT</i> <b>MO</b>	1	QL(180 per 30 days)
<i>betamethasone valerate 0.12 % FOAM</i> <b>MO</b>	1	QL(200 per 30 days)
<i>betamethasone, augmented 0.05 % CREAM</i> <b>MO</b>	1	QL(100 per 30 days)
<i>betamethasone, augmented 0.05 % GEL</i> <b>MO</b>	1	QL(100 per 30 days)
<i>betamethasone, augmented 0.05 % LOTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>betamethasone, augmented 0.05 % OINTMENT</i> <b>MO</b>	1	QL(100 per 30 days)
<i>brimonidine 0.33 % GEL WITH PUMP</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>BRYHALI 0.01 % LOTION</i> <b>MO</b>	3	ST,QL(200 per 30 days)
<i>calcipotriene 0.005 % CREAM</i> <b>MO</b>	1	PA,QL(120 per 30 days)
<i>calcipotriene 0.005 % FOAM</i> <b>MO</b>	1	ST,QL(120 per 28 days)
<i>calcipotriene 0.005 % OINTMENT</i> <b>MO</b>	1	QL(240 per 30 days)
<i>calcipotriene 0.005 % SOLUTION</i> <b>MO</b>	1	QL(60 per 30 days)
<i>calcipotriene-betamethasone 0.005-0.064 % OINTMENT</i> <b>MO</b>	1	PA,QL(60 per 30 days)
<i>calcipotriene-betamethasone 0.005-0.064 % SUSPENSION</i> <b>MO</b>	1	PA,QL(420 per 30 days)
<i>calcitriol 3 mcg/gram OINTMENT</i> <b>MO</b>	1	ST,QL(800 per 28 days)
<i>calsodore 0.005 % CREAM</i> <b>DL</b>	4	PA,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CAPEX 0.01 % SHAMPOO <b>MO</b>	3	QL(840 per 30 days)
CARAC 0.5 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
CENTANY 2 % OINTMENT <b>MO</b>	3	
claravis 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
claravis 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
CLEOCIN T 1 % LOTION <b>MO</b>	3	QL(60 per 30 days)
CLEOCIN T 1 % SOLUTION <b>MO</b>	3	QL(60 per 30 days)
clindacin 1 % FOAM <b>MO</b>	1	QL(100 per 30 days)
clindacin etz 1 % SWAB <b>MO</b>	1	
clindacin p 1 % SWAB <b>MO</b>	1	
CLINDAGEL 1 % GEL, ONCE DAILY <b>DL</b>	4	PA,QL(75 per 30 days)
clindamycin phosphate 1 % FOAM <b>MO</b>	1	QL(100 per 30 days)
clindamycin phosphate 1 % GEL <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % GEL, ONCE DAILY <b>MO</b>	1	PA,QL(75 per 30 days)
clindamycin phosphate 1 % LOTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
clindamycin phosphate 1 % SWAB <b>MO</b>	1	
clindamycin-benzoyl peroxide 1-5 % GEL <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1-5 %, 1.2 %(1 % base) -3.75 %, 1.2-2.5 % GEL WITH PUMP <b>MO</b>	1	QL(50 per 30 days)
clindamycin-benzoyl peroxide 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
clindamycin-tretinoin 1.2-0.025 % GEL <b>MO</b>	1	QL(60 per 30 days)
clobetasol 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol 0.05 % FOAM <b>MO</b>	1	QL(100 per 28 days)
clobetasol 0.05 % GEL <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % LOTION <b>MO</b>	1	QL(240 per 28 days)
clobetasol 0.05 % OINTMENT <b>MO</b>	1	QL(120 per 28 days)
clobetasol 0.05 % SHAMPOO <b>MO</b>	1	QL(240 per 30 days)
clobetasol 0.05 % SOLUTION <b>MO</b>	1	QL(100 per 30 days)
clobetasol 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	1	QL(240 per 30 days)
clobetasol-emollient 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
clobetasol-emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
CLOBEX 0.05 % LOTION <b>MO</b>	3	ST,QL(240 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLOBEX 0.05 % SHAMPOO <b>MO</b>	3	ST,QL(240 per 30 days)
CLOBEX 0.05 % SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(240 per 30 days)
<i>clocortolone pivalate 0.1 % CREAM</i> <b>MO</b>	1	QL(180 per 30 days)
<i>clodan 0.05 % SHAMPOO</i> <b>MO</b>	1	QL(240 per 30 days)
CLODERM 0.1 % CREAM <b>MO</b>	3	PA,QL(180 per 30 days)
CONDYLOX 0.5 % GEL <b>MO</b>	3	
CORDRAN 0.025 % CREAM <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN 0.05 % CREAM <b>DL</b>	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % LOTION <b>DL</b>	4	ST,QL(240 per 30 days)
CORDRAN 0.05 % OINTMENT <b>MO</b>	3	ST,QL(240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM2 TAPE <b>MO</b>	3	QL(2 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	
<i>crotan 10 % LOTION</i> <b>DL</b>	4	PA,QL(454 per 30 days)
<i>dapsone 5 % GEL</i> <b>MO</b>	1	QL(90 per 30 days)
<i>dapsone 7.5 % GEL WITH PUMP</i> <b>MO</b>	1	QL(90 per 30 days)
DERMA-SMOOTHIE/FS BODY OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
DERMA-SMOOTHIE/FS SCALP OIL 0.01 % OIL <b>MO</b>	3	QL(118.28 per 30 days)
<i>desonide 0.05 % CREAM</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desonide 0.05 % GEL</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desonide 0.05 % LOTION</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desonide 0.05 % OINTMENT</i> <b>MO</b>	1	QL(240 per 30 days)
DESOWEN 0.05 % CREAM <b>MO</b>	3	QL(240 per 30 days)
<i>desoximetasone 0.05 % CREAM</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % GEL</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desoximetasone 0.05 % OINTMENT</i> <b>MO</b>	1	QL(240 per 30 days)
<i>desoximetasone 0.25 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % OINTMENT</i> <b>MO</b>	1	QL(120 per 30 days)
<i>desoximetasone 0.25 % SPRAY, NON-AEROSOL</i> <b>MO</b>	1	QL(100 per 30 days)
<i>desrx 0.05 % GEL</i> <b>MO</b>	1	QL(240 per 30 days)
<i>diclofenac sodium 3 % GEL</i> <b>MO</b>	1	PA
DIFFERIN 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
DIFFERIN 0.1 % LOTION <b>MO</b>	3	QL(59 per 30 days)
DIFFERIN 0.3 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>diflorasone 0.05 % CREAM</i> <b>DL</b>	4	QL(120 per 30 days)
<i>diflorasone 0.05 % OINTMENT</i> <b>MO</b>	3	QL(120 per 30 days)
DIPROLENE (AUGMENTED) 0.05 % OINTMENT <b>MO</b>	3	QL(100 per 30 days)
DOVONEX 0.005 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
<i>doxepin 5 % CREAM</i> <b>DL</b>	4	PA,QL(45 per 30 days)
DUOBRII 0.01-0.045 % LOTION <b>MO</b>	3	PA,QL(200 per 28 days)
EFUDEX 5 % CREAM <b>MO</b>	3	PA
ELIDEL 1 % CREAM <b>MO</b>	3	PA,QL(100 per 30 days)
ELIMITE 5 % CREAM <b>MO</b>	3	
ENSTILAR 0.005-0.064 % FOAM <b>MO</b>	3	QL(120 per 30 days)
EPIDUO 0.1-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(45 per 30 days)
EPIDUO FORTE 0.3-2.5 % GEL WITH PUMP <b>MO</b>	3	QL(60 per 30 days)
EPIFOAM 1-1 % FOAM <b>MO</b>	1	
EPSOLAY 5 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
<i>ery pads 2 % SWAB</i> <b>MO</b>	1	QL(60 per 30 days)
ERYGEL 2 % GEL <b>MO</b>	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % GEL</i> <b>MO</b>	1	QL(60 per 30 days)
<i>erythromycin with ethanol 2 % SOLUTION</i> <b>MO</b>	1	QL(120 per 30 days)
<i>erythromycin-benzoyl peroxide 3-5 % GEL</i> <b>MO</b>	1	QL(46.6 per 30 days)
EUCRISA 2 % OINTMENT <b>MO</b>	3	PA,QL(100 per 30 days)
EURAX 10 % CREAM <b>MO</b>	3	PA
EURAX 10 % LOTION <b>MO</b>	3	PA,QL(454 per 30 days)
EVOCLIN 1 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
FABIOR 0.1 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
FINACEA 15 % FOAM <b>MO</b>	3	ST,QL(50 per 30 days)
FINACEA 15 % GEL <b>MO</b>	3	ST,QL(50 per 30 days)
<i>fluocinolone 0.01 % OIL</i> <b>MO</b>	1	QL(118.28 per 30 days)
<i>fluocinolone 0.01 % SOLUTION</i> <b>MO</b>	1	QL(180 per 30 days)
<i>fluocinolone 0.01 %, 0.025 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinolone 0.025 % OINTMENT</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinolone and shower cap 0.01 % OIL</i> <b>MO</b>	1	QL(118.28 per 30 days)
<i>fluocinonide 0.05 % CREAM</i> <b>MO</b>	1	QL(120 per 30 days)
<i>fluocinonide 0.05 % GEL</i> <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinonide 0.05 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.05 % SOLUTION <b>MO</b>	1	QL(120 per 30 days)
fluocinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 28 days)
fluocinonide-e 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
fluocinonide-emollient 0.05 % CREAM <b>MO</b>	1	QL(120 per 30 days)
FLUOROPLEX 1 % CREAM <b>DL</b>	4	
fluorouracil 0.5 % CREAM <b>DL</b>	4	QL(60 per 30 days)
fluorouracil 2 % SOLUTION <b>MO</b>	1	QL(30 per 30 days)
fluorouracil 5 % CREAM <b>MO</b>	1	
fluorouracil 5 % SOLUTION <b>MO</b>	1	QL(60 per 30 days)
flurandrenolide 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
flurandrenolide 0.05 % LOTION <b>MO</b>	3	QL(240 per 30 days)
flurandrenolide 0.05 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
fluticasone propionate 0.005 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
fluticasone propionate 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
fluticasone propionate 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
halcinonide 0.1 % CREAM <b>MO</b>	1	QL(120 per 30 days)
halobetasol propionate 0.05 % CREAM <b>MO</b>	1	QL(100 per 30 days)
halobetasol propionate 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
halobetasol propionate 0.05 % OINTMENT <b>MO</b>	1	QL(100 per 30 days)
HALOG 0.1 % CREAM <b>DL</b>	4	QL(120 per 30 days)
HALOG 0.1 % OINTMENT <b>MO</b>	3	QL(120 per 30 days)
HALOG 0.1 % SOLUTION <b>MO</b>	3	QL(120 per 30 days)
hydrocortisone 1 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(28.4 per 30 days)
hydrocortisone 1 %, 2.5 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone 1 %, 2.5 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	
hydrocortisone 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
hydrocortisone 2.5 % LOTION <b>MO</b>	1	QL(236 per 30 days)
hydrocortisone butyr-emollient 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone butyrate 0.1 % LOTION <b>MO</b>	1	QL(236 per 30 days)
hydrocortisone butyrate 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydrocortisone butyrate 0.1 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % CREAM <b>MO</b>	1	QL(240 per 30 days)
hydrocortisone valerate 0.2 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
HYFTOR 0.2 % GEL <b>DL</b>	4	PA
imiquimod 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
imiquimod 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
imiquimod 5 % CREAM IN PACKET <b>MO</b>	1	QL(12 per 30 days)
IMPEKLO 0.05 % LOTION IN METERED DOSE PUMP <b>DL</b>	4	ST,QL(136 per 28 days)
isotretinoin 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
isotretinoin 25 mg, 35 mg CAPSULE <b>DL</b>	4	QL(60 per 30 days)
isotretinoin 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
ivermectin 1 % CREAM <b>MO</b>	1	ST,QL(45 per 30 days)
KLISYRI 1 % OINTMENT IN PACKET <b>DL</b>	4	PA,QL(5 per 30 days)
LEXETTE 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
lindane 1 % SHAMPOO <b>MO</b>	1	QL(60 per 30 days)
LOCOID 0.1 % LOTION <b>MO</b>	3	QL(236 per 30 days)
LOCOID LIPOCREAM 0.1 % CREAM <b>MO</b>	3	QL(240 per 30 days)
LUXIQ 0.12 % FOAM <b>MO</b>	3	ST,QL(200 per 30 days)
mafenide acetate 50 gram PACKET <b>MO</b>	1	
malathion 0.5 % LOTION <b>MO</b>	1	
methoxsalen 10 mg CAPSULE, LIQ FILLED, RAPID REL <b>MO</b>	1	
MIRVASO 0.33 % GEL WITH PUMP <b>MO</b>	3	ST,QL(30 per 30 days)
mometasone 0.1 % CREAM <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % OINTMENT <b>MO</b>	1	QL(180 per 30 days)
mometasone 0.1 % SOLUTION <b>MO</b>	1	QL(180 per 30 days)
mupirocin 2 % OINTMENT <b>MO</b>	1	
mupirocin calcium 2 % CREAM <b>MO</b>	1	ST
myorisan 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
myorisan 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
NATROBA 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % CREAM <b>MO</b>	3	
neuac 1.2 %(1 % base) -5 % GEL <b>MO</b>	1	QL(45 per 30 days)
nolix 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nolix</i> 0.05 % LOTION <b>MO</b>	1	QL(240 per 30 days)
OLUX 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 28 days)
OLUX-E 0.05 % FOAM <b>MO</b>	3	PA,QL(100 per 30 days)
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL <b>MO</b>	3	
ONEXTON 1.2 %(1 % BASE) -3.75 % GEL WITH PUMP <b>MO</b>	3	QL(50 per 30 days)
OPZELURA 1.5 % CREAM <b>DL</b>	4	PA,QL(240 per 28 days)
OTEZLA 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG (47) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(55 per 28 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(27 per 30 days)
OVIDE 0.5 % LOTION <b>MO</b>	3	PA
PANDEL 0.1 % CREAM <b>DL</b>	4	QL(160 per 30 days)
<i>permethrin</i> 5 % CREAM <b>MO</b>	1	
<i>pimecrolimus</i> 1 % CREAM <b>MO</b>	1	PA,QL(100 per 30 days)
<i>podofilox</i> 0.5 % SOLUTION <b>MO</b>	1	QL(7 per 30 days)
<i>prednicarbate</i> 0.1 % CREAM <b>MO</b>	1	QL(240 per 30 days)
<i>prednicarbate</i> 0.1 % OINTMENT <b>MO</b>	1	QL(240 per 30 days)
<i>procto-med hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
<i>proctosol hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
<i>proctozone-hc</i> 2.5 % CREAM W/PERINEAL APPLICATOR <b>MO</b>	1	QL(60 per 30 days)
PROTOPIC 0.03 %, 0.1 % OINTMENT <b>MO</b>	3	QL(200 per 30 days)
PRUDOXIN 5 % CREAM <b>DL</b>	4	PA,QL(45 per 30 days)
QBREXZA 2.4 % TOWELETTE <b>MO</b>	3	PA,QL(30 per 30 days)
REGGRANEX 0.01 % GEL <b>DL</b>	4	PA
RETIN-A 0.01 %, 0.025 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A MICRO 0.04 % GEL <b>DL</b>	4	PA,QL(45 per 30 days)
RETIN-A MICRO 0.1 % GEL <b>MO</b>	3	PA,QL(45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.1 % GEL WITH PUMP <b>DL</b>	4	PA,QL(50 per 30 days)
RETIN-A MICRO PUMP 0.06 %, 0.08 % GEL WITH PUMP <b>MO</b>	3	PA,QL(50 per 30 days)
RHOFADE 1 % CREAM <b>MO</b>	3	ST,QL(30 per 30 days)
SANTYL 250 UNIT/GRAM OINTMENT <b>MO</b>	3	QL(180 per 30 days)
<i>selenium sulfide</i> 2.5 % LOTION <b>MO</b>	1	QL(120 per 30 days)
SILVADENE 1 % CREAM <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
silver sulfadiazine 1 % CREAM <b>MO</b>	1	
SOOLANTRA 1 % CREAM <b>MO</b>	3	ST,QL(45 per 30 days)
SORIATANE 10 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
SORIATANE 25 MG CAPSULE <b>DL</b>	4	PA
SORILUX 0.005 % FOAM <b>DL</b>	4	ST,QL(120 per 28 days)
spinosad 0.9 % SUSPENSION <b>MO</b>	3	QL(240 per 30 days)
SSD 1 % CREAM <b>MO</b>	1	
SULFAMYLON 50 GRAM PACKET <b>MO</b>	3	
SULFAMYLON 85 MG/G CREAM <b>MO</b>	3	
SYNALAR 0.01 % SOLUTION <b>MO</b>	3	QL(180 per 30 days)
TACLONEX 0.005-0.064 % OINTMENT <b>DL</b>	4	PA,QL(60 per 30 days)
TACLONEX 0.005-0.064 % SUSPENSION <b>DL</b>	4	PA,QL(420 per 30 days)
tacrolimus 0.03 %, 0.1 % OINTMENT <b>MO</b>	1	QL(200 per 30 days)
tazarotene 0.05 %, 0.1 % GEL <b>MO</b>	1	PA,QL(200 per 30 days)
tazarotene 0.1 % CREAM <b>MO</b>	1	PA,QL(120 per 30 days)
tazarotene 0.1 % FOAM <b>DL</b>	4	PA,QL(100 per 30 days)
TAZORAC 0.05 %, 0.1 % CREAM <b>MO</b>	3	PA,QL(120 per 30 days)
TAZORAC 0.05 %, 0.1 % GEL <b>MO</b>	3	PA,QL(200 per 30 days)
TEMOVATE 0.05 % OINTMENT <b>MO</b>	3	PA,QL(120 per 28 days)
TEXACORT 2.5 % SOLUTION <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % CREAM <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % GEL <b>MO</b>	1	QL(240 per 30 days)
TOPICORT 0.05 % OINTMENT <b>MO</b>	3	QL(240 per 30 days)
TOPICORT 0.25 % CREAM <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % OINTMENT <b>MO</b>	1	QL(120 per 30 days)
TOPICORT 0.25 % SPRAY, NON-AEROSOL <b>MO</b>	3	QL(100 per 30 days)
tovet emollient 0.05 % FOAM <b>MO</b>	1	QL(100 per 30 days)
tretinoin 0.01 %, 0.025 %, 0.05 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin 0.025 %, 0.05 %, 0.1 % CREAM <b>MO</b>	1	PA,QL(45 per 30 days)
tretinoin microspheres 0.04 %, 0.08 %, 0.1 % GEL WITH PUMP <b>MO</b>	1	PA,QL(50 per 30 days)
tretinoin microspheres 0.04 %, 0.1 % GEL <b>MO</b>	1	PA,QL(45 per 30 days)
TWYNEO 0.1-3 % CREAM <b>MO</b>	3	QL(30 per 30 days)
ULTRAVATE 0.05 % LOTION <b>MO</b>	3	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UVADEX 20 MCG/ML SOLUTION <b>MO</b>	3	
VANOS 0.1 % CREAM <b>MO</b>	3	QL(120 per 28 days)
VECTICAL 3 MCG/GRAM OINTMENT <b>DL</b>	4	ST,QL(800 per 28 days)
VELTIN 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
VERDESO 0.05 % FOAM <b>DL</b>	4	QL(200 per 30 days)
VEREGEN 15 % OINTMENT <b>DL</b>	4	QL(30 per 30 days)
VTAMA 1 % CREAM <b>DL</b>	4	PA,QL(60 per 30 days)
WINLEVI 1 % CREAM <b>MO</b>	3	PA
XEPI 1 % CREAM <b>MO</b>	3	PA
zenatane 10 mg, 20 mg, 30 mg CAPSULE <b>MO</b>	1	QL(60 per 30 days)
zenatane 40 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
ZIANA 1.2-0.025 % GEL <b>MO</b>	3	PA,QL(60 per 30 days)
ZILXI 1.5 % FOAM <b>MO</b>	3	PA,QL(30 per 30 days)
ZONALON 5 % CREAM <b>MO</b>	3	PA,QL(45 per 30 days)
ZORYVE 0.3 % CREAM <b>DL</b>	4	PA,QL(120 per 30 days)
ZYCLARA 2.5 %, 3.75 % CREAM, METERED DOSE PUMP <b>DL</b>	4	ST,QL(15 per 30 days)
ZYCLARA 3.75 % CREAM IN PACKET <b>MO</b>	3	ST,QL(28 per 28 days)
<b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>		
AMINOSYN 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 7 % WITH ELECTROLYTES 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 7 % 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 8.5 % 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN II 8.5 %-ELECTROLYTES 8.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN M 3.5 % 3.5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-HBC 7% 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-PF 7 % (SULFITE-FREE) 7 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AMINOSYN-RF 5.2 % 5.2 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
AURYXIA 210 MG IRON TABLET <b>MO</b>	3	PA,QL(360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>bal-care dha 27-1-430 mg COMBO PACK, DR TAB/DR CAP</i> <b>MO</b>	1	
<i>c-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> <b>MO</b>	1	
<i>calcium acetate(phosphat bind) 667 mg CAPSULE</i> <b>MO</b>	1	
<i>calcium acetate(phosphat bind) 667 mg TABLET</i> <b>MO</b>	1	
<i>calcium chloride 100 mg/ml (10 %) SOLUTION</i> <b>MO</b>	1	
<i>calcium chloride 100 mg/ml (10 %) SYRINGE</i> <b>MO</b>	1	
<i>calcium gluconate 100 mg/ml (10%) SOLUTION</i> <b>MO</b>	1	
CARBAGLU 200 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA
<i>carglumic acid 200 mg TABLET, DISPERSIBLE</i> <b>DL</b>	4	PA
CARNITOR 100 MG/ML, 200 MG/ML SOLUTION <b>MO</b>	3	
CARNITOR 330 MG TABLET <b>MO</b>	3	
CARNITOR (SUGAR-FREE) 100 MG/ML SOLUTION <b>MO</b>	3	
CHEMET 100 MG CAPSULE <b>DL</b>	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG -25 MG/25 MG TABLET, SEQUENTIAL <b>MO</b>	3	
CLINIMIX 5%/D15W SULFITE FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D10W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 4.25%/D5W SULFIT FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 5%-D20W(SULFITE-FREE) 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 6%-D5W (SULFITE-FREE) 6-5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D10W(SULFITE-FREE) 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX 8%-D14W(SULFITE-FREE) 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 2.75%/D5W SULF FREE 2.75 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D10W SUL FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 4.25%/D5W SULF FREE 4.25 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D15W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 5%/D20W SULFIT FREE 5 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 8%-D10W SULFITEFREE 8-10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINIMIX E 8%-D14W SULFITEFREE 8-14 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
CLINISOL SF 15 % 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
CLINOLIPID 20 % EMULSION <b>MO</b>	3	BvsD
<i>complete natal dha 29 mg iron- 1 mg-200 mg COMBO PACK</i> <b>MO</b>	1	
CUPRIMINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(600 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CUVRIOR 300 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
d10 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d2.5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 % and 0.9 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
d5 %-0.45 % sodium chloride PARENTERAL SOLUTION <b>MO</b>	1	
deferasirox 125 mg, 250 mg, 500 mg TABLET, DISPERSIBLE <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg GRANULES IN PACKET <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg TABLET <b>MO</b>	1	PA
deferiprone 1,000 mg TABLET <b>DL</b>	4	PA,QL(300 per 30 days)
deferiprone 500 mg TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
deferoxamine 2 gram, 500 mg RECON SOLUTION <b>MO</b>	1	BvsD
DEPEN TITRATABS 250 MG TABLET <b>DL</b>	4	PA
DESFERAL 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
dextrose 10 % and 0.2 % nacl PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 10 % in water (d10w) 10 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 20 % in water (d20w) 20 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 25 % in water (d25w) SYRINGE <b>MO</b>	1	
dextrose 30 % in water (d30w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 40 % in water (d40w) 40 % PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5 % in water (d5w) 5 % PIGGYBACK <b>MO</b>	1	
dextrose 5 %-lactated ringers PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.2 % sod chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 5%-0.3 % sod.chloride PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) PARENTERAL SOLUTION <b>MO</b>	1	
dextrose 50 % in water (d50w) SYRINGE <b>MO</b>	1	
dextrose 70 % in water (d70w) PARENTERAL SOLUTION <b>MO</b>	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG -400 MG COMBO PACK <b>MO</b>	3	
electrolyte-148 PARENTERAL SOLUTION <b>MO</b>	1	
electrolyte-48 in d5w PARENTERAL SOLUTION <b>MO</b>	1	
electrolyte-a PARENTERAL SOLUTION <b>MO</b>	1	
EXJADE 125 MG, 250 MG, 500 MG TABLET, DISPERSIBLE <b>DL</b>	4	PA
FERRIPROX 1,000 MG TABLET <b>DL</b>	4	PA,QL(300 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FERRIPROX 100 MG/ML SOLUTION <b>DL</b>	4	PA,QL(3600 per 30 days)
FERRIPROX 500 MG TABLET <b>DL</b>	4	PA,QL(720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET, MODIFIED RELEASE <b>DL</b>	4	PA,QL(300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET <b>DL</b>	4	ST
FOSRENOL 1,000 MG, 750 MG POWDER IN PACKET <b>DL</b>	4	ST
GLYCOFOS 1 MMOL/ML SOLUTION <b>MO</b>	1	
INTRALIPID 20 %, 30 % EMULSION <b>MO</b>	3	BvsD
IONOSOL-B IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	3	
IONOSOL-MB IN D5W 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE S PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-P IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
ISOLYTE-S PARENTERAL SOLUTION <b>MO</b>	3	
JADENU 180 MG, 360 MG, 90 MG TABLET <b>DL</b>	4	PA
JADENU SPRINKLE 180 MG, 360 MG, 90 MG GRANULES IN PACKET <b>DL</b>	4	PA
JYNARQUE 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
K-TAB 10 MEQ, 20 MEQ, 8 MEQ TABLET ER <b>MO</b>	3	
KABIVEN 3.31-9.8-3.9 % EMULSION <b>MO</b>	3	BvsD
<i>klor-con</i> 20 meq PACKET <b>MO</b>	1	QL(240 per 30 days)
KLOR-CON 10 10 MEQ TABLET ER <b>MO</b>	1	
KLOR-CON 8 8 MEQ TABLET ER <b>MO</b>	1	
<i>klor-con m10</i> 10 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
KLOR-CON M15 15 MEQ TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
<i>klor-con m20</i> 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON- 1 MG TABLET <b>MO</b>	3	
<i>lactated ringers</i> PARENTERAL SOLUTION <b>MO</b>	1	
lanthanum 1,000 mg, 500 mg, 750 mg CHEWABLE TABLET <b>DL</b>	4	ST
levocarnitine 100 mg/ml, 200 mg/ml SOLUTION <b>MO</b>	1	
levocarnitine 330 mg TABLET <b>MO</b>	1	
levocarnitine (with sugar) 100 mg/ml SOLUTION <b>MO</b>	1	
LOKELMA 10 GRAM, 5 GRAM POWDER IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>m-natal plus 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>magnesium sulfate 4 meq/ml (50 %) SOLUTION</i> <b>MO</b>	1	
<i>magnesium sulfate 4 meq/ml SYRINGE</i> <b>MO</b>	1	
<i>magnesium sulfate in d5w 1 gram/100 ml PIGGYBACK</i> <b>MO</b>	1	
<i>magnesium sulfate in water 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %) PIGGYBACK</i> <b>MO</b>	1	
<i>magnesium sulfate in water 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %) PARENTERAL SOLUTION</i> <b>MO</b>	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON -1 MG CHEWABLE TABLET <b>MO</b>	3	
NEONATAL COMPLETE 29-1 MG TABLET <b>MO</b>	1	
NEONATAL PLUS VITAMIN 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
NEONATAL-DHA 29-1-200-500 MG COMBO PACK <b>MO</b>	1	
NORMOSOL-M IN 5 % DEXTROSE PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R IN 5 % DEXTROSE 5 % PARENTERAL SOLUTION <b>MO</b>	3	
NORMOSOL-R PH 7.4 PARENTERAL SOLUTION <b>MO</b>	3	
NUTRILIPID 20 % EMULSION <b>MO</b>	3	BvsD
O-CAL PRENATAL 15 MG IRON- 1,000 MCG TABLET <b>MO</b>	1	
OB COMPLETE ONE 40-10-1-300 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PREMIER 30-20-1 MG TABLET <b>MO</b>	3	
OMEGAVEN 10 % EMULSION <b>DL</b>	4	BvsD
<i>penicillamine 250 mg CAPSULE</i> <b>DL</b>	4	PA,QL(600 per 30 days)
<i>penicillamine 250 mg TABLET</i> <b>DL</b>	4	
PERIKABIVEN 2.36-6.8-3.5 % EMULSION <b>MO</b>	3	BvsD
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML SOLUTION <b>MO</b>	3	ST
PLASMA-LYTE 148 PARENTERAL SOLUTION <b>MO</b>	3	
PLASMA-LYTE A PARENTERAL SOLUTION <b>MO</b>	3	
PLENAMINE 15 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
<i>pnv-dha 27 mg iron-1 mg -300 mg CAPSULE</i> <b>MO</b>	1	
<i>pnv-omega 28-1-300 mg CAPSULE</i> <b>MO</b>	1	
<i>potassium acetate 2 meq/ml SOLUTION</i> <b>MO</b>	1	
<i>potassium chlorid-d5-0.45%nacl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
potassium chloride 10 meq CAPSULE, ER <b>MO</b>	1	
potassium chloride 10 meq, 20 meq TABLET ER <b>MO</b>	1	
potassium chloride 10 meq, 20 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 15 meq TABLET, ER PARTICLES/CRYSTALS <b>MO</b>	1	
potassium chloride 2 meq/ml SOLUTION <b>MO</b>	1	
potassium chloride 20 meq PACKET <b>MO</b>	1	QL(240 per 30 days)
potassium chloride 20 meq/15 ml LIQUID <b>MO</b>	1	QL(1125 per 30 days)
potassium chloride 40 meq/15 ml LIQUID <b>MO</b>	1	
potassium chloride 8 meq CAPSULE, ER <b>MO</b>	1	
potassium chloride 8 meq TABLET ER <b>MO</b>	1	
potassium chloride in 0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in 5 % dex 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in Ir-d5 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride in water 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml PIGGYBACK <b>MO</b>	1	
potassium chloride-0.45 % nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.2%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.3%nacl 20 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium chloride-d5-0.9%nacl 20 meq/l, 40 meq/l PARENTERAL SOLUTION <b>MO</b>	1	
potassium citrate 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) TABLET ER <b>MO</b>	1	
pr natal 400 29-1-400 mg COMBO PACK <b>MO</b>	1	
pr natal 400 ec 29-1-400 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
pr natal 430 29 mg iron-1 mg -430 mg COMBO PACK <b>MO</b>	1	
pr natal 430 ec 29-1-430 mg COMBO PACK, DR TAB/DR CAP <b>MO</b>	1	
PREMASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	1	BvsD
PRENATA 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	1	
PRENATABS FA 29-1 MG TABLET <b>MO</b>	1	
prenatal plus (calcium carb) 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal plus dha 27 mg iron-1 mg -312 mg-250 mg COMBO PACK <b>MO</b>	3	
prenatal plus vitamin-mineral 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal vitamin plus low iron 27 mg iron- 1 mg TABLET <b>MO</b>	1	
prenatal-u 106.5-1 mg CAPSULE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PRENATE ELITE 26 MG IRON- 1 MG TABLET <b>MO</b>	1	
preplus 27 mg iron- 1 mg TABLET <b>MO</b>	1	
PROCALAMINE 3% 3 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
PROSOL 20 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
RENAGEL 800 MG TABLET <b>DL</b>	4	ST
REVELA 0.8 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(540 per 30 days)
REVELA 2.4 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)
REVELA 800 MG TABLET <b>DL</b>	4	PA,QL(540 per 30 days)
ringer's PARENTERAL SOLUTION <b>MO</b>	1	
SAMSCA 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
se-natal 19 chewable 29 mg iron- 1 mg CHEWABLE TABLET <b>MO</b>	1	
SELECT-OB 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB (FOLIC ACID) 29 MG IRON- 1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB + DHA 29 MG IRON-1 MG -250 MG COMBO PACK <b>MO</b>	3	
sevelamer carbonate 0.8 gram POWDER IN PACKET <b>MO</b>	1	QL(540 per 30 days)
sevelamer carbonate 2.4 gram POWDER IN PACKET <b>MO</b>	1	QL(180 per 30 days)
sevelamer carbonate 800 mg TABLET <b>MO</b>	1	QL(540 per 30 days)
sevelamer hcl 400 mg, 800 mg TABLET <b>MO</b>	1	ST
SMOFLIPID 20 % EMULSION <b>MO</b>	3	BvsD
sodium bicarbonate 8.4 % (1 meq/ml) SYRINGE <b>MO</b>	1	
sodium chloride 2.5 meq/ml PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.45 % 0.45 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.9 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 0.9 % PIGGYBACK <b>MO</b>	1	
sodium chloride 0.9 % SOLUTION <b>MO</b>	1	
sodium chloride 3 % hypertonic 3 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium chloride 5 % hypertonic 5 % PARENTERAL SOLUTION <b>MO</b>	1	
sodium phosphate 3 mmol/ml SOLUTION <b>MO</b>	1	
sodium polystyrene sulfonate POWDER <b>MO</b>	1	
SPS (WITH SORBITOL) 15-20 GRAM/60 ML SUSPENSION <b>MO</b>	1	
SPS (WITH SORBITOL) 30-40 GRAM/120 ML ENEMA <b>MO</b>	1	
SYPRINE 250 MG CAPSULE <b>DL</b>	4	PA,QL(240 per 30 days)
THAM 36 MG/ML (0.3 M) SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>tolvaptan 15 mg, 30 mg TABLET</i> <b>DL</b>	4	PA,QL(60 per 30 days)
TPN ELECTROLYTES 35-20-5 MEQ/20 ML SOLUTION <b>MO</b>	3	
TRAVASOL 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
TRICARE 27 MG IRON- 1 MG TABLET <b>MO</b>	1	
<i>trientine 250 mg CAPSULE</i> <b>DL</b>	4	QL(240 per 30 days)
<i>trinatal rx 1 60 mg iron-1 mg TABLET</i> <b>MO</b>	1	
TRISTART DHA 31 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
TROPHAMINE 10 % 10 % PARENTERAL SOLUTION <b>MO</b>	3	BvsD
UROCIT-K 10 10 MEQ (1,080 MG) TABLET ER <b>MO</b>	3	
UROCIT-K 15 15 MEQ TABLET ER <b>MO</b>	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET ER <b>MO</b>	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML SOLUTION <b>MO</b>	3	
VELPHORO 500 MG CHEWABLE TABLET <b>DL</b>	4	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM POWDER IN PACKET <b>MO</b>	2	QL(30 per 30 days)
<i>virt-c dha 35-1-200 mg CAPSULE</i> <b>MO</b>	1	
<i>virt-nate dha 28 mg iron-1 mg -200 mg CAPSULE</i> <b>MO</b>	1	
<i>virt-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i> <b>MO</b>	1	
<i>virt-pn plus 28-1-300 mg CAPSULE</i> <b>MO</b>	1	
VITAFOL FE PLUS 90 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL GUMMIES 3.33 MG IRON- 0.33 MG CHEWABLE TABLET <b>MO</b>	3	
VITAFOL NANO 18 MG IRON- 1 MG TABLET <b>MO</b>	3	
VITAFOL ULTRA 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL-OB 65-1 MG TABLET <b>MO</b>	3	
VITAFOL-OB+DHA 65-1-250 MG COMBO PACK <b>MO</b>	3	
VITAFOL-ONE 29 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAMED MD ONE RX 30 MG IRON-1MG -200 MG CAPSULE <b>MO</b>	3	
VP-PNV-DHA 28 MG IRON- 1 MG-200 MG CAPSULE <b>MO</b>	3	
<i>wescap-pn dha 27 mg iron-1 mg -300 mg CAPSULE</i> <b>MO</b>	1	
<i>wesnatal dha complete 29 mg iron- 1 mg-200 mg COMBO PACK</i> <b>MO</b>	1	
<i>wesnate dha 28 mg iron-1 mg -200 mg CAPSULE</i> <b>MO</b>	1	
<i>westab plus 27 mg iron- 1 mg TABLET</i> <b>MO</b>	1	
<i>westgel dha 31 mg iron- 1 mg-200 mg CAPSULE</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zatean-pn dha 27 mg iron-1 mg -300 mg CAPSULE <b>MO</b>	1	
zatean-pn plus 28-1-300 mg CAPSULE <b>MO</b>	1	
<b>GASTROINTESTINAL AGENTS</b>		
ACIPHEX 20 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
ACIPHEX SPRINKLE 10 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	QL(60 per 30 days)
ACIPHEX SPRINKLE 5 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	QL(30 per 30 days)
AEMCOLO 194 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(12 per 30 days)
alosetron 0.5 mg, 1 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)
amoxicil-clarithromy-lansopraz 500-500-30 mg COMBO PACK <b>MO</b>	1	ST
atropine 0.05 mg/ml, 0.1 mg/ml SYRINGE <b>MO</b>	1	
atropine in 0.9 % sod chloride 0.25 mg/5 ml (0.05 mg/ml) SYRINGE <b>MO</b>	1	
BENTYL 10 MG/ML SOLUTION <b>MO</b>	3	
bismuth subcit k-metronidz-tcn 140-125-125 mg CAPSULE <b>MO</b>	1	QL(120 per 30 days)
CARAFATE 1 GRAM TABLET <b>MO</b>	3	
CARAFATE 100 MG/ML SUSPENSION <b>MO</b>	3	
CHENODAL 250 MG TABLET <b>DL</b>	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg TABLET <b>MO</b>	1	
cimetidine hcl 300 mg/5 ml SOLUTION <b>MO</b>	1	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/160 ML SOLUTION <b>MO</b>	2	
CLENPIQ 10 MG-3.5 GRAM- 12 GRAM/175 ML SOLUTION <b>MO</b>	2	
constulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) SOLUTION <b>MO</b>	3	
CYTOTEC 100 MCG, 200 MCG TABLET <b>DL</b>	4	
DARTISLA 1.7 MG TABLET, DISINTEGRATING <b>MO</b>	3	ST,QL(120 per 30 days)
DEXILANT 30 MG, 60 MG CAPSULE, DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
dexlansoprazole 30 mg, 60 mg CAPSULE, DR, BIPHASIC <b>MO</b>	3	ST,QL(30 per 30 days)
dicyclomine 10 mg CAPSULE <b>MO</b>	1	
dicyclomine 10 mg/5 ml, 10 mg/ml SOLUTION <b>MO</b>	1	
dicyclomine 20 mg TABLET <b>MO</b>	1	
diphenoxylate-atropine 2.5-0.025 mg TABLET <b>MO</b>	1	
diphenoxylate-atropine 2.5-0.025 mg/5 ml LIQUID <b>MO</b>	1	
ENDARI 5 GRAM POWDER IN PACKET <b>DL</b>	4	PA,QL(180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
enulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
esomeprazole magnesium 10 mg, 20 mg, 40 mg DR GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
esomeprazole magnesium 20 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole magnesium 40 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
esomeprazole sodium 20 mg, 40 mg RECON SOLUTION <b>MO</b>	1	
ESOMEPRAZOLE STRONTIUM 49.3 MG CAPSULE, DR/EC <b>MO</b>	3	QL(30 per 30 days)
famotidine 10 mg/ml SOLUTION <b>MO</b>	1	
famotidine 20 mg, 40 mg TABLET <b>MO</b>	1	
famotidine 40 mg/5 ml (8 mg/ml) SUSPENSION <b>MO</b>	1	
famotidine (pf) 20 mg/2 ml SOLUTION <b>MO</b>	1	
famotidine (pf)-nacl (iso-os) 20 mg/50 ml PIGGYBACK <b>MO</b>	1	
GATTEX 30-VIAL 5 MG KIT <b>DL,LA</b>	4	PA
GATTEX ONE-VIAL 5 MG KIT <b>DL,LA</b>	4	PA
gavilyte-c 240-22.72-6.72 -5.84 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-g 236-22.74-6.74 -5.86 gram RECON SOLUTION <b>MO</b>	1	
gavilyte-n 420 gram RECON SOLUTION <b>MO</b>	1	
generlac 10 gram/15 ml SOLUTION <b>MO</b>	1	
GLYCATE 1.5 MG TABLET <b>MO</b>	1	
glycopyrrolate 0.2 mg/ml, 1 mg/5 ml (0.2 mg/ml) SOLUTION <b>MO</b>	1	
glycopyrrolate 1 mg, 1.5 mg, 2 mg TABLET <b>MO</b>	1	
glycopyrrolate (pf) 0.6 mg/3 ml (0.2 mg/ml) SYRINGE <b>MO</b>	3	
glycopyrrolate (pf) in water 0.2 mg/ml SYRINGE <b>MO</b>	1	
GOLYTELY 236-22.74-6.74 -5.86 GRAM RECON SOLUTION <b>MO</b>	3	ST
IBSRELA 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KONVOMEK 2-84 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	ST,QL(600 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM PACKET <b>MO</b>	1	
lactulose 10 gram PACKET <b>DL</b>	4	
lactulose 10 gram/15 ml (15 ml), 20 gram/30 ml SOLUTION <b>MO</b>	1	
lactulose 10 gram/15 ml SOLUTION <b>MO</b>	1	
lansoprazole 15 mg, 30 mg CAPSULE, DR/EC <b>MO</b>	1	QL(60 per 30 days)
lansoprazole 15 mg, 30 mg TABLET, DISINTEGRATING DR <b>MO</b>	1	QL(30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	2	QL(30 per 30 days)
LOMOTIL 2.5-0.025 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>loperamide 2 mg CAPSULE</i> <b>MO</b>	1	
LOTRONEX 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
<i>lubiprostone 24 mcg, 8 mcg CAPSULE</i> <b>MO</b>	1	QL(60 per 30 days)
<i>methscopolamine 2.5 mg, 5 mg TABLET</i> <b>MO</b>	1	
<i>misoprostol 100 mcg TABLET</i> <b>MO</b>	1	
<i>misoprostol 200 mcg TABLET</i> <b>MO</b>	1	
MOTEGRITY 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
MOTOFEN 1-0.025 MG TABLET <b>MO</b>	3	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
MOVIPREP 100-7.5-2.691 GRAM POWDER IN PACKET <b>MO</b>	3	ST
MYALEPT 5 MG/ML (FINAL CONC.) RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
MYTESI 125 MG TABLET, DR/EC <b>DL</b>	4	PA,QL(60 per 30 days)
NEXIUM 20 MG, 40 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
NEXIUM IV 40 MG RECON SOLUTION <b>MO</b>	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)
<i>nizatidine 150 mg, 300 mg CAPSULE</i> <b>MO</b>	1	
<i>nizatidine 150 mg/10 ml SOLUTION</i> <b>MO</b>	1	
NULYTELY LEMON-LIME 420 GRAM RECON SOLUTION <b>MO</b>	3	ST
OICALIVA 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG- 500 MG (40) COMBO PACK <b>MO</b>	3	ST
<i>omeprazole 10 mg CAPSULE, DR/EC</i> <b>MO</b>	1	QL(60 per 30 days)
<i>omeprazole 20 mg, 40 mg CAPSULE, DR/EC</i> <b>MO</b>	1	QL(60 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1,680 mg, 40-1,680 mg PACKET</i> <b>DL</b>	4	ST,QL(30 per 30 days)
<i>omeprazole-sodium bicarbonate 20-1.1 mg-gram, 40-1.1 mg-gram CAPSULE</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>opium tincture 10 mg/ml (morphine) TINCTURE</i> <b>MO</b>	3	QL(180 per 30 days)
OSMOPREP 1.5 GRAM TABLET <b>MO</b>	3	ST
<i>pantoprazole 20 mg, 40 mg TABLET, DR/EC</i> <b>MO</b>	1	QL(60 per 30 days)
<i>pantoprazole 40 mg DR GRANULES IN PACKET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>pantoprazole 40 mg RECON SOLUTION</i> <b>MO</b>	1	
<i>peg 3350-electrolytes 236-22.74-6.74 -5.86 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>peg-electrolyte soln 420 gram RECON SOLUTION</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
peg-prep 5-210 mg-gram KIT <b>MO</b>	1	
peg3350-sod sul-nacl-kcl-asb-c 100-7.5-2.691 gram POWDER IN PACKET <b>MO</b>	1	ST
pepcid 20 mg, 40 mg TABLET <b>MO</b>	3	PA
PLENVU 140-9-5.2 GRAM POWDER IN PACKET, SEQUENTIAL <b>MO</b>	3	ST
PREVACID 30 MG CAPSULE, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG TABLET, DISINTEGRATING DR <b>MO</b>	3	QL(30 per 30 days)
PRILOSEC 10 MG, 2.5 MG SUSPENSION, DR FOR RECON <b>MO</b>	3	
PROTONIX 20 MG, 40 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(60 per 30 days)
PROTONIX 40 MG DR GRANULES IN PACKET <b>MO</b>	3	QL(30 per 30 days)
PROTONIX 40 MG RECON SOLUTION <b>MO</b>	3	PA
PYLERA 140-125-125 MG CAPSULE <b>MO</b>	3	ST,QL(120 per 30 days)
rabeprazole 20 mg TABLET, DR/EC <b>MO</b>	1	QL(60 per 30 days)
RELISTOR 12 MG/0.6 ML SOLUTION <b>DL</b>	4	PA,QL(36 per 30 days)
RELISTOR 12 MG/0.6 ML SYRINGE <b>DL</b>	4	PA,QL(36 per 28 days)
RELISTOR 150 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
RELISTOR 8 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(12 per 30 days)
RELTONE 200 MG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
RELTONE 400 MG CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
ROBINUL 1 MG TABLET <b>MO</b>	3	PA
ROBINUL FORTE 2 MG TABLET <b>MO</b>	3	PA
sodium,potassium,mag sulfates 17.5-3.13-1.6 gram RECON SOLUTION <b>MO</b>	1	
sucralfate 1 gram TABLET <b>MO</b>	1	
sucralfate 100 mg/ml SUSPENSION <b>MO</b>	1	
SUFLAVE 178.7-7.3-0.5 GRAM RECON SOLUTION <b>MO</b>	3	ST
SUPREP BOWEL PREP KIT 17.5-3.13-1.6 GRAM RECON SOLUTION <b>MO</b>	3	ST
SUTAB 1.479-0.188- 0.225 GRAM TABLET <b>MO</b>	3	ST
SYMPROIC 0.2 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
TALICIA 10-250-12.5 MG CAPSULE, IR/DR, BIPHASIC <b>MO</b>	3	ST
TRULANCE 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
URSO 250 250 MG TABLET <b>MO</b>	3	PA
URSO FORTE 500 MG TABLET <b>MO</b>	3	PA
ursodiol 200 mg CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)
ursodiol 250 mg, 500 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ursodiol 300 mg CAPSULE <b>MO</b>	1	
ursodiol 400 mg CAPSULE <b>DL</b>	4	PA,QL(60 per 30 days)
VIBERZI 100 MG, 75 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
VOQUEZNA DUAL PAK 20 MG (28)- 500 MG (84) COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
VOQUEZNA TRIPLE PAK 20-500-500 MG COMBO PACK <b>MO</b>	3	ST,QL(112 per 30 days)
XERMELO 250 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
XIFAXAN 200 MG TABLET <b>MO</b>	3	PA,QL(9 per 30 days)
XIFAXAN 550 MG TABLET <b>DL</b>	4	PA,QL(84 per 28 days)
ZEGERID 20-1,680 MG, 40-1,680 MG PACKET <b>DL</b>	4	ST,QL(30 per 30 days)
ZEGERID 20-1.1 MG-GRAM, 40-1.1 MG-GRAM CAPSULE <b>DL</b>	4	ST,QL(30 per 30 days)
ZINPLAVA 25 MG/ML SOLUTION <b>DL</b>	4	PA
<b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>		
ALDURAZYME 2.9 MG/5 ML SOLUTION <b>DL</b>	4	PA
AMVUTTRA 25 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 90 days)
ARALAST NP 1,000 MG, 500 MG RECON SOLUTION <b>DL</b>	4	PA
betaine 1 gram/scoop POWDER <b>DL</b>	4	
BUPHENYL 0.94 GRAM/GRAM POWDER <b>DL</b>	4	PA
BUPHENYL 500 MG TABLET <b>DL</b>	4	PA
CERDELGA 84 MG CAPSULE <b>DL</b>	4	PA
CEREZYME 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
CREON 12,000-38,000 -60,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT CAPSULE, DR/EC <b>MO</b>	2	
CREON 24,000-76,000 -120,000 UNIT CAPSULE, DR/EC <b>MO</b>	2	
CRYSVITA 10 MG/ML, 20 MG/ML SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
CRYSVITA 30 MG/ML SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
CYSTADANE 1 GRAM/SCOOP POWDER <b>DL</b>	4	PA
CYTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	3	
dichlorphenamide 50 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ELAPRASE 6 MG/3 ML SOLUTION <b>DL</b>	4	PA
ELELYSO 200 UNIT RECON SOLUTION <b>DL</b>	4	PA
ELEVIDYS 1.33 X 10EXP13 VG/ML SUSPENSION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ELFABRIO 2 MG/ML SOLUTION <b>DL</b>	4	PA
EVRYSDI 0.75 MG/ML RECON SOLUTION <b>DL</b>	4	PA,QL(240 per 30 days)
FABRAZYME 35 MG, 5 MG RECON SOLUTION <b>DL</b>	4	PA
GALAFOLD 123 MG CAPSULE <b>DL</b>	4	PA,QL(14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) SOLUTION <b>DL</b>	4	PA
<i>javygtor 100 mg TABLET, SOLUBLE</i> <b>DL</b>	4	PA
<i>javygtor 100 mg, 500 mg POWDER IN PACKET</i> <b>DL</b>	4	PA
JOENJA 70 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KANUMA 2 MG/ML SOLUTION <b>DL</b>	4	PA
KEVEYIS 50 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
KUVAN 100 MG TABLET, SOLUBLE <b>DL</b>	4	PA
KUVAN 100 MG, 500 MG POWDER IN PACKET <b>DL</b>	4	PA
LAMZEDE 10 MG RECON SOLUTION <b>DL</b>	4	PA
LUMIZYME 50 MG RECON SOLUTION <b>DL</b>	4	PA
MEPSEVII 2 MG/ML SOLUTION <b>DL</b>	4	PA
<i>miglustat 100 mg CAPSULE</i> <b>DL</b>	4	PA,QL(90 per 30 days)
NAGLAZYME 5 MG/5 ML SOLUTION <b>DL</b>	4	PA
NEXVIAZYME 100 MG RECON SOLUTION <b>DL</b>	4	PA
<i>nitisinone 10 mg, 2 mg, 20 mg, 5 mg CAPSULE</i> <b>DL</b>	4	
NITYR 10 MG, 2 MG, 5 MG TABLET <b>DL</b>	4	
NULIBRY 9.5 MG RECON SOLUTION <b>DL</b>	4	PA
OLPRUVA 2 GRAM, 3 GRAM, 4 GRAM, 5 GRAM, 6 GRAM, 6.67 GRAM PELLETS IN PACKET <b>DL</b>	4	PA
ONPATTRO 2 MG/ML SOLUTION <b>DL</b>	4	PA
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE <b>DL</b>	4	
ORFADIN 4 MG/ML SUSPENSION <b>DL</b>	4	
PALYNZIQ 10 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
PALYNZIQ 20 MG/ML SYRINGE <b>DL</b>	4	PA,QL(90 per 30 days)
PANCREAZE 10,500-35,500- 61,500 UNIT, 4,200-14,200- 24,600 UNIT CAPSULE, DR/EC <b>MO</b>	3	ST
PANCREAZE 16,800-56,800- 98,400 UNIT, 2,600-8,800- 15,200 UNIT, 21,000-54,700- 83,900 UNIT, 37,000-97,300- 149,900 UNIT CAPSULE, DR/EC <b>DL</b>	4	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PERTZYE 16,000-57,500- 60,500 UNIT, 24,000-86,250- 90,750 UNIT, 4,000-14,375- 15,125 UNIT, 8,000-28,750- 30,250 UNIT CAPSULE, DR/EC <b>DL</b>	4	ST
PHEBURANE 483 MG/GRAM GRANULES <b>DL</b>	4	PA
PROCYSBI 25 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	PA,QL(120 per 30 days)
PROCYSBI 300 MG DR GRANULES IN PACKET <b>DL</b>	4	PA,QL(210 per 30 days)
PROCYSBI 75 MG CAPSULE, DR SPRINKLE <b>DL</b>	4	PA,QL(780 per 30 days)
PROCYSBI 75 MG DR GRANULES IN PACKET <b>DL</b>	4	PA,QL(780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML SOLUTION <b>DL</b>	4	PA
PROLASTIN-C 1,000 MG RECON SOLUTION <b>DL</b>	4	PA
RAVICTI 1.1 GRAM/ML LIQUID <b>DL</b>	4	PA,QL(525 per 30 days)
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) SOLUTION <b>DL</b>	4	
sapropterin 100 mg TABLET, SOLUBLE <b>DL</b>	4	PA
sapropterin 100 mg, 500 mg POWDER IN PACKET <b>DL</b>	4	PA
sodium phenylbutyrate 0.94 gram/gram POWDER <b>DL</b>	4	
sodium phenylbutyrate 500 mg TABLET <b>DL</b>	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SOLUTION <b>DL</b>	4	PA
SUCRAID 8,500 UNIT/ML SOLUTION <b>DL</b>	4	
TEGSEDI 284 MG/1.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
VIJOICE 125 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
VIJOICE 250 MG/DAY (200 MG X1-50 MG X1) TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
VIOKACE 10,440-39,150- 39,150 UNIT, 20,880-78,300- 78,300 UNIT TABLET <b>DL</b>	4	ST
VPRIV 400 UNIT RECON SOLUTION <b>DL</b>	4	PA
VYNDAMAX 61 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
VYNDAQEL 20 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
XENPOZYME 20 MG, 4 MG RECON SOLUTION <b>DL</b>	4	PA
XURIDEN 2 GRAM GRANULES IN PACKET <b>DL</b>	4	PA,QL(120 per 30 days)
ZAVESCA 100 MG CAPSULE <b>DL</b>	4	PA,QL(90 per 30 days)
ZEMAIRA 1,000 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZENPEP 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
ZENPEP 25,000-79,000- 105,000 UNIT CAPSULE, DR/EC <b>MO</b>	3	
ZOKINVY 50 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL(120 per 30 days)
<b>GENITOURINARY AGENTS</b>		
<i>alfuzosin 10 mg TABLET, ER 24 HR. <b>MO</b></i>	1	
AVODART 0.5 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
<i>bethanechol chloride 10 mg, 25 mg, 5 mg, 50 mg TABLET <b>MO</b></i>	1	
CIALIS 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA
<i>darifenacin 15 mg, 7.5 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(30 per 30 days)
DETROL 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(60 per 30 days)
<i>dutasteride 0.5 mg CAPSULE <b>MO</b></i>	1	QL(30 per 30 days)
<i>dutasteride-tamsulosin 0.5-0.4 mg CAPSULE ER MULTIPHASE 24 HR. <b>MO</b></i>	1	QL(30 per 30 days)
ELMIRON 100 MG CAPSULE <b>MO</b>	3	QL(90 per 30 days)
ENTADFI 5-5 MG CAPSULE <b>MO</b>	3	PA,QL(182 per 365 days)
<i>fesoterodine 4 mg, 8 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(30 per 30 days)
<i>finasteride 5 mg TABLET <b>MO</b></i>	1	QL(30 per 30 days)
<i>flavoxate 100 mg TABLET <b>MO</b></i>	1	
FLOMAX 0.4 MG CAPSULE <b>MO</b>	3	
GELNIQUE 10 % (100 MG/GRAM) GEL IN PACKET <b>MO</b>	3	ST,QL(30 per 30 days)
GEMTESA 75 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
JALYN 0.5-0.4 MG CAPSULE ER MULTIPHASE 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET, ER 24 HR. <b>MO</b>	2	QL(30 per 30 days)
MYRBETRIQ 8 MG/ML SUSPENSION, ER, RECON <b>MO</b>	2	QL(300 per 30 days)
<i>oxybutynin chloride 10 mg, 5 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 15 mg TABLET, ER 24 HR. <b>MO</b></i>	1	QL(60 per 30 days)
<i>oxybutynin chloride 2.5 mg TABLET <b>MO</b></i>	1	QL(90 per 30 days)
<i>oxybutynin chloride 5 mg TABLET <b>MO</b></i>	1	
<i>oxybutynin chloride 5 mg/5 ml SYRUP <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OXYTROL 3.9 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	ST,QL(8 per 28 days)
PROSCAR 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE <b>MO</b>	3	PA,QL(30 per 30 days)
silodosin 4 mg, 8 mg CAPSULE <b>MO</b>	1	QL(30 per 30 days)
solifenacin 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
tadalafil 2.5 mg, 5 mg TABLET <b>MO</b>	1	PA
tamsulosin 0.4 mg CAPSULE <b>MO</b>	1	
THIOLA 100 MG TABLET <b>DL</b>	4	
THIOLA EC 100 MG, 300 MG TABLET, DR/EC <b>DL</b>	4	
tiopronin 100 mg TABLET <b>DL</b>	4	
tolterodine 1 mg, 2 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
tolterodine 2 mg, 4 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET, ER 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
trospium 20 mg TABLET <b>MO</b>	1	
trospium 60 mg CAPSULE, ER 24 HR. <b>MO</b>	1	QL(30 per 30 days)
UROXATRAL 10 MG TABLET, ER 24 HR. <b>MO</b>	3	
VESICARE 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VESICARE LS 1 MG/ML SUSPENSION <b>MO</b>	3	PA,QL(300 per 30 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (ADRENAL)</b>		
ACTHAR 80 UNIT/ML GEL <b>DL</b>	4	PA,QL(30 per 30 days)
ALKINDI SPRINKLE 0.5 MG, 1 MG, 2 MG, 5 MG CAPSULE, SPRINKLE <b>DL</b>	4	PA
betamethasone acet,sod phos 6 mg/ml SUSPENSION <b>MO</b>	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION <b>MO</b>	3	
CORTROPHIN GEL 80 UNIT/ML GEL <b>DL</b>	4	PA,QL(30 per 30 days)
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION <b>MO</b>	3	
dexabliss 1.5 mg (39 tabs) TABLET, DOSE PACK <b>MO</b>	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg TABLET <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml ELIXIR <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml SOLUTION <b>MO</b>	1	
dexamethasone 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs) TABLET, DOSE PACK <b>MO</b>	1	
dexamethasone intensol 1 mg/ml DROPS <b>MO</b>	1	
dexamethasone sodium phos (pf) 10 mg/ml SOLUTION <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexamethasone sodium phos (pf) 10 mg/ml SYRINGE <b>MO</b>	1	
dexamethasone sodium phosphate 10 mg/ml, 4 mg/ml SOLUTION <b>MO</b>	1	
dexamethasone sodium phosphate 4 mg/ml SYRINGE <b>MO</b>	1	
DXEVO 1.5 MG (39 TABS) TABLET, DOSE PACK <b>MO</b>	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET <b>DL</b>	4	PA
EMFLAZA 22.75 MG/ML SUSPENSION <b>DL</b>	4	PA
fludrocortisone 0.1 mg TABLET <b>MO</b>	1	
HEMADY 20 MG TABLET <b>MO</b>	3	PA,QL(24 per 28 days)
KENALOG 0.147 MG/GRAM AEROSOL <b>MO</b>	3	QL(200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION <b>MO</b>	3	
KENALOG-80 80 MG/ML SUSPENSION <b>MO</b>	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	BvsD
MEDROL (PAK) 4 MG TABLET, DOSE PACK <b>MO</b>	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg TABLET <b>MO</b>	1	BvsD
methylprednisolone 4 mg TABLET, DOSE PACK <b>MO</b>	1	
methylprednisolone acetate 40 mg/ml, 80 mg/ml SUSPENSION <b>MO</b>	1	
methylprednisolone sodium succ 1,000 mg, 125 mg, 40 mg, 500 mg RECON SOLUTION <b>MO</b>	1	
millipred 5 mg TABLET <b>MO</b>	1	BvsD
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) TABLET, DOSE PACK <b>MO</b>	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG TABLET, DISINTEGRATING <b>MO</b>	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) SOLUTION <b>MO</b>	3	
prednisolone 15 mg/5 ml SOLUTION <b>MO</b>	1	
prednisolone 5 mg TABLET <b>MO</b>	1	BvsD
prednisolone sodium phosphate 10 mg, 15 mg, 30 mg TABLET, DISINTEGRATING <b>MO</b>	1	
prednisolone sodium phosphate 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) SOLUTION <b>MO</b>	1	
prednisone 1 mg, 2.5 mg, 50 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 20 mg, 5 mg TABLET <b>MO</b>	1	BvsD
prednisone 10 mg, 5 mg TABLET, DOSE PACK <b>MO</b>	1	
prednisone 5 mg/5 ml SOLUTION <b>MO</b>	1	BvsD
prednisone intensol 5 mg/ml CONCENTRATE <b>MO</b>	1	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RAYOS 1 MG, 2 MG, 5 MG TABLET, DR/EC <b>DL</b>	4	PA
SOLU-CORTEF 100 MG RECON SOLUTION <b>MO</b>	3	
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG RECON SOLUTION <b>MO</b>	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML RECON SOLUTION <b>MO</b>	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) TABLET, DOSE PACK <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.05 %, 0.1 %, 0.5 % OINTMENT <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.1 % LOTION <b>MO</b>	1	
triamcinolone acetonide 0.025 %, 0.5 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.1 % CREAM <b>MO</b>	1	
triamcinolone acetonide 0.147 mg/gram AEROSOL <b>MO</b>	1	QL(200 per 30 days)
triamcinolone acetonide 40 mg/ml SUSPENSION <b>MO</b>	1	
trianex 0.05 % OINTMENT <b>MO</b>	1	
triderm 0.1 %, 0.5 % CREAM <b>MO</b>	1	
tritocin 0.05 % OINTMENT <b>MO</b>	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) SOLUTION <b>MO</b>	1	
ZCORT 1.5 MG (25 TABS) TABLET, DOSE PACK <b>MO</b>	1	
ZILRETTA 32 MG SUSPENSION, ER, RECON <b>MO</b>	3	PA
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PITUITARY)</b>		
CHORIONIC GONADOTROPIN, HUMAN 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
DDAVP 0.1 MG TABLET <b>MO</b>	3	PA
DDAVP 0.2 MG TABLET <b>DL</b>	4	PA
DDAVP 4 MCG/ML SOLUTION <b>MO</b>	3	PA
desmopressin 0.1 mg, 0.2 mg TABLET <b>MO</b>	1	
desmopressin 10 mcg/spray (0.1 ml) SPRAY WITH PUMP <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 10 mcg/spray (0.1 ml) SPRAY, NON-AEROSOL <b>MO</b>	1	PA,QL(25 per 30 days)
desmopressin 4 mcg/ml SOLUTION <b>DL</b>	4	
EGRIFTA SV 2 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) CARTRIDGE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SYRINGE <b>DL</b>	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) CARTRIDGE <b>DL</b>	4	PA
HUMATROPE 5 (15 UNIT) MG RECON SOLUTION <b>DL</b>	4	PA
INCRELEX 10 MG/ML SOLUTION <b>DL</b>	4	PA
NGENLA 24 MG/1.2 ML (20 MG/ML), 60 MG/1.2 ML (50 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
NOCDURNA (MEN) 55.3 MCG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG TABLET, DISINTEGRATING <b>MO</b>	3	PA,QL(30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
NOVAREL 10,000 UNIT, 5,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) PEN INJECTOR <b>DL</b>	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) CARTRIDGE <b>DL</b>	4	PA
OMNITROPE 5.8 MG RECON SOLUTION <b>DL</b>	4	PA
PREGNYL 10,000 UNIT RECON SOLUTION <b>MO</b>	3	PA
SAIZEN 5 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
SAIZEN 8.8 MG RECON SOLUTION <b>DL</b>	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) CARTRIDGE <b>DL</b>	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
SKYTROFA 11 MG, 7.6 MG, 9.1 MG CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
SKYTROFA 13.3 MG, 3 MG, 3.6 MG, 4.3 MG, 5.2 MG, 6.3 MG CARTRIDGE <b>DL</b>	4	PA,QL(4 per 28 days)
SOGROYA 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) PEN INJECTOR <b>DL</b>	4	PA,QL(6 per 28 days)
ZOMACTON 10 MG RECON SOLUTION <b>DL</b>	4	PA
ZOMACTON 5 MG RECON SOLUTION <b>DL</b>	4	PA,QL(28 per 28 days)
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)</b>		
<i>carboprost tromethamine 250 mcg/ml SOLUTION</i> <b>MO</b>	1	
HEMABATE 250 MCG/ML SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (SEX HORMONES/MODIFIERS)</b>		
ACTIVELLA 1-0.5 MG TABLET <b>MO</b>	3	
<i>afirmelle</i> 0.1-20 mg-mcg TABLET <b>MO</b>	1	
<i>altavera</i> (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
<i>alyacen</i> 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
<i>alyacen</i> 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
<i>amabelz</i> 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	1	
<i>amethia</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
<i>amethyst</i> (28) 90-20 mcg (28) TABLET <b>MO</b>	1	
ANDRODERM 2 MG/24 HOUR PATCH, 24 HR. <b>MO</b>	3	PA,QL(90 per 30 days)
ANDRODERM 4 MG/24 HR PATCH, 24 HR. <b>MO</b>	3	PA,QL(30 per 30 days)
ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	3	PA,QL(300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) GEL IN PACKET <b>DL</b>	4	PA,QL(37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) GEL IN PACKET <b>DL</b>	4	PA,QL(150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) GEL IN METERED DOSE PUMP <b>DL</b>	4	PA,QL(150 per 30 days)
ANGELIQ 0.25-0.5 MG, 0.5-1 MG TABLET <b>MO</b>	3	
ANNOVERA 0.15-0.013 MG/24 HOUR RING <b>MO</b>	3	QL(1 per 365 days)
<i>apri</i> 0.15-0.03 mg TABLET <b>MO</b>	1	
<i>aranelle</i> (28) 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
<i>ashlyna</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
<i>aubra</i> 0.1-20 mg-mcg TABLET <b>MO</b>	1	
<i>aubra eq</i> 0.1-20 mg-mcg TABLET <b>MO</b>	1	
<i>aurovela</i> 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
<i>aurovela</i> 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
<i>aurovela</i> 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
<i>aurovela</i> fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
<i>aurovela</i> fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
AVEED 750 MG/3 ML (250 MG/ML) SOLUTION <b>DL</b>	4	PA
<i>aviane</i> 0.1-20 mg-mcg TABLET <b>MO</b>	1	
AYGESTIN 5 MG TABLET <b>MO</b>	1	
<i>ayuna</i> 0.15-0.03 mg TABLET <b>MO</b>	1	
<i>azurette</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
BALCOLTRA 0.1 MG-0.02 MG (21)/IRON (7) TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
balziva (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
BEYAZ 3-0.02-0.451 MG (24) (4) TABLET <b>MO</b>	3	
BIJUVA 1-100 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
briellyn 0.4-35 mg-mcg TABLET <b>MO</b>	1	
camila 0.35 mg TABLET <b>MO</b>	1	
camrese 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
camrese lo 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
caziant (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	1	
charlotte 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
chateal (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
chateal eq (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
CLIMARA PRO 0.045-0.015 MG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(4 per 28 days)
COMBIPATCH 0.05-0.14 MG/24 HR, 0.05-0.25 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
CRINONE 4 %, 8 % GEL <b>MO</b>	3	
cryselle (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
cyclafem 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
cyclafem 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
cyred 0.15-0.03 mg TABLET <b>MO</b>	1	
cyred eq 0.15-0.03 mg TABLET <b>MO</b>	1	
danazol 100 mg, 200 mg, 50 mg CAPSULE <b>MO</b>	1	
dasetta 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
dasetta 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
daysee 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
deblitane 0.35 mg TABLET <b>MO</b>	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML OIL <b>MO</b>	3	
DEPO-ESTRADIOL 5 MG/ML OIL <b>MO</b>	1	QL(5 per 30 days)
DEPO-PROVERA 150 MG/ML SUSPENSION <b>MO</b>	3	QL(1 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEPO-PROVERA 150 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 90 days)
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SYRINGE <b>MO</b>	3	QL(0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML OIL <b>MO</b>	1	
desog-e.estradiol/e.estradiol 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
desogestrel-ethinyl estradiol 0.15-0.03 mg TABLET <b>MO</b>	1	
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) GEL IN PACKET <b>MO</b>	3	
dolishale 90-20 mcg (28) TABLET <b>MO</b>	1	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
drospirenone-e.estradiol-lm.ƒa 3-0.02-0.451 mg (24) (4), 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	1	
drospirenone-ethinyl estradiol 3-0.02 mg, 3-0.03 mg TABLET <b>MO</b>	1	
DUAVEE 0.45-20 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	QL(52 per 30 days)
elinest 0.3-30 mg-mcg TABLET <b>MO</b>	1	
ELLA 30 MG TABLET <b>MO</b>	2	QL(1 per 30 days)
eluryng 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
emoquette 0.15-0.03 mg TABLET <b>MO</b>	1	
ENDOMETRIN 100 MG INSERT <b>MO</b>	3	
enilloring 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
enpresse 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
enskyce 0.15-0.03 mg TABLET <b>MO</b>	1	
errin 0.35 mg TABLET <b>MO</b>	1	
estarylla 0.25-35 mg-mcg TABLET <b>MO</b>	1	
ESTRACE 0.01 % (0.1 MG/GRAM) CREAM <b>MO</b>	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET <b>MO</b>	1	
estradiol 0.01 % (0.1 mg/gram) CREAM <b>MO</b>	1	
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(4 per 28 days)
estradiol 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
estradiol 0.25 mg/0.25 gram (0.1 %), 0.5 mg/0.5 gram (0.1 %), 0.75 mg/0.75 gram (0.1%), 1 mg/gram (0.1 %), 1.25 mg/1.25 gram (0.1 %) GEL IN PACKET <b>MO</b>	1	
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg TABLET <b>MO</b>	1	
estradiol valerate 10 mg/ml, 20 mg/ml, 40 mg/ml OIL <b>MO</b>	1	
estradiol-norethindrone acet 0.5-0.1 mg, 1-0.5 mg TABLET <b>MO</b>	1	
ESTRING 2 MG (7.5 MCG /24 HOUR) RING <b>MO</b>	3	QL(1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	
ethynodiol diac-eth estradiol 1-35 mg-mcg, 1-50 mg-mcg TABLET <b>MO</b>	1	
etonogestrel-ethinyl estradiol 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7%) SPRAY, NON-AEROSOL <b>MO</b>	3	
EVISTA 60 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>falmina</i> (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
FEMHRT LOW DOSE 0.5-2.5 MG-MCG TABLET <b>MO</b>	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR RING <b>MO</b>	3	QL(1 per 90 days)
<i>femynor</i> 0.25-35 mg-mcg TABLET <b>MO</b>	1	
<i>finzala</i> 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
FORTESTA 10 MG/0.5 GRAM /ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(120 per 30 days)
<i>fyavolv</i> 0.5-2.5 mg-mcg, 1-5 mg-mcg TABLET <b>MO</b>	1	
<i>gemmily</i> 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
GENERESS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
<i>hailey</i> 1.5-30 mg-mcg TABLET <b>MO</b>	1	
<i>hailey</i> 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
<i>hailey</i> fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
<i>hailey</i> fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
<i>haloette</i> 0.12-0.015 mg/24 hr RING <b>MO</b>	1	QL(1 per 28 days)
<i>heather</i> 0.35 mg TABLET <b>MO</b>	1	
<i>iclevia</i> 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
<i>incassia</i> 0.35 mg TABLET <b>MO</b>	1	
<i>isibloom</i> 0.15-0.03 mg TABLET <b>MO</b>	1	
<i>jaimiess</i> 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
<i>jasmiel</i> (28) 3-0.02 mg TABLET <b>MO</b>	1	
JATENZO 158 MG, 198 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
JATENZO 237 MG CAPSULE <b>MO</b>	3	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
jencycla 0.35 mg TABLET <b>MO</b>	1	
jinteli 1-5 mg-mcg TABLET <b>MO</b>	1	
jolessa 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
joyeaux 0.1 mg-0.02 mg (21)/iron (7) TABLET <b>MO</b>	1	
juleber 0.15-0.03 mg TABLET <b>MO</b>	1	
junel 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
junel 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
kaitlib fe 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
kalliga 0.15-0.03 mg TABLET <b>MO</b>	1	
kariva (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
kelnor 1-50 (28) 1-50 mg-mcg TABLET <b>MO</b>	1	
kelnor 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
kurvelo (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
l norgest/e.estradiol-e.estrad 0.1 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
larin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
larin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
larissia 0.1-20 mg-mcg TABLET <b>MO</b>	1	
LAYOLIS FE 0.8MG-25MCG(24) AND 75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
leena 28 0.5/1/0.5-35 mg-mcg TABLET <b>MO</b>	1	
lessina 0.1-20 mg-mcg TABLET <b>MO</b>	1	
levonest (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorg-eth estrad triphasic 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
levonorgestrel-ethinyl estrad 0.1-20 mg-mcg, 0.15-0.03 mg, 90-20 mcg (28) TABLET <b>MO</b>	1	
levonorgestrel-ethinyl estrad 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levora-28 0.15-0.03 mg TABLET <b>MO</b>	1	
lillow (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET <b>MO</b>	3	
lo-zumandimine (28) 3-0.02 mg TABLET <b>MO</b>	1	
LOESTRIN 1.5/30 (21) 1.5-30 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN 1/20 (21) 1-20 MG-MCG TABLET <b>MO</b>	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
lojaimiess 0.1 mg-20 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
loryna (28) 3-0.02 mg TABLET <b>MO</b>	1	
LOSEASONIQUE 0.1 MG-20 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
low-ogestrel (28) 0.3-30 mg-mcg TABLET <b>MO</b>	1	
lutra (28) 0.1-20 mg-mcg TABLET <b>MO</b>	1	
lyleq 0.35 mg TABLET <b>MO</b>	1	
lyllana 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr PATCH, SEMIWEEKLY <b>MO</b>	1	QL(8 per 28 days)
lyza 0.35 mg TABLET <b>MO</b>	1	
marlissa (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg TABLET <b>MO</b>	1	
medroxyprogesterone 150 mg/ml SUSPENSION <b>MO</b>	1	QL(1 per 90 days)
medroxyprogesterone 150 mg/ml SYRINGE <b>MO</b>	1	QL(1 per 90 days)
megestrol 20 mg, 40 mg TABLET <b>MO</b>	1	
megestrol 400 mg/10 ml (10 ml), 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml) SUSPENSION <b>MO</b>	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG TABLET <b>MO</b>	1	
MENOSTAR 14 MCG/24 HR PATCH, WEEKLY <b>MO</b>	3	QL(8 per 28 days)
merzee 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
METHITEST 10 MG TABLET <b>DL</b>	4	
methyltestosterone 10 mg CAPSULE <b>DL</b>	4	
mibelas 24 fe 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
microgestin 1.5/30 (21) 1.5-30 mg-mcg TABLET <b>MO</b>	1	
microgestin 1/20 (21) 1-20 mg-mcg TABLET <b>MO</b>	1	
microgestin 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
mili 0.25-35 mg-mcg TABLET <b>MO</b>	1	
mimvey 1-0.5 mg TABLET <b>MO</b>	1	
MINASTRIN 24 FE 1 MG-20 MCG(24) /75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
MIRCETTE (28) 0.15-0.02 MGX21 /0.01 MG X 5 TABLET <b>MO</b>	1	
mono-linyah 0.25-35 mg-mcg TABLET <b>MO</b>	1	
NATAZIA 3 MG/2 MG-2 MG/ 2 MG-3 MG/1 MG TABLET <b>MO</b>	3	
NATESTO 5.5 MG/0.122 GRAM/ACTUATION GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(21.96 per 30 days)
necon 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
NEXTSTELLIS 3 MG- 14.2 MG (28) TABLET <b>MO</b>	3	
nikki (28) 3-0.02 mg TABLET <b>MO</b>	1	
nora-be 0.35 mg TABLET <b>MO</b>	1	
noreth-ethinyl estradiol-iron 0.4mg-35mcg(21) and 75 mg (7), 0.8mg-25mcg(24) and 75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
norethindrone (contraceptive) 0.35 mg TABLET <b>MO</b>	1	
norethindrone ac-eth estradiol 0.5-2.5 mg-mcg, 1-20 mg-mcg, 1-5 mg-mcg, 1.5-30 mg-mcg TABLET <b>MO</b>	1	
norethindrone acetate 5 mg TABLET <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (21)/75 mg (7), 1-20(5)/1-30(7) /1mg-35mcg (9), 1.5 mg-30 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
norethindrone-e.estradiol-iron 1 mg-20 mcg(24) /75 mg (4) CHEWABLE TABLET <b>MO</b>	1	
norgestimate-ethinyl estradiol 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg TABLET <b>MO</b>	1	
norlyda 0.35 mg TABLET <b>MO</b>	1	
nortrel 0.5/35 (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
nortrel 1/35 (21) 1-35 mg-mcg (21) TABLET <b>MO</b>	1	
nortrel 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
nortrel 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
NUVARING 0.12-0.015 MG/24 HR RING <b>MO</b>	3	QL(1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>nylia</i> 1/35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
<i>nylia</i> 7/7/7 (28) 0.5/0.75/1 mg- 35 mcg TABLET <b>MO</b>	1	
<i>nymyo</i> 0.25-35 mg-mcg TABLET <b>MO</b>	1	
<i>ocella</i> 3-0.03 mg TABLET <b>MO</b>	1	
<i>orsythia</i> 0.1-20 mg-mcg TABLET <b>MO</b>	1	
ORTHO TRI-CYCLEN (28) 0.18/0.215/0.25 MG-35 MCG (28) TABLET <b>MO</b>	3	
ORTHO-NOVUM 7/7/7 (28) 0.5/0.75/1 MG- 35 MCG TABLET <b>MO</b>	1	
OSPHENA 60 MG TABLET <b>MO</b>	2	PA
<i>oxandrolone</i> 10 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
<i>oxandrolone</i> 2.5 mg TABLET <b>MO</b>	1	PA,QL(120 per 30 days)
<i>philith</i> 0.4-35 mg-mcg TABLET <b>MO</b>	1	
<i>pimtrea</i> (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
<i>pirmella</i> 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg TABLET <b>MO</b>	1	
<i>portia</i> 28 0.15-0.03 mg TABLET <b>MO</b>	1	
PREFEST 1 MG (15)/1 MG- 0.09 MG (15) TABLET <b>MO</b>	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	3	
PREMARIN 0.625 MG/GRAM CREAM <b>MO</b>	2	
PREMARIN 25 MG RECON SOLUTION <b>MO</b>	3	
PREMPHASE 0.625 MG (14)/ 0.625MG-5MG(14) TABLET <b>MO</b>	3	
PREMPRO 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG TABLET <b>MO</b>	3	
<i>previfem</i> 0.25-35 mg-mcg TABLET <b>MO</b>	1	
<i>progesterone</i> 50 mg/ml OIL <b>MO</b>	1	
<i>progesterone</i> micronized 100 mg, 200 mg CAPSULE <b>MO</b>	1	
PROMETRIUM 100 MG, 200 MG CAPSULE <b>MO</b>	3	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	
QUARTETTE 0.15 MG-20 MCG/ 0.15 MG-25 MCG TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)
<i>raloxifene</i> 60 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
<i>reclipsen</i> (28) 0.15-0.03 mg TABLET <b>MO</b>	1	
<i>rivelsa</i> 0.15 mg-20 mcg/ 0.15 mg-25 mcg TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
SAFYRAL 3-0.03-0.451 MG (21) (7) TABLET <b>MO</b>	3	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	3	QL(91 per 90 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
setlakin 0.15 mg-30 mcg (91) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
sharobel 0.35 mg TABLET <b>MO</b>	1	
simliya (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg (7) TABLET, DOSE PACK, 3 MONTH <b>MO</b>	1	QL(91 per 90 days)
SLYND 4 MG (28) TABLET <b>MO</b>	3	
sprintec (28) 0.25-35 mg-mcg TABLET <b>MO</b>	1	
sronyx 0.1-20 mg-mcg TABLET <b>MO</b>	1	
syeda 3-0.03 mg TABLET <b>MO</b>	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) TABLET <b>MO</b>	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) TABLET <b>MO</b>	1	
taysofy 1 mg-20 mcg (24)/75 mg (4) CAPSULE <b>MO</b>	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE <b>MO</b>	3	
TESTIM 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 1.62 % (20.25 mg/1.25 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(37.5 per 30 days)
testosterone 1.62 % (40.5 mg/2.5 gram) GEL IN PACKET <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 10 mg/0.5 gram /actuation GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(120 per 30 days)
testosterone 12.5 mg/ 1.25 gram (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(300 per 30 days)
testosterone 20.25 mg/1.25 gram (1.62 %) GEL IN METERED DOSE PUMP <b>MO</b>	1	PA,QL(150 per 30 days)
testosterone 30 mg/actuation (1.5 ml) SOLUTION IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(180 per 30 days)
testosterone 50 mg/5 gram (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
testosterone cypionate 100 mg/ml, 200 mg/ml OIL <b>MO</b>	1	
testosterone enanthate 200 mg/ml OIL <b>MO</b>	1	QL(25 per 90 days)
tilia fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
TLANDO 112.5 MG CAPSULE <b>MO</b>	3	PA,QL(120 per 30 days)
tri femynor 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-estarylla 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-legest fe 1-20(5)/1-30(7) /1mg-35mcg (9) TABLET <b>MO</b>	1	
tri-linyah 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
tri-mili 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-nymyo 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-previfem (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-sprintec (28) 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-vylibra 0.18/0.215/0.25 mg-35 mcg (28) TABLET <b>MO</b>	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg TABLET <b>MO</b>	1	
trivora (28) 50-30 (6)/75-40 (5)/125-30(10) TABLET <b>MO</b>	1	
tulana 0.35 mg TABLET <b>MO</b>	1	
TYBLUME 0.1 MG- 20 MCG CHEWABLE TABLET <b>MO</b>	3	
tydemy 3-0.03-0.451 mg (21) (7) TABLET <b>MO</b>	1	
VAGIFEM 10 MCG TABLET <b>MO</b>	3	PA
velivet triphasic regimen (28) 0.1/.125/.15-25 mg-mcg TABLET <b>MO</b>	1	
vestura (28) 3-0.02 mg TABLET <b>MO</b>	1	
vienva 0.1-20 mg-mcg TABLET <b>MO</b>	1	
violele (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR PATCH, SEMIWEEKLY <b>MO</b>	3	QL(8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM) GEL IN PACKET <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 12.5 MG/ 1.25 GRAM (1 %) GEL IN METERED DOSE PUMP <b>MO</b>	3	PA,QL(300 per 30 days)
VOGELXO 50 MG/5 GRAM (1 %) GEL <b>MO</b>	3	PA,QL(300 per 30 days)
volnea (28) 0.15-0.02 mgx21 /0.01 mg x 5 TABLET <b>MO</b>	1	
vyfemla (28) 0.4-35 mg-mcg TABLET <b>MO</b>	1	
vylibra 0.25-35 mg-mcg TABLET <b>MO</b>	1	
wera (28) 0.5-35 mg-mcg TABLET <b>MO</b>	1	
wymzya fe 0.4mg-35mcg(21) and 75 mg (7) CHEWABLE TABLET <b>MO</b>	1	
xulane 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
YASMIN (28) 3-0.03 MG TABLET <b>MO</b>	3	
YAZ (28) 3-0.02 MG TABLET <b>MO</b>	3	
yuvafem 10 mcg TABLET <b>MO</b>	1	
zafemy 150-35 mcg/24 hr PATCH, WEEKLY <b>MO</b>	1	QL(3 per 28 days)
zarah 3-0.03 mg TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
zovia 1-35 (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
zovia 1/35e (28) 1-35 mg-mcg TABLET <b>MO</b>	1	
zumandimine (28) 3-0.03 mg TABLET <b>MO</b>	1	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET <b>MO</b>	3	
ERMEZA 30 MCG/ML SOLUTION <b>MO</b>	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
levothyroxine 100 mcg RECON SOLUTION <b>MO</b>	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 13 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg CAPSULE <b>MO</b>	1	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg TABLET <b>MO</b>	1	
levothyroxine 100 mcg/ml, 20 mcg/ml, 40 mcg/ml SOLUTION <b>MO</b>	1	
levothyroxine 175 mcg, 200 mcg, 300 mcg TABLET <b>MO</b>	1	
levothyroxine 200 mcg, 500 mcg RECON SOLUTION <b>DL</b>	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
liothyronine 10 mcg/ml SOLUTION <b>MO</b>	1	
liothyronine 25 mcg, 5 mcg, 50 mcg TABLET <b>MO</b>	1	
np thyroid 120 mg, 15 mg, 30 mg, 60 mg, 90 mg TABLET <b>MO</b>	2	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
THYQUIDITY 20 MCG/ML SOLUTION <b>MO</b>	3	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 37.5 MCG, 44 MCG, 50 MCG, 62.5 MCG, 75 MCG, 88 MCG CAPSULE <b>MO</b>	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 37.5 MCG/ML, 44 MCG/ML, 50 MCG/ML, 62.5 MCG/ML, 75 MCG/ML, 88 MCG/ML SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRIOSTAT 10 MCG/ML SOLUTION <b>MO</b>	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
<b>HORMONAL AGENTS, SUPPRESSANT (ADRENAL)</b>		
ISTURISA 1 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
ISTURISA 10 MG TABLET <b>DL</b>	4	PA,QL(180 per 30 days)
ISTURISA 5 MG TABLET <b>DL</b>	4	PA,QL(360 per 30 days)
LYSODREN 500 MG TABLET <b>DL</b>	4	
RECORLEV 150 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
<b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>		
<i>cabergoline 0.5 mg TABLET <b>MO</b></i>	1	
ELIGARD 7.5 MG (1 MONTH) SYRINGE <b>MO</b>	3	PA
ELIGARD (3 MONTH) 22.5 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (4 MONTH) 30 MG SYRINGE <b>MO</b>	3	PA
ELIGARD (6 MONTH) 45 MG SYRINGE <b>MO</b>	3	PA
FENSOLVI 45 MG SYRINGE	4	PA,QL(1 per 180 days)
FIRMAGON 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 120 MG RECON SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT W DILUENT SYRINGE 80 MG RECON SOLUTION <b>MO</b>	3	PA
<i>lanreotide 120 mg/0.5 ml SYRINGE <b>DL</b></i>	4	PA,QL(0.5 per 28 days)
<i>leuprolide 1 mg/0.2 ml KIT <b>MO</b></i>	1	
<i>leuprolide (3 month) 22.5 mg SUSPENSION FOR RECONSTITUTION <b>MO</b></i>	3	PA,QL(1 per 90 days)
LUPANETA PACK (1 MONTH) 3.75 MG -5 MG (30) KIT, SYRINGE/TABLET <b>DL</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT 3.75 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 30 days)
LUPRON DEPOT 7.5 MG SYRINGE KIT <b>DL</b>	4	PA,QL(1 per 30 days)
LUPRON DEPOT (3 MONTH) 11.25 MG, 22.5 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 90 days)
LUPRON DEPOT (4 MONTH) 30 MG SYRINGE KIT <b>MO</b>	3	PA,QL(1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED 11.25 MG KIT <b>DL</b>	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 15 MG, 7.5 MG (PED) KIT <b>DL</b>	4	PA,QL(1 per 28 days)
LUPRON DEPOT-PED 45 MG SYRINGE KIT	4	PA,QL(1 per 168 days)
LUPRON DEPOT-PED (3 MONTH) 11.25 MG, 30 MG SYRINGE KIT	4	PA,QL(1 per 90 days)
MYCAPSSA 20 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(112 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
octreotide acetate 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml SOLUTION <b>MO</b>	1	PA
octreotide acetate 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml) SYRINGE <b>MO</b>	1	PA
ORGOVYX 120 MG TABLET <b>DL</b>	4	PA,QL(32 per 30 days)
ORLISSA 150 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)
ORLISSA 200 MG TABLET <b>DL</b>	4	PA,QL(56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML SOLUTION <b>DL</b>	4	PA
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG SUSPENSION, ER, RECON <b>DL</b>	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SYRINGE <b>DL</b>	4	PA,QL(0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG RECON SOLUTION <b>DL</b>	4	PA,QL(60 per 30 days)
SOMAVERT 25 MG, 30 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
SYNAREL 2 MG/ML SPRAY, NON-AEROSOL <b>DL</b>	4	
TRELSTAR 11.25 MG, 22.5 MG, 3.75 MG SUSPENSION FOR RECONSTITUTION <b>MO</b>	3	PA
TRIPTODUR 22.5 MG SUSPENSION FOR RECONSTITUTION	4	PA,QL(1 per 168 days)
ZOLADEX 10.8 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 84 days)
ZOLADEX 3.6 MG IMPLANT <b>MO</b>	3	PA,QL(1 per 28 days)
<b>HORMONAL AGENTS, SUPPRESSANT (THYROID)</b>		
methimazole 10 mg, 5 mg TABLET <b>MO</b>	1	
propylthiouracil 50 mg TABLET <b>MO</b>	1	
TAPAZOLE 10 MG, 5 MG TABLET <b>MO</b>	1	
<b>IMMUNOLOGICAL AGENTS</b>		
ABRYSCO 120 MCG/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
ACTEMRA 162 MG/0.9 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
ACTIMMUNE 100 MCG/0.5 ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SUSPENSION <b>AV,DL</b>	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML SYRINGE <b>AV,DL</b>	1	
ADALIMUMAB-ADAZ 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADAZ 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
ADALIMUMAB-ADBM 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN CROHNS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-ADBM(CF) PEN PS-UV 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADALIMUMAB-FKJP 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ADBRY 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)
AMJEVITA(CF) 10 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
AMJEVITA(CF) 20 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
AMJEVITA(CF) 40 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
AMJEVITA(CF) AUTOINJECTOR 40 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
ARAVA 10 MG, 20 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ARCALYST 220 MG RECON SOLUTION <b>DL</b>	4	PA
AREXVY (PF) 120 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
ASCENIV 10 % SOLUTION <b>DL</b>	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE, ER 24 HR. <b>MO</b>	3	BvsD
ATGAM 50 MG/ML SOLUTION <b>DL</b>	4	PA
AVSOLA 100 MG RECON SOLUTION <b>DL</b>	4	PA
AZASAN 100 MG, 75 MG TABLET <b>MO</b>	1	BvsD
<i>azathioprine 100 mg, 50 mg, 75 mg TABLET</i> <b>MO</b>	1	BvsD
<i>azathioprine sodium 100 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
BCG VACCINE, LIVE (PF) 50 MG SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
BENLYSTA 120 MG RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
BENLYSTA 200 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
BENLYSTA 200 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BENLYSTA 400 MG RECON SOLUTION <b>DL</b>	4	PA,QL(6 per 28 days)
BERINERT 500 UNIT (10 ML) KIT <b>DL</b>	4	PA,QL(15 per 30 days)
BERINERT 500 UNIT (10 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(15 per 30 days)
BESREMI 500 MCG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
BEXSERO 50-50-50-25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
BIVIGAM 10 % SOLUTION <b>DL</b>	4	PA
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SUSPENSION <b>AV,DL</b>	1	
BOOSTRIX TDAP 2.5-8-5 LF-MCG-LF/0.5ML SYRINGE <b>AV,DL</b>	1	
CELLCEPT 200 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	BvsD
CELLCEPT 250 MG CAPSULE <b>DL</b>	4	BvsD
CELLCEPT 500 MG TABLET <b>DL</b>	4	BvsD
CELLCEPT INTRAVENOUS 500 MG RECON SOLUTION <b>MO</b>	3	BvsD
CIBINQO 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA POWDER FOR RECONST 400 MG (200 MG X 2 VIALS) KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X 2) SYRINGE KIT <b>DL</b>	4	PA,QL(3 per 30 days)
CINRYZE 500 UNIT (5 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(20 per 30 days)
COSENTYX 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX 75 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
COSENTYX (2 SYRINGES) 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX PEN (2 PENS) 150 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
COSENTYX UNOREADY PEN 300 MG/2 ML (150 MG/ML) PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
CUTAQUIG 16.5 % SOLUTION <b>DL</b>	4	PA
<i>cyclosporine 100 mg, 25 mg CAPSULE <b>MO</b></i>	1	BvsD
<i>cyclosporine modified 100 mg, 25 mg, 50 mg CAPSULE <b>MO</b></i>	1	BvsD
<i>cyclosporine modified 100 mg/ml SOLUTION <b>MO</b></i>	1	BvsD
CYLTEZO(CF) 10 MG/0.2 ML, 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
CYLTEZO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN CROHN'S-UC-HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYLTEZO(CF) PEN PSORIASIS-UV 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
CYTOGAM 50 MG/ML SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DAPTACEL (DTAP PEDIATRIC) (PF) 15-10-5 LF-MCG-LF/0.5ML SUSPENSION <b>DL</b>	1	
DENGVAIXIA (PF) 10EXP4.5-6 CCID50/0.5 ML SUSPENSION FOR RECONSTITUTION <b>MO</b>	1	
DUPIXENT PEN 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT PEN 300 MG/2 ML PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
DUPIXENT SYRINGE 100 MG/0.67 ML SYRINGE <b>DL</b>	4	PA,QL(1.34 per 28 days)
DUPIXENT SYRINGE 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(3.42 per 28 days)
DUPIXENT SYRINGE 300 MG/2 ML SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG (1 ML) RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SYRINGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL 25 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) CARTRIDGE <b>DL</b>	4	PA,QL(8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML SUSPENSION <b>AV,DL</b>	1	BvsD
ENGERIX-B (PF) 20 MCG/ML SYRINGE <b>AV,DL</b>	1	BvsD
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
ENJAYMO 50 MG/ML SOLUTION <b>DL</b>	4	PA
ENSPRYNG 120 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
ENTYVIO 300 MG RECON SOLUTION	4	PA,QL(8 per 365 days)
ENTYVIO PEN 108 MG/0.68 ML PEN INJECTOR <b>DL</b>	4	PA,QL(1.36 per 28 days)
ENVARUSUS XR 0.75 MG, 1 MG TABLET, ER 24 HR. <b>MO</b>	3	PA
ENVARUSUS XR 4 MG TABLET, ER 24 HR. <b>DL</b>	3	PA
<i>everolimus (immunosuppressive) 0.25 mg TABLET <b>MO</b></i>	1	BvsD,QL(60 per 30 days)
<i>everolimus (immunosuppressive) 0.5 mg TABLET <b>DL</b></i>	4	BvsD,QL(120 per 30 days)
<i>everolimus (immunosuppressive) 0.75 mg, 1 mg TABLET <b>DL</b></i>	4	BvsD,QL(60 per 30 days)
FIRAZYR 30 MG/3 ML SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % SOLUTION <b>DL</b>	4	PA
GAMASTAN 15-18 % RANGE SOLUTION <b>MO</b>	3	PA
GAMASTAN S/D 15-18 % RANGE SOLUTION <b>MO</b>	3	PA
GAMIFANT 5 MG/ML SOLUTION <b>DL</b>	4	PA
GAMMAGARD LIQUID 10 % SOLUTION <b>DL</b>	4	PA
GAMMAGARD S-D (IGA < 1 MCG/ML) 10 GRAM, 5 GRAM RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GAMMAPLEX 10 % SOLUTION <b>DL</b>	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %) SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) SOLUTION <b>DL</b>	4	PA
GARDASIL 9 (PF) 0.5 ML SUSPENSION <b>AV,DL</b>	1	
GARDASIL 9 (PF) 0.5 ML SYRINGE <b>AV,DL</b>	1	
<i>gengraf</i> 100 mg, 25 mg CAPSULE <b>MO</b>	1	BvsD
<i>gengraf</i> 100 mg/ml SOLUTION <b>MO</b>	1	BvsD
HADLIMA 40 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
HADLIMA PUSH TOUCH 40 MG/0.8 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
HADLIMA(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
HADLIMA(CF) PUSH TOUCH 40 MG/0.4 ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
HAEGARDA 2,000 UNIT, 3,000 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML SYRINGE <b>AV,DL</b>	1	
HAVRIX (PF) 720 ELISA UNIT/0.5 ML SYRINGE <b>DL</b>	1	
HEPLISAV-B (PF) 20 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
HIBERIX (PF) 10 MCG/0.5 ML RECON SOLUTION <b>DL</b>	1	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SYRINGE <b>DL</b>	4	PA
HULIO(CF) 20 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
HULIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HULIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SYRINGE KIT <b>DL</b>	4	PA,QL(2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMIRA(CF) PEDI CROHNS STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PEDIATRIC UC 80 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS 80 MG/0.8 ML-40 MG/0.4 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
HYPERRAB S/D (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
HYPERTET (PF) 250 UNIT/ML SYRINGE <b>MO</b>	3	BvsD
HYRIMOZ PEN CROHN'S-UC STARTER 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ PEN PSORIASIS STARTER 80MG/0.8ML(X1)- 40 MG/0.4ML(X2) PEN INJECTOR <b>DL</b>	4	PA,QL(3.2 per 28 days)
HYRIMOZ(CF) 10 MG/0.1 ML SYRINGE <b>DL</b>	4	PA,QL(0.2 per 28 days)
HYRIMOZ(CF) 20 MG/0.2 ML SYRINGE <b>DL</b>	4	PA,QL(1.2 per 28 days)
HYRIMOZ(CF) 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML SYRINGE <b>DL</b>	4	PA,QL(4.8 per 28 days)
HYRIMOZ(CF) PEDI CROHN STARTER 80 MG/0.8 ML- 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(3.6 per 28 days)
HYRIMOZ(CF) PEN 40 MG/0.4 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
HYRIMOZ(CF) PEN 80 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
icatibant 30 mg/3 ml SYRINGE <b>DL</b>	4	PA,QL(18 per 30 days)
IDACIO(CF) 40 MG/0.8 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN CROHN-UC STARTR 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
IDACIO(CF) PEN PSORIASIS START 40 MG/0.8 ML PEN INJECTOR KIT <b>DL</b>	4	PA,QL(6 per 28 days)
ILUMYA 100 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
IMOGAM RABIES-HT (PF) 150 UNIT/ML SOLUTION <b>MO</b>	3	BvsD
IMOVAX RABIES VACCINE (PF) 2.5 UNIT RECON SOLUTION <b>AV,DL</b>	1	BvsD
IMURAN 50 MG TABLET <b>MO</b>	3	PA
INFANRIX (DTAP) (PF) 25-58-10 LF-MCG-LF/0.5ML SYRINGE <b>DL</b>	1	
INFLECTRA 100 MG RECON SOLUTION <b>DL</b>	4	PA
INFLIXIMAB 100 MG RECON SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	3	PA
INTRON A 50 MILLION UNIT (1 ML) RECON SOLUTION <b>MO</b>	2	PA
IPOL 40-8-32 UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	
IXIARO (PF) 6 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
JYNNEOS (PF)(STOCKPILE) 0.5X TO 3.95X 10EXP8 UNIT/0.5 SUSPENSION <b>AV,MO</b>	1	
KEDRAB (PF) 150 UNIT/ML SOLUTION <b>DL</b>	4	BvsD
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML PEN INJECTOR <b>DL</b>	4	PA,QL(2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SYRINGE <b>DL</b>	4	PA,QL(2.28 per 28 days)
KINERET 100 MG/0.67 ML SYRINGE <b>DL</b>	4	PA,QL(20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML SYRINGE <b>DL</b>	1	
<i>leflunomide 10 mg, 20 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
LUPKYNIS 7.9 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML RECON SOLUTION <b>AV,DL</b>	1	
MENACTRA (PF) 4 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
MENQUADFI (PF) 10 MCG/0.5 ML SOLUTION <b>AV,MO</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML KIT <b>AV,DL</b>	1	
MENVEO A-C-Y-W-135-DIP (PF) 10-5 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
<i>methotrexate sodium 2.5 mg TABLET</i> <b>MO</b>	1	BvsD
<i>methotrexate sodium 25 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>methotrexate sodium (pf) 1 gram RECON SOLUTION</i> <b>MO</b>	1	
<i>methotrexate sodium (pf) 25 mg/ml SOLUTION</i> <b>MO</b>	1	
MONJUVI 200 MG RECON SOLUTION <b>DL</b>	4	PA
<i>mycophenolate mofetil 200 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil 250 mg CAPSULE</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil 500 mg TABLET</i> <b>MO</b>	1	BvsD
<i>mycophenolate mofetil (hcl) 500 mg RECON SOLUTION</i> <b>MO</b>	1	BvsD
<i>mycophenolate sodium 180 mg, 360 mg TABLET, DR/EC</i> <b>MO</b>	1	BvsD
MYFORTIC 180 MG TABLET, DR/EC <b>MO</b>	3	BvsD
MYFORTIC 360 MG TABLET, DR/EC <b>DL</b>	4	BvsD
NEORAL 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
NEORAL 100 MG/ML SOLUTION <b>MO</b>	3	BvsD

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OCTAGAM 10 %, 5 % SOLUTION <b>DL</b>	4	PA
OLUMIANT 1 MG, 2 MG, 4 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
ORENCIA 125 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
ORENCIA 50 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SYRINGE <b>DL</b>	4	PA,QL(2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
ORLADEYO 110 MG, 150 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)
PANZYGA 10 % SOLUTION <b>DL</b>	4	PA
PEDIARIX (PF) 10 MCG-25LF-25 MCG-10LF/0.5 ML SYRINGE <b>DL</b>	1	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML SOLUTION <b>DL</b>	1	
PEGASYS 180 MCG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
PEGASYS 180 MCG/ML SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML KIT <b>DL</b>	1	
PREHEVBRIO (PF) 10 MCG/ML SUSPENSION <b>AV,DL</b>	1	BvsD
PRIORIX (PF) 10EXP3.4-4.2- 3.3CCID50/0.5ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
PRIVIGEN 10 % SOLUTION <b>DL</b>	4	PA
PROGRAF 0.2 MG, 1 MG GRANULES IN PACKET <b>MO</b>	3	BvsD
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE <b>MO</b>	3	BvsD
PROQUAD (PF) 10EXP3-4.3-3- 3.99 TCID50/0.5 SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SUSPENSION <b>DL</b>	1	
QUADRACEL (PF) 15 LF-48 MCG- 5 LF UNIT/0.5ML SYRINGE <b>DL</b>	1	
RABAVERT (PF) 2.5 UNIT SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	BvsD
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	4	BvsD
RAPAMUNE 1 MG/ML SOLUTION <b>DL</b>	4	BvsD
RASUVO (PF) 10 MG/0.2 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 22.5 MG/0.45 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(2.4 per 28 days)
RASUVO (PF) 7.5 MG/0.15 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML SUSPENSION <b>AV,DL</b>	1	BvsD
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	BvsD
REDITREX (PF) 10 MG/0.4 ML SYRINGE <b>MO</b>	3	PA,QL(1.6 per 28 days)
REDITREX (PF) 12.5 MG/0.5 ML SYRINGE <b>MO</b>	3	PA,QL(2 per 28 days)
REDITREX (PF) 15 MG/0.6 ML SYRINGE <b>MO</b>	3	PA,QL(2.4 per 28 days)
REDITREX (PF) 17.5 MG/0.7 ML SYRINGE <b>MO</b>	3	PA,QL(2.8 per 28 days)
REDITREX (PF) 20 MG/0.8 ML SYRINGE <b>MO</b>	3	PA,QL(3.2 per 28 days)
REDITREX (PF) 22.5 MG/0.9 ML SYRINGE <b>MO</b>	3	PA,QL(3.6 per 28 days)
REDITREX (PF) 25 MG/ML SYRINGE <b>MO</b>	3	PA,QL(4 per 28 days)
REDITREX (PF) 7.5 MG/0.3 ML SYRINGE <b>MO</b>	3	PA,QL(1.2 per 28 days)
REMICADE 100 MG RECON SOLUTION <b>DL</b>	4	PA
RENFLIXIS 100 MG RECON SOLUTION <b>DL</b>	4	PA
REZUROCK 200 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML SYRINGE <b>MO</b>	3	
RIDAURA 3 MG CAPSULE <b>DL</b>	4	PA
RINVOQ 15 MG, 30 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
RINVOQ 45 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(168 per 365 days)
ROTARIX 10EXP6 CCID50 /1.5 ML SUSPENSION <b>DL</b>	1	
ROTARIX 10EXP6 CCID50/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	1	
ROTATEQ VACCINE 2 ML SOLUTION <b>DL</b>	1	
RUCONEST 2,100 UNIT RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
RYSTIGGO 140 MG/ML SOLUTION <b>DL</b>	4	PA
<i>sajazir 30 mg/3 ml SYRINGE</i> <b>DL</b>	4	PA,QL(18 per 30 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE <b>MO</b>	3	BvsD
SANDIMMUNE 100 MG/ML SOLUTION <b>MO</b>	3	BvsD
SAPHNELO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(2 per 28 days)
SHINGRIX (PF) 50 MCG/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
SILIQ 210 MG/1.5 ML SYRINGE <b>DL</b>	4	PA,QL(6 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SIMPONI 100 MG/ML PEN INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
SIMPONI 50 MG/0.5 ML PEN INJECTOR <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(20 per 28 days)
SIMULECT 10 MG, 20 MG RECON SOLUTION <b>DL</b>	4	BvsD
<i>sirolimus 0.5 mg, 1 mg, 2 mg TABLET</i> <b>MO</b>	1	BvsD
<i>sirolimus 1 mg/ml SOLUTION</i> <b>MO</b>	1	BvsD
SKYRIZI 150 MG/ML PEN INJECTOR	4	PA,QL(6 per 365 days)
SKYRIZI 150 MG/ML SYRINGE	4	PA,QL(6 per 365 days)
SKYRIZI 150MG/1.66ML(75 MG/0.83 ML X2) SYRINGE KIT	4	PA,QL(6 per 365 days)
SKYRIZI 180 MG/1.2 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(8.4 per 365 days)
SKYRIZI 360 MG/2.4 ML (150 MG/ML) WEARABLE INJECTOR <b>DL</b>	4	PA,QL(16.8 per 365 days)
SKYRIZI 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 365 days)
SKYRIZI 75 MG/0.83 ML SYRINGE	4	PA,QL(9.96 per 365 days)
SOLIRIS 300 MG/30 ML SOLUTION <b>DL</b>	4	PA
SOTYKTU 6 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
SPEVIGO 60 MG/ML SOLUTION <b>DL</b>	4	PA,QL(30 per 84 days)
STELARA 130 MG/26 ML SOLUTION <b>DL</b>	4	PA,QL(104 per 30 days)
STELARA 45 MG/0.5 ML SOLUTION <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 45 MG/0.5 ML SYRINGE <b>DL</b>	4	PA,QL(1.5 per 84 days)
STELARA 90 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 84 days)
SYLVANT 100 MG, 400 MG RECON SOLUTION <b>DL</b>	4	PA
<i>tacrolimus 0.5 mg, 1 mg, 5 mg CAPSULE</i> <b>MO</b>	1	BvsD
TAKHZYRO 150 MG/ML SYRINGE <b>DL</b>	4	PA,QL(2 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(4 per 28 days)
TAKHZYRO 300 MG/2 ML (150 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(4 per 28 days)
TALTZ SYRINGE 80 MG/ML SYRINGE <b>DL</b>	4	PA,QL(4 per 28 days)
TAVNEOS 10 MG CAPSULE <b>DL</b>	4	PA,QL(180 per 30 days)
TDVAX 2-2 LF UNIT/0.5 ML SUSPENSION <b>AV,DL</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TENIVAC (PF) 5 LF UNIT- 2 LF UNIT/0.5ML SUSPENSION <b>AV,DL</b>	1	
TENIVAC (PF) 5-2 LF UNIT/0.5 ML SYRINGE <b>AV,DL</b>	1	
TETANUS,DIPHThERIA TOX PED(PF) 5-25 LF UNIT/0.5 ML SUSPENSION <b>DL</b>	1	
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) PEN INJECTOR <b>DL</b>	4	PA,QL(1.91 per 28 days)
TEZSPIRE 210 MG/1.91 ML (110 MG/ML) SYRINGE <b>DL</b>	4	PA,QL(1.91 per 28 days)
THYMOGLOBULIN 25 MG RECON SOLUTION <b>MO</b>	3	PA
TICOVAC 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML SYRINGE <b>DL</b>	1	
TREMFYA 100 MG/ML AUTO-INJECTOR	4	PA,QL(8 per 365 days)
TREMFYA 100 MG/ML SYRINGE	4	PA,QL(8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	BvsD
TRUMENBA 120 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
TWINRIX (PF) 720 ELISA UNIT- 20 MCG/ML SYRINGE <b>AV,DL</b>	1	
TYPHIM VI 25 MCG/0.5 ML SOLUTION <b>AV,DL</b>	1	
TYPHIM VI 25 MCG/0.5 ML SYRINGE <b>AV,DL</b>	1	
ULTOMIRIS 100 MG/ML SOLUTION	4	PA
UPLIZNA 10 MG/ML SOLUTION <b>DL</b>	4	PA,QL(120 per 365 days)
VAQTA (PF) 25 UNIT/0.5 ML SUSPENSION <b>DL</b>	1	
VAQTA (PF) 25 UNIT/0.5 ML SYRINGE <b>DL</b>	1	
VAQTA (PF) 50 UNIT/ML SUSPENSION <b>AV,DL</b>	1	
VAQTA (PF) 50 UNIT/ML SYRINGE <b>AV,DL</b>	1	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
VARIZIG 125 UNIT/1.2 ML SOLUTION <b>DL</b>	4	PA,QL(12 per 30 days)
VEOPOZ 200 MG/ML SOLUTION <b>DL</b>	4	PA
VYVGART 20 MG/ML SOLUTION <b>DL</b>	4	PA
VYVGART HYTRULO 1,008 MG-11,200 UNIT/5.6 ML SOLUTION <b>DL</b>	4	PA,QL(22.4 per 28 days)
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML SOLUTION <b>DL</b>	4	BvsD
XATMEP 2.5 MG/ML SOLUTION <b>MO</b>	3	PA
XELJANZ 1 MG/ML SOLUTION <b>DL</b>	4	PA,QL(300 per 30 days)
XELJANZ 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET, ER 24 HR. <b>DL</b>	4	PA,QL(30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL – Dispensing Limit • LA – Limited Access • MO – Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
XOLAIR 150 MG RECON SOLUTION <b>DL</b>	4	PA,QL(8 per 28 days)
XOLAIR 150 MG/ML SYRINGE <b>DL,LA</b>	4	PA,QL(8 per 28 days)
XOLAIR 75 MG/0.5 ML SYRINGE <b>DL,LA</b>	4	PA,QL(4 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUSPENSION FOR RECONSTITUTION <b>AV,DL</b>	1	
YUFLYMA(CF) 40 MG/0.4 ML SYRINGE KIT <b>DL</b>	4	PA,QL(6 per 28 days)
YUFLYMA(CF) AUTOINJECTOR 40 MG/0.4 ML AUTO-INJECTOR, KIT <b>DL</b>	4	PA,QL(6 per 28 days)
YUSIMRY(CF) PEN 40 MG/0.8 ML PEN INJECTOR <b>DL</b>	4	PA,QL(4.8 per 28 days)
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET <b>DL</b>	4	BvsD,QL(60 per 30 days)
ZORTRESS 0.5 MG TABLET <b>DL</b>	4	BvsD,QL(120 per 30 days)
<b>INFLAMMATORY BOWEL DISEASE AGENTS</b>		
<i>anucort-hc 25 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>anusol-hc 25 mg SUPPOSITORY</i> <b>MO</b>	1	
APRISO 0.375 GRAM CAPSULE, ER 24 HR. <b>MO</b>	3	ST,QL(120 per 30 days)
ASACOL HD 800 MG TABLET, DR/EC <b>MO</b>	3	ST,QL(180 per 30 days)
AZULFIDINE 500 MG TABLET <b>MO</b>	3	
AZULFIDINE EN-TABS 500 MG TABLET, DR/EC <b>MO</b>	3	
<i>balsalazide 750 mg CAPSULE</i> <b>MO</b>	1	
<i>budesonide 2 mg/actuation FOAM</i> <b>MO</b>	1	PA
<i>budesonide 3 mg CAPSULE, DR/EC</i> <b>MO</b>	1	PA
<i>budesonide 9 mg TABLET, DR/ER</i> <b>DL</b>	4	PA,QL(30 per 30 days)
CANASA 1,000 MG SUPPOSITORY <b>DL</b>	4	ST,QL(30 per 30 days)
COLAZAL 750 MG CAPSULE <b>DL</b>	4	PA
CORTENEMA 100 MG/60 ML ENEMA <b>MO</b>	3	
CORTIFOAM 10 % (80 MG) FOAM <b>MO</b>	3	
DELZICOL 400 MG CAPSULE (WITH DR TABLETS) <b>MO</b>	3	ST,QL(180 per 30 days)
DIPENTUM 250 MG CAPSULE <b>DL</b>	4	ST,QL(120 per 30 days)
ENTOCORT EC 3 MG CAPSULE, DR/EC <b>DL</b>	4	PA
<i>hemmorex-hc 25 mg SUPPOSITORY</i> <b>MO</b>	1	
<i>hydrocortisone 100 mg/60 ml ENEMA</i> <b>MO</b>	1	
<i>hydrocortisone acetate 25 mg SUPPOSITORY</i> <b>MO</b>	1	
LIALDA 1.2 GRAM TABLET, DR/EC <b>MO</b>	3	ST,QL(120 per 30 days)
<i>mesalamine 0.375 gram CAPSULE, ER 24 HR.</i> <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
mesalamine 1,000 mg SUPPOSITORY <b>MO</b>	1	ST,QL(30 per 30 days)
mesalamine 1.2 gram TABLET, DR/EC <b>MO</b>	1	ST,QL(120 per 30 days)
mesalamine 4 gram/60 ml ENEMA <b>MO</b>	1	QL(1800 per 30 days)
mesalamine 400 mg CAPSULE (WITH DR TABLETS) <b>MO</b>	1	ST,QL(180 per 30 days)
mesalamine 500 mg CAPSULE, ER <b>MO</b>	1	ST,QL(300 per 30 days)
mesalamine 800 mg TABLET, DR/EC <b>MO</b>	1	ST,QL(180 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE, ER <b>DL</b>	4	PA,QL(30 per 30 days)
PENTASA 250 MG CAPSULE, ER <b>MO</b>	3	ST,QL(150 per 30 days)
PENTASA 500 MG CAPSULE, ER <b>DL</b>	4	ST,QL(300 per 30 days)
PROCTOFOAM HC 1-1 % FOAM <b>MO</b>	1	
ROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL(1800 per 30 days)
sulfasalazine 500 mg TABLET <b>MO</b>	1	
sulfasalazine 500 mg TABLET, DR/EC <b>MO</b>	1	
TARPEYO 4 MG CAPSULE, DR/EC <b>DL</b>	4	PA,QL(120 per 30 days)
UCERIS 2 MG/ACTUATION FOAM <b>MO</b>	3	PA
UCERIS 9 MG TABLET, DR/ER <b>MO</b>	3	PA,QL(30 per 30 days)
<b>METABOLIC BONE DISEASE AGENTS</b>		
ACTONEL 150 MG TABLET <b>MO</b>	3	PA,QL(1 per 30 days)
ACTONEL 35 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
alendronate 10 mg, 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
alendronate 35 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg TABLET <b>MO</b>	1	QL(4 per 28 days)
alendronate 70 mg/75 ml SOLUTION <b>MO</b>	1	QL(300 per 28 days)
AELVIA 35 MG TABLET, DR/EC <b>MO</b>	3	PA,QL(4 per 28 days)
BINOSTO 70 MG TABLET, EFFERVESCENT <b>MO</b>	3	ST,QL(4 per 28 days)
BONIVA 150 MG TABLET <b>MO</b>	3	PA,QL(1 per 28 days)
calcitonin (salmon) 200 unit/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(3.7 per 28 days)
calcitonin (salmon) 200 unit/ml SOLUTION <b>DL</b>	4	
calcitriol 0.25 mcg, 0.5 mcg CAPSULE <b>MO</b>	1	
calcitriol 1 mcg/ml SOLUTION <b>MO</b>	1	
cinacalcet 30 mg, 60 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
cinacalcet 90 mg TABLET <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg CAPSULE</i> <b>MO</b>	1	
<i>doxercalciferol 4 mcg/2 ml SOLUTION</i> <b>MO</b>	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2) SYRINGE <b>DL</b>	4	PA,QL(2.34 per 30 days)
FORTEO 20 MCG/DOSE (600MCG/2.4ML) PEN INJECTOR <b>DL</b>	4	PA,QL(2.4 per 28 days)
FOSAMAX 70 MG TABLET <b>MO</b>	3	PA,QL(4 per 28 days)
FOSAMAX PLUS D 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT TABLET <b>MO</b>	3	ST,QL(4 per 28 days)
HECTOROL 4 MCG/2 ML SOLUTION <b>MO</b>	3	
<i>ibandronate 150 mg TABLET</i> <b>MO</b>	1	QL(1 per 28 days)
<i>ibandronate 3 mg/3 ml SOLUTION</i> <b>MO</b>	1	PA,QL(3 per 90 days)
<i>ibandronate 3 mg/3 ml SYRINGE</i> <b>MO</b>	1	PA,QL(3 per 90 days)
MIACALCIN 200 UNIT/ML SOLUTION <b>DL</b>	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE CARTRIDGE <b>DL,LA</b>	4	PA,QL(2 per 28 days)
<i>pamidronate 30 mg/10 ml (3 mg/ml) SOLUTION</i> <b>MO</b>	1	QL(30 per 21 days)
<i>pamidronate 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) SOLUTION</i> <b>MO</b>	1	QL(10 per 21 days)
<i>paricalcitol 1 mcg, 2 mcg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>paricalcitol 2 mcg/ml SOLUTION</i> <b>MO</b>	1	QL(24 per 30 days)
<i>paricalcitol 4 mcg CAPSULE</i> <b>MO</b>	1	QL(12 per 30 days)
<i>paricalcitol 5 mcg/ml SOLUTION</i> <b>MO</b>	1	QL(48 per 28 days)
PROLIA 60 MG/ML SYRINGE <b>MO</b>	3	QL(1 per 180 days)
RAYALDEE 30 MCG CAPSULE, ER 24 HR. <b>DL</b>	4	QL(60 per 30 days)
RECLAST 5 MG/100 ML PIGGYBACK <b>MO</b>	3	PA,QL(100 per 365 days)
<i>risedronate 150 mg TABLET</i> <b>MO</b>	1	QL(1 per 30 days)
<i>risedronate 30 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>risedronate 35 mg TABLET</i> <b>MO</b>	1	QL(4 per 28 days)
<i>risedronate 35 mg TABLET, DR/EC</i> <b>MO</b>	1	QL(4 per 28 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE <b>MO</b>	3	
ROCALTROL 1 MCG/ML SOLUTION <b>MO</b>	3	
SENSIPAR 30 MG TABLET <b>MO</b>	3	QL(60 per 30 days)
SENSIPAR 60 MG TABLET <b>DL</b>	4	QL(60 per 30 days)
SENSIPAR 90 MG TABLET <b>DL</b>	4	QL(120 per 30 days)
TYMLOS 80 MCG (3,120 MCG/1.56 ML) PEN INJECTOR <b>DL</b>	4	PA,QL(1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SOLUTION <b>DL</b>	4	PA,QL(1.7 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEMPLAR 1 MCG, 2 MCG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
ZEMPLAR 2 MCG/ML SOLUTION <b>DL</b>	4	QL(24 per 30 days)
ZEMPLAR 5 MCG/ML SOLUTION <b>DL</b>	4	QL(48 per 28 days)
zoledronic ac-mannitol-0.9nacl 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid 4 mg RECON SOLUTION <b>MO</b>	1	
zoledronic acid 4 mg/5 ml SOLUTION <b>MO</b>	1	QL(15 per 21 days)
zoledronic acid-mannitol-water 4 mg/100 ml PIGGYBACK <b>MO</b>	1	QL(300 per 21 days)
zoledronic acid-mannitol-water 5 mg/100 ml PIGGYBACK <b>MO</b>	1	PA,QL(100 per 365 days)
<b>MISCELLANEOUS THERAPEUTIC AGENTS</b>		
ACETADOTE 200 MG/ML (20 %) SOLUTION <b>MO</b>	3	
acetaminophen 1,000 mg/100 ml (10 mg/ml), 500 mg/50 ml (10 mg/ml) SOLUTION <b>MO</b>	1	
acetic acid 0.25 % SOLUTION <b>MO</b>	1	
acetylcysteine 200 mg/ml (20 %) SOLUTION <b>MO</b>	1	
ADAKVEO 10 MG/ML SOLUTION <b>DL</b>	4	PA
ADSTILADRIN 3X10EXP11 VP/ML SUSPENSION	4	PA
ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
ALCOHOL WIPES PADS, MEDICATED <b>MO</b>	1	
ALLZITAL 25-325 MG TABLET <b>MO</b>	1	QL(360 per 30 days)
AMMONUL 10-10 % SOLUTION <b>DL</b>	4	
AUTOJECT 2 INJECTION DEVICE INSULIN PEN <b>MO</b>	1	
AUTOPEN 1 TO 21 UNITS INSULIN PEN <b>MO</b>	1	
AUTOPEN 2 TO 42 UNITS INSULIN PEN <b>MO</b>	1	
BAND-AID GAUZE PADS 2 X 2 " BANDAGE <b>MO</b>	1	
BD ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 25 GAUGE X 5/8", 1 ML 25 X 1", 1 ML 26 X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE (HALF UNIT) 0.3 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE SLIP TIP 1 ML SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" SYRINGE <b>PDS,MO</b>	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE ORIG PEN NEEDLE 29 GAUGE X 1/2" NEEDLE <b>PDS,MO</b>	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
BD VEO INSULIN SYR (HALF UNIT) 0.3 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BD VEO INSULIN SYRINGE UF 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
BEYFORTUS 100 MG/ML, 50 MG/0.5 ML SYRINGE <b>DL</b>	4	
BORDERED GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
<i>bupap 50-300 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-300-40-30 mg CAPSULE <b>DL</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminop-caf-cod 50-325-40-30 mg CAPSULE <b>DL</b></i>	1	QL(360 per 30 days)
<i>butalbital-acetaminophen 50-300 mg CAPSULE <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen 50-300 mg, 50-325 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-300-40 mg, 50-325-40 mg CAPSULE <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-acetaminophen-caff 50-325-40 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine 50-325-40 mg CAPSULE <b>MO</b></i>	1	QL(180 per 30 days)
<i>butalbital-aspirin-caffeine 50-325-40 mg TABLET <b>MO</b></i>	1	QL(180 per 30 days)
BYLVAY 1,200 MCG CAPSULE <b>DL</b>	4	PA,QL(150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BYLVAY 200 MCG PELLETT <b>DL</b>	4	PA,QL(360 per 30 days)
BYLVAY 400 MCG CAPSULE <b>DL</b>	4	PA,QL(420 per 30 days)
BYLVAY 600 MCG PELLETT <b>DL</b>	4	PA,QL(120 per 30 days)
CAFCIT 60 MG/3 ML (20 MG/ML) SOLUTION <b>MO</b>	3	
<i>caffeine citrate 60 mg/3 ml (20 mg/ml) SOLUTION</i> <b>MO</b>	1	
<i>calcium disodium versenate 200 mg/ml SOLUTION</i> <b>MO</b>	1	
CARETOUCH ALCOHOL PREP PAD PADS, MEDICATED <b>MO</b>	1	
CERVIDIL 10 MG INSERT, ER <b>MO</b>	3	
CINVANTI 7.2 MG/ML EMULSION <b>MO</b>	3	PA,QL(36 per 28 days)
CLARINEX-D 12 HOUR 2.5-120 MG TABLET, ER 12 HR., MULTIPHASE <b>MO</b>	3	ST,QL(60 per 30 days)
CURITY ALCOHOL SWABS PADS, MEDICATED <b>MO</b>	1	
CURITY GAUZE 2 X 2 " BANDAGE <b>MO</b>	1	
DEFITELIO 80 MG/ML SOLUTION <b>DL</b>	4	PA
DERMACEA 2 X 2 " BANDAGE <b>MO</b>	1	
DOJOLVI 8.3 KCAL/ML LIQUID <b>DL</b>	4	PA
DROPLET INSULIN SYR(HALF UNIT) 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64" SYRINGE <b>PDS,MO</b>	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16 SYRINGE <b>PDS,MO</b>	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" NEEDLE <b>PDS,MO</b>	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
DROPSAFE ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
DROPSAFE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16" SYRINGE <b>PDS,MO</b>	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" NEEDLE <b>PDS,MO</b>	1	
DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EASY COMFORT ALCOHOL PAD PADS, MEDICATED <b>MO</b>	1	
EASY TOUCH ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
edetate calcium disodium 200 mg/ml SOLUTION <b>DL</b>	4	
ELYXYB 120 MG/4.8 ML (25 MG/ML) SOLUTION <b>DL</b>	4	ST,QL(43.2 per 30 days)
EMPAVELI 1,080 MG/20 ML SOLUTION <b>DL</b>	4	PA,QL(160 per 28 days)
ESGIC 50-325-40 MG CAPSULE <b>MO</b>	1	QL(180 per 30 days)
ESGIC 50-325-40 MG TABLET <b>MO</b>	1	QL(180 per 30 days)
FILSPARI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
fioricet 50-300-40 mg CAPSULE <b>MO</b>	1	QL(180 per 30 days)
FIORICET WITH CODEINE 50-300-40-30 MG CAPSULE <b>DL</b>	3	QL(180 per 30 days)
flumazenil 0.1 mg/ml SOLUTION <b>MO</b>	1	
fomepizole 1 gram/ml SOLUTION <b>MO</b>	1	
GAUZE BANDAGE 2 X 2 " BANDAGE <b>MO</b>	1	
GAUZE PAD 2 X 2 " BANDAGE <b>MO</b>	1	
GIVLAARI 189 MG/ML SOLUTION <b>DL</b>	4	PA
IGALMI 120 MCG, 180 MCG FILM <b>MO</b>	3	PA
INCONTROL ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE NEEDLELESS 1 ML SYRINGE <b>PDS,MO</b>	1	
INSULIN SYRINGE-NEEDLE U-100 1 ML 28 GAUGE X 1/2" SYRINGE <b>PDS,MO</b>	1	
IV PREP WIPES PADS, MEDICATED <b>MO</b>	1	
KORLYM 300 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
lactated ringers SOLUTION <b>MO</b>	1	
LAGEVRIO (EUA) 200 MG CAPSULE <b>DL</b>	4	QL(40 per 5 days)
LITFULO 50 MG CAPSULE <b>DL</b>	4	PA,QL(28 per 28 days)
LITHOSTAT 250 MG TABLET <b>MO</b>	3	
LIVMARLI 9.5 MG/ML SOLUTION <b>DL</b>	4	PA,QL(90 per 30 days)
methergine 0.2 mg TABLET <b>MO</b>	3	
methylergonovine 0.2 mg TABLET <b>DL</b>	4	
methylergonovine 0.2 mg/ml (1 ml) SOLUTION <b>MO</b>	1	
MYFEMBREE 40-1-0.5 MG TABLET <b>DL</b>	4	PA,QL(28 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>neomycin-polymyxin b gu 40 mg-200,000 unit/ml SOLUTION</i> <b>MO</b>	1	
NOVOPEN ECHO INSULIN PEN <b>MO</b>	1	
NURTEC ODT 75 MG TABLET, DISINTEGRATING <b>DL</b>	4	PA,QL(18 per 30 days)
OMNIPOD 5 G6 INTRO KIT (GEN 5) CARTRIDGE <b>MO</b>	2	
OMNIPOD 5 G6 PODS (GEN 5) CARTRIDGE <b>MO</b>	2	
OMNIPOD CLASSIC PODS (GEN 3) CARTRIDGE <b>MO</b>	2	
OMNIPOD DASH INTRO KIT (GEN 4) CARTRIDGE <b>MO</b>	2	
OMNIPOD DASH PODS (GEN 4) CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 10 UNITS/DAY CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 15 UNITS/DAY CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 20 UNITS/DAY CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 25 UNITS/DAY CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 30 UNITS/DAY CARTRIDGE <b>MO</b>	2	
OMNIPOD GO PODS 40 UNITS/DAY CARTRIDGE <b>MO</b>	2	
ORIAHNN 300-1-0.5MG(AM) /300 MG(PM) CAPSULE, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
<i>orlistat 120 mg CAPSULE</i> <b>MO</b>	3	PA
OXBRYTA 300 MG TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
OXBRYTA 300 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(150 per 30 days)
OXBRYTA 500 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
OXLUMO 94.5 MG/0.5 ML SOLUTION	4	PA
<i>oxytocin 10 unit/ml SOLUTION</i> <b>MO</b>	1	
PALFORZIA (LEVEL 1) 3 MG (1 MG X 3) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 2) 6 MG (1 MG X 6) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 3) 12 MG (1 MG X 2, 10 MG X 1) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 4) 20 MG CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 5) 40 MG (20 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 6) 80 MG (20 MG X 4) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 7) 120 MG (20 MG X 1, 100 MG X 1) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 8) 160 MG (20 MG X 3, 100 MG X1) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 9) 200 MG (100 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PALFORZIA (LEVEL 10) 240 MG (20 MG X 2, 100 MG X 2) CAPSULE, SPRINKLE <b>DL</b>	3	PA
PALFORZIA (LEVEL 11 UP-DOSE) 300 MG POWDER IN PACKET <b>DL</b>	3	PA
PALFORZIA INITIAL DOSE 0.5/1/1.5/3/6 MG CAPSULE, SPRINKLE <b>MO</b>	3	PA
PALFORZIA LEVEL 11 MAINTENANCE 300 MG POWDER IN PACKET <b>DL</b>	3	PA
PAXLOVID 150-100 MG TABLET, DOSE PACK <b>MO</b>	2	QL(40 per 10 days)
PAXLOVID 300 MG (150 MG X 2)-100 MG TABLET, DOSE PACK <b>MO</b>	2	QL(60 per 10 days)
PEN NEEDLE, DIABETIC 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>PDS,MO</b>	1	
<i>phenazopyridine 100 mg, 200 mg TABLET</i> <b>MO</b>	1	
PHEXXI 1.8-1-0.4 % GEL <b>MO</b>	3	QL(60 per 30 days)
PHYSIOLYTE 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PHYSIOSOL IRRIGATION 140-5-3-98 MEQ/L SOLUTION <b>MO</b>	1	
PITOCIN 10 UNIT/ML SOLUTION <b>MO</b>	3	
PREVDUO 0.6 MG-3 MG/3ML (0.2 MG-1MG/ML) SYRINGE <b>MO</b>	3	
PRIALT 100 MCG/ML, 25 MCG/ML SOLUTION <b>DL</b>	4	PA
PRO COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
<i>promethazine vc 6.25-5 mg/5 ml SYRUP</i> <b>MO</b>	1	
<i>promethazine-phenylephrine 6.25-5 mg/5 ml SYRUP</i> <b>MO</b>	1	
<i>protamine 10 mg/ml SOLUTION</i> <b>MO</b>	1	
PURE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
PYRIDIDIUM 100 MG, 200 MG TABLET <b>MO</b>	3	
QUTENZA 8 % KIT <b>DL</b>	4	PA
REBYOTA 150 ML ENEMA <b>DL</b>	4	PA
RECTIV 0.4 % (W/W) OINTMENT <b>MO</b>	3	QL(30 per 30 days)
RENACIDIN 1980.6 MG-59.4 MG-980.4MG/30ML SOLUTION <b>MO</b>	3	
<i>ribavirin 6 gram RECON SOLUTION</i> <b>DL</b>	4	BvsD
RIMSO-50 50 % SOLUTION <b>DL</b>	4	
<i>ringer's SOLUTION</i> <b>MO</b>	1	
SIKLOS 1,000 MG, 100 MG TABLET <b>MO</b>	3	PA
<i>sodium benzoate-sod phenylacet 10-10 % SOLUTION</i> <b>DL</b>	4	
<i>sodium chloride 0.9 % SOLUTION</i> <b>MO</b>	1	
SOHONOS 1 MG, 1.5 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sorbitol-mannitol 2.7-0.54 gram/100 ml SOLUTION <b>MO</b>	1	
SURE COMFORT ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SURE-PREP ALCOHOL PREP PADS PADS, MEDICATED <b>MO</b>	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML SOLUTION <b>DL</b>	4	PA
tencon 50-325 mg TABLET <b>MO</b>	1	QL(180 per 30 days)
TEPEZZA 500 MG RECON SOLUTION <b>DL</b>	4	PA
TRUE COMFORT ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
TRUE COMFORT PRO ALCOHOL PADS PADS, MEDICATED <b>MO</b>	1	
TZIELD 1 MG/ML SOLUTION <b>DL</b>	4	PA,QL(28 per 365 days)
UBRELVY 100 MG, 50 MG TABLET <b>MO</b>	2	PA,QL(16 per 30 days)
ULTILET ALCOHOL SWAB PADS, MEDICATED <b>MO</b>	1	
V-GO 20 DEVICE <b>MO</b>	2	
V-GO 30 DEVICE <b>MO</b>	2	
V-GO 40 DEVICE <b>MO</b>	2	
VEOZAH 45 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
VIRAZOLE 6 GRAM RECON SOLUTION <b>DL</b>	4	BvsD
VOWST CAPSULE <b>DL</b>	4	PA
VOXZOGO 0.4 MG, 0.56 MG, 1.2 MG RECON SOLUTION <b>DL</b>	4	PA,QL(30 per 30 days)
vtol iq 50-325-40 mg/15 ml SOLUTION <b>DL</b>	4	QL(450 per 30 days)
VYJUVEK 5 X 10EXP9 PFU/2.5 ML GEL <b>DL</b>	4	PA,QL(10 per 28 days)
water for irrigation, sterile SOLUTION <b>MO</b>	1	
WEBCOL PADS, MEDICATED <b>MO</b>	1	
XDEMVI 0.25 % DROPS	4	PA,QL(10 per 42 days)
XENICAL 120 MG CAPSULE <b>MO</b>	3	PA
YCANTH 0.7 % SOLUTION W/APPLICATOR <b>DL</b>	4	PA
ZAVZPRET 10 MG/ACTUATION SPRAY, NON-AEROSOL <b>DL</b>	4	PA,QL(8 per 30 days)
ZEBUTAL 50-325-40 MG CAPSULE <b>MO</b>	1	QL(180 per 30 days)
zingiber 1.2 mg-40 mg- 124.1 mg-100 mg TABLET <b>MO</b>	1	
ZYNRELEF 200 MG-6 MG /7 ML, 400 MG-12 MG /14 ML ER SOLUTION <b>MO</b>	3	
<b>OPHTHALMIC AGENTS</b>		
ACULAR 0.5 % DROPS <b>MO</b>	3	ST,QL(10 per 30 days)
ACULAR LS 0.4 % DROPS <b>MO</b>	3	ST,QL(10 per 30 days)
ACUVAIL (PF) 0.45 % DROPPERETTE <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ak-poly-bac 500-10,000 unit/gram OINTMENT</i> <b>MO</b>	1	
ALCAINE 0.5 % DROPS <b>MO</b>	1	
ALOCRIL 2 % DROPS <b>MO</b>	3	
ALOMIDE 0.1 % DROPS <b>MO</b>	3	
ALPHAGAN P 0.1 % DROPS <b>MO</b>	2	
ALPHAGAN P 0.15 % DROPS <b>MO</b>	3	PA
ALREX 0.2 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>apraclonidine 0.5 % DROPS</i> <b>MO</b>	1	
<i>atropine 1 % DROPS</i> <b>MO</b>	1	
ATROPINE SULFATE (PF) 1 % DROPPERETTE <b>MO</b>	1	
AZASITE 1 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
<i>azelastine 0.05 % DROPS</i> <b>MO</b>	1	
AZOPT 1 % DROPS, SUSPENSION <b>MO</b>	3	ST,QL(10 per 28 days)
<i>bacitracin 500 unit/gram OINTMENT</i> <b>MO</b>	1	
<i>bacitracin-polymyxin b 500-10,000 unit/gram OINTMENT</i> <b>MO</b>	1	
<i>balanced salt SOLUTION</i> <b>MO</b>	1	
<i>bepotastine besilate 1.5 % DROPS</i> <b>MO</b>	1	ST,QL(5 per 25 days)
BEPREVE 1.5 % DROPS <b>MO</b>	3	ST,QL(5 per 25 days)
BESIVANCE 0.6 % DROPS, SUSPENSION <b>MO</b>	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	3	
<i>betaxolol 0.5 % DROPS</i> <b>MO</b>	1	
BETIMOL 0.25 %, 0.5 % DROPS <b>MO</b>	3	ST
BETOPTIC S 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>bimatoprost 0.03 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
BLEPH-10 10 % DROPS <b>MO</b>	1	
BLEPHAMIDE 10-0.2 % DROPS, SUSPENSION <b>MO</b>	3	
<i>brimonidine 0.15 % DROPS</i> <b>MO</b>	1	
<i>brimonidine 0.2 % DROPS</i> <b>MO</b>	1	
<i>brinzolamide 1 % DROPS, SUSPENSION</i> <b>MO</b>	1	ST,QL(10 per 28 days)
<i>bromfenac 0.09 % DROPS</i> <b>MO</b>	1	QL(1.7 per 30 days)
BROMSITE 0.075 % DROPS <b>MO</b>	3	ST,QL(5 per 30 days)
BSS SOLUTION <b>MO</b>	3	
BSS PLUS SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>carteolol 1 % DROPS</i> <b>MO</b>	1	
CEQUA 0.09 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
CILOXAN 0.3 % DROPS <b>MO</b>	3	
CILOXAN 0.3 % OINTMENT <b>MO</b>	3	
<i>ciprofloxacin hcl 0.3 % DROPS</i> <b>MO</b>	1	
COMBIGAN 0.2-0.5 % DROPS <b>MO</b>	2	QL(5 per 25 days)
COSOPT 22.3-6.8 MG/ML DROPS <b>MO</b>	3	ST
COSOPT (PF) 2-0.5 % DROPPERETTE <b>MO</b>	3	ST,QL(60 per 30 days)
<i>cromolyn 4 % DROPS</i> <b>MO</b>	1	
<i>cyclopentolate 0.5 %, 1 %, 2 % DROPS</i> <b>MO</b>	1	
CYSTADROPS 0.37 % DROPS <b>DL</b>	4	PA,QL(20 per 28 days)
CYSTARAN 0.44 % DROPS <b>DL</b>	4	PA,QL(60 per 28 days)
<i>dexamethasone sodium phosphate 0.1 % DROPS</i> <b>MO</b>	1	
DEXTENZA 0.4 MG INSERT <b>MO</b>	3	QL(1 per 30 days)
<i>diclofenac sodium 0.1 % DROPS</i> <b>MO</b>	1	
<i>difluprednate 0.05 % DROPS</i> <b>MO</b>	1	ST
<i>dorzolamide 2 % DROPS</i> <b>MO</b>	1	
<i>dorzolamide-timolol 22.3-6.8 mg/ml DROPS</i> <b>MO</b>	1	
<i>dorzolamide-timolol (pf) 2-0.5 % DROPPERETTE</i> <b>MO</b>	1	QL(60 per 30 days)
DUREZOL 0.05 % DROPS <b>MO</b>	3	ST
DURYSTA 10 MCG IMPLANT <b>DL</b>	4	PA
<i>epinastine 0.05 % DROPS</i> <b>MO</b>	1	ST,QL(5 per 25 days)
<i>erythromycin 5 mg/gram (0.5 %) OINTMENT</i> <b>MO</b>	1	QL(3.5 per 28 days)
EYSUVIS 0.25 % DROPS, SUSPENSION <b>MO</b>	2	QL(16.6 per 30 days)
FLAREX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>fluorometholone 0.1 % DROPS, SUSPENSION</i> <b>MO</b>	1	
<i>flurbiprofen sodium 0.03 % DROPS</i> <b>MO</b>	1	
FML FORTE 0.25 % DROPS, SUSPENSION <b>MO</b>	3	ST
FML LIQUIFILM 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
<i>gatifloxacin 0.5 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
<i>gentak 0.3 % (3 mg/gram) OINTMENT</i> <b>MO</b>	1	
<i>gentamicin 0.3 % DROPS</i> <b>MO</b>	1	
ILEVRO 0.3 % DROPS, SUSPENSION <b>MO</b>	2	QL(3 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INVELTYS 1 % DROPS, SUSPENSION <b>MO</b>	3	ST
IOPIDINE 1 % DROPPERETTE <b>MO</b>	3	
ISOPTO CARPINE 1 %, 2 %, 4 % DROPS <b>MO</b>	3	
ISTALOL 0.5 % DROPS, ONCE DAILY <b>MO</b>	3	
IYUZEH 0.005 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
<i>ketorolac 0.4 % DROPS <b>MO</b></i>	1	QL(10 per 30 days)
<i>ketorolac 0.5 % DROPS <b>MO</b></i>	1	QL(10 per 30 days)
LACRISERT 5 MG INSERT <b>MO</b>	3	
LASTACFT 0.25 % DROPS <b>MO</b>	3	ST
<i>latanoprost 0.005 % DROPS <b>MO</b></i>	1	QL(5 per 25 days)
<i>levobunolol 0.5 % DROPS <b>MO</b></i>	1	
<i>levofloxacin 0.5 %, 1.5 % DROPS <b>MO</b></i>	1	
LOTEMAX 0.5 % DROPS, GEL <b>MO</b>	3	ST
LOTEMAX 0.5 % DROPS, SUSPENSION <b>MO</b>	3	ST
LOTEMAX 0.5 % OINTMENT <b>MO</b>	3	ST
LOTEMAX SM 0.38 % DROPS, GEL <b>MO</b>	3	
<i>loteprednol etabonate 0.5 % DROPS, GEL <b>MO</b></i>	1	ST
<i>loteprednol etabonate 0.5 % DROPS, SUSPENSION <b>MO</b></i>	1	ST
LUMIGAN 0.01 % DROPS <b>MO</b>	2	QL(2.5 per 25 days)
MAXIDEX 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % OINTMENT <b>MO</b>	3	
MAXITROL 3.5MG/ML-10,000 UNIT/ML-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
MIEBO 100 % DROPS <b>MO</b>	3	PA,QL(3 per 30 days)
MIOSTAT 0.01 % SOLUTION <b>MO</b>	3	
MOXEZA 0.5 % DROPS, VISCOUS <b>MO</b>	3	ST
<i>moxifloxacin 0.5 % DROPS <b>MO</b></i>	1	
<i>moxifloxacin 0.5 % DROPS, VISCOUS <b>MO</b></i>	1	ST
NATACYN 5 % DROPS, SUSPENSION <b>MO</b>	3	
<i>neo-polycin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b></i>	1	
<i>neo-polycin hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b></i>	1	
<i>neomycin-bacitracin-poly-hc 3.5-400-10,000 mg-unit/g-1% OINTMENT <b>MO</b></i>	1	
<i>neomycin-bacitracin-polymyxin 3.5-400-10,000 mg-unit-unit/g OINTMENT <b>MO</b></i>	1	
<i>neomycin-polymyxin b-dexameth 3.5 mg/g-10,000 unit/g-0.1 % OINTMENT <b>MO</b></i>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neomycin-polymyxin b-dexameth 3.5mg/ml-10,000 unit/ml-0.1 % DROPS, SUSPENSION <b>MO</b>	1	
neomycin-polymyxin-gramicidin 1.75 mg-10,000 unit-0.025mg/ml DROPS <b>MO</b>	1	
neomycin-polymyxin-hc 3.5-10,000-10 mg-unit-mg/ml DROPS, SUSPENSION <b>MO</b>	1	
NEVANAC 0.1 % DROPS, SUSPENSION <b>MO</b>	3	ST
OCUFLOX 0.3 % DROPS <b>MO</b>	3	
ofloxacin 0.3 % DROPS <b>MO</b>	1	
olopatadine 0.1 %, 0.2 % DROPS <b>MO</b>	1	
OXERVATE 0.002 % DROPS <b>DL</b>	4	PA,QL(112 per 365 days)
PHOSPHOLINE IODIDE 0.125 % DROPS <b>MO</b>	3	
pilocarpine hcl 1 %, 2 %, 4 % DROPS <b>MO</b>	1	
polycin 500-10,000 unit/gram OINTMENT <b>MO</b>	1	
polymyxin b sulf-trimethoprim 10,000 unit- 1 mg/ml DROPS <b>MO</b>	1	
POLYTRIM 10,000 UNIT- 1 MG/ML DROPS <b>MO</b>	3	
PRED FORTE 1 % DROPS, SUSPENSION <b>MO</b>	3	ST
PRED MILD 0.12 % DROPS, SUSPENSION <b>MO</b>	3	ST
PRED-G 0.3-1 % DROPS, SUSPENSION <b>MO</b>	3	
prednisolone acetate 1 % DROPS, SUSPENSION <b>MO</b>	1	
prednisolone sodium phosphate 1 % DROPS <b>MO</b>	1	
PROLENSA 0.07 % DROPS <b>MO</b>	3	ST,QL(3 per 30 days)
proparacaine 0.5 % DROPS <b>MO</b>	1	
RESTASIS 0.05 % DROPPERETTE <b>MO</b>	2	QL(60 per 30 days)
RESTASIS MULTIDOSE 0.05 % DROPS <b>MO</b>	2	QL(5.5 per 25 days)
RHOPRESSA 0.02 % DROPS <b>MO</b>	2	ST,QL(2.5 per 25 days)
ROCKLATAN 0.02-0.005 % DROPS <b>MO</b>	2	ST,QL(2.5 per 25 days)
SIMBRINZA 1-0.2 % DROPS, SUSPENSION <b>MO</b>	3	QL(16 per 30 days)
sulfacetamide sodium 10 % DROPS <b>MO</b>	1	
sulfacetamide-prednisolone 10 %-0.23 % (0.25 %) DROPS <b>MO</b>	1	
tafluprost (pf) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
timolol maleate 0.25 % DROPS <b>MO</b>	1	
timolol maleate 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	1	
timolol maleate 0.5 % DROPS <b>MO</b>	1	
timolol maleate 0.5 % DROPS, ONCE DAILY <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>timolol maleate (pf) 0.25 %, 0.5 % DROPPERETTE</i> <b>MO</b>	1	
TIMOPTIC 0.25 %, 0.5 % DROPS <b>MO</b>	3	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % DROPPERETTE <b>MO</b>	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % GEL FORMING SOLUTION <b>MO</b>	3	PA
TOBRADEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	
TOBRADEX 0.3-0.1 % OINTMENT <b>MO</b>	3	
TOBRADEX ST 0.3-0.05 % DROPS, SUSPENSION <b>MO</b>	3	
<i>tobramycin 0.3 % DROPS</i> <b>MO</b>	1	
<i>tobramycin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> <b>MO</b>	1	
TOBREX 0.3 % DROPS <b>MO</b>	3	
TOBREX 0.3 % OINTMENT <b>MO</b>	3	
TRAVATAN Z 0.004 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
<i>travoprost 0.004 % DROPS</i> <b>MO</b>	1	QL(2.5 per 25 days)
<i>trifluridine 1 % DROPS</i> <b>MO</b>	1	
<i>tropicamide 0.5 %, 1 % DROPS</i> <b>MO</b>	1	
TRUSOPT 2 % DROPS <b>MO</b>	3	
TYRVAYA 0.03 MG/SPRAY SPRAY, METERED, NON-AEROSOL <b>MO</b>	3	PA,QL(8.4 per 30 days)
VERKAZIA 0.1 % DROPPERETTE <b>DL</b>	4	PA,QL(120 per 30 days)
VIGAMOX 0.5 % DROPS <b>MO</b>	3	PA
VUITY 1.25 % DROPS <b>MO</b>	3	
VYZULTA 0.024 % DROPS <b>MO</b>	3	QL(2.5 per 25 days)
XALATAN 0.005 % DROPS <b>MO</b>	3	PA,QL(5 per 25 days)
XELPROS 0.005 % DROPS, EMULSION <b>MO</b>	3	ST,QL(2.5 per 25 days)
XIIDRA 5 % DROPPERETTE <b>MO</b>	3	PA,QL(60 per 30 days)
ZERVIATE 0.24 % DROPPERETTE <b>MO</b>	3	QL(60 per 30 days)
ZIOPTAN (PF) 0.0015 % DROPPERETTE <b>MO</b>	3	ST,QL(30 per 30 days)
ZYLET 0.3-0.5 % DROPS, SUSPENSION <b>MO</b>	3	
ZYMAXID 0.5 % DROPS <b>MO</b>	3	ST,QL(2.5 per 25 days)
<b>OTIC AGENTS</b>		
CIPRO HC 0.2-1 % DROPS, SUSPENSION <b>MO</b>	3	
CIPRODEX 0.3-0.1 % DROPS, SUSPENSION <b>MO</b>	3	QL(7.5 per 30 days)
<i>ciprofloxacin hcl 0.2 % DROPPERETTE</i> <b>MO</b>	1	
<i>ciprofloxacin-dexamethasone 0.3-0.1 % DROPS, SUSPENSION</i> <b>MO</b>	3	QL(7.5 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>ciprofloxacin-fluocinolone 0.3-0.025 % (0.25 ml) SOLUTION</i> <b>MO</b>	3	
CORTISPORIN-TC 3.3-3-10-0.5 MG/ML DROPS, SUSPENSION <b>MO</b>	3	
DERMOTIC OIL 0.01 % DROPS <b>MO</b>	3	
<i>flac otic oil 0.01 % DROPS</i> <b>MO</b>	1	
<i>fluocinolone acetonide oil 0.01 % DROPS</i> <b>MO</b>	1	
<i>hydrocortisone-acetic acid 1-2 % DROPS</i> <b>MO</b>	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% DROPS, SUSPENSION</i> <b>MO</b>	1	
<i>neomycin-polymyxin-hc 3.5-10,000-1 mg/ml-unit/ml-% SOLUTION</i> <b>MO</b>	1	
<i>ofloxacin 0.3 % DROPS</i> <b>MO</b>	1	
OTOVEL 0.3-0.025 % (0.25 ML) SOLUTION <b>MO</b>	3	
<b>RESPIRATORY TRACT/PULMONARY AGENTS</b>		
ACCOLATE 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL(60 per 30 days)
<i>acetylcysteine 100 mg/ml (10 %), 200 mg/ml (20 %) SOLUTION</i> <b>MO</b>	1	BvsD
ADCIRCA 20 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL,LA</b>	4	PA,QL(90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) SOLUTION <b>MO</b>	3	
ADVAIR DISKUS 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	ST,QL(60 per 30 days)
ADVAIR HFA 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
AIRDUO RESPICLICK 113-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
AIRSUPRA 90-80 MCG/ACTUATION HFA AEROSOL INHALER <b>DL</b>	4	PA,QL(32.1 per 30 days)
<i>albuterol sulfate 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml SOLUTION FOR NEBULIZATION</i> <b>MO</b>	1	BvsD
<i>albuterol sulfate 2 mg, 4 mg TABLET</i> <b>MO</b>	1	
<i>albuterol sulfate 2 mg/5 ml SYRUP</i> <b>MO</b>	1	
<i>albuterol sulfate 4 mg, 8 mg TABLET, ER 12 HR.</i> <b>MO</b>	1	
<i>albuterol sulfate 90 mcg/actuation HFA AEROSOL INHALER</i> <b>MO</b>	1	QL(36 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(18.3 per 28 days)
alyq 20 mg TABLET <b>MO</b>	1	PA,QL(60 per 30 days)
ambrisentan 10 mg, 5 mg TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml SOLUTION <b>MO</b>	1	
ANORO ELLIPTA 62.5-25 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
arformoterol 15 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD,QL(120 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	2	QL(30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60) AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	QL(25.8 per 30 days)
AUVI-Q 0.1 MG/0.1 ML, 0.15 MG/0.15 ML, 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	2	QL(4 per 30 days)
azelastine 137 mcg (0.1 %) AEROSOL SPRAY <b>MO</b>	1	QL(30 per 25 days)
azelastine 205.5 mcg (0.15 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 25 days)
azelastine-fluticasone 137-50 mcg/spray SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(50 per 30 days)
BEVESPI AEROSPHERE 9-4.8 MCG HFA AEROSOL INHALER <b>MO</b>	3	QL(10.7 per 30 days)
bosentan 125 mg, 62.5 mg TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
BREO ELLIPTA 100-25 MCG/DOSE, 200-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
BREO ELLIPTA 50-25 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
BREZTRI AEROSPHERE 160-9-4.8 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.7 per 30 days)
BRONCHITOL 40 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(560 per 28 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	BvsD,QL(120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml SUSPENSION FOR NEBULIZATION <b>MO</b>	1	BvsD
carbinoxamine maleate 4 mg TABLET <b>MO</b>	1	
carbinoxamine maleate 4 mg/5 ml LIQUID <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>carbinoxamine maleate 6 mg TABLET</i> <b>DL</b>	4	QL(120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(84 per 28 days)
<i>cetirizine 1 mg/ml SOLUTION</i> <b>MO</b>	1	QL(300 per 30 days)
CINQAIR 10 MG/ML SOLUTION <b>DL</b>	4	PA
CLARINEX 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>clemastine 0.5 mg/5 ml SYRUP</i> <b>DL</b>	4	PA,QL(1800 per 30 days)
<i>clemastine 2.68 mg TABLET</i> <b>MO</b>	1	
COMBIVENT RESPIMAT 20-100 MCG/ACTUATION MIST <b>MO</b>	3	QL(4 per 20 days)
<i>cromolyn 100 mg/5 ml CONCENTRATE</i> <b>MO</b>	1	
<i>cromolyn 20 mg/2 ml SOLUTION FOR NEBULIZATION</i> <b>MO</b>	1	BvsD
<i>cyproheptadine 2 mg/5 ml SYRUP</i> <b>MO</b>	1	
<i>cyproheptadine 4 mg TABLET</i> <b>MO</b>	1	
DALIRESP 250 MCG TABLET <b>MO</b>	3	PA,QL(28 per 365 days)
DALIRESP 500 MCG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>desloratadine 2.5 mg, 5 mg TABLET, DISINTEGRATING</i> <b>MO</b>	1	ST,QL(30 per 30 days)
<i>desloratadine 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>dexchlorpheniramine maleate 2 mg/5 ml SOLUTION</i> <b>MO</b>	1	PA
DIPHEN 12.5 MG/5 ML ELIXIR <b>MO</b>	1	
<i>diphen 12.5 mg/5 ml ELIXIR</i> <b>MO</b>	1	
<i>diphenhydramine hcl 12.5 mg/5 ml ELIXIR</i> <b>MO</b>	1	
<i>diphenhydramine hcl 50 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>diphenhydramine hcl 50 mg/ml SYRINGE</i> <b>MO</b>	1	
DOPRAM 20 MG/ML SOLUTION <b>MO</b>	3	
DUAKLIR PRESSAIR 400-12 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	PA,QL(1 per 30 days)
DULERA 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION, 50-5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(13 per 30 days)
DYMISTA 137-50 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ELIXIR <b>MO</b>	1	
<i>epinephrine 0.15 mg/0.15 ml, 0.15 mg/0.3 ml, 0.3 mg/0.3 ml AUTO-INJECTOR</i> <b>MO</b>	1	QL(4 per 30 days)
EPIPEN 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EPIPEN JR 2-PAK 0.15 MG/0.3 ML AUTO-INJECTOR <b>MO</b>	3	PA,QL(4 per 30 days)
epoprostenol 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	4	PA
epoprostenol (glycine) 0.5 mg, 1.5 mg RECON SOLUTION <b>DL</b>	4	PA
ESBRIET 267 MG CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)
ESBRIET 267 MG TABLET <b>DL</b>	4	PA,QL(270 per 30 days)
ESBRIET 801 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
FASENRA 30 MG/ML SYRINGE <b>DL</b>	4	PA,QL(1 per 28 days)
FASENRA PEN 30 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(1 per 28 days)
flunisolide 25 mcg (0.025 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(50 per 30 days)
fluticasone propion-salmeterol 100-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
fluticasone propion-salmeterol 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation AEROSOL POWDER BREATH ACTIV. <b>MO</b>	2	QL(1 per 30 days)
fluticasone propion-salmeterol 250-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
fluticasone propionate 110 mcg/actuation, 220 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(24 per 30 days)
fluticasone propionate 44 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(10.6 per 30 days)
fluticasone propionate 50 mcg/actuation SPRAY, SUSPENSION <b>MO</b>	1	QL(16 per 30 days)
formoterol fumarate 20 mcg/2 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD,QL(120 per 30 days)
GASTROCROM 100 MG/5 ML CONCENTRATE <b>MO</b>	3	
GRASTEK 2,800 BAU SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
hydroxyzine pamoate 100 mg, 50 mg CAPSULE <b>MO</b>	1	
hydroxyzine pamoate 25 mg CAPSULE <b>MO</b>	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(30 per 30 days)
ipratropium bromide 0.02 % SOLUTION <b>MO</b>	1	BvsD
ipratropium bromide 21 mcg (0.03 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(30 per 30 days)
ipratropium bromide 42 mcg (0.06 %) SPRAY, NON-AEROSOL <b>MO</b>	1	QL(45 per 30 days)
ipratropium-albuterol 0.5 mg-3 mg(2.5 mg base)/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
KALYDECO 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
KALYDECO 150 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
KARBINAL ER 4 MG/5 ML SUSPENSION, ER 12 HR. <b>MO</b>	3	
LETAIRIS 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
levalbuterol hcl 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml SOLUTION FOR NEBULIZATION <b>MO</b>	1	BvsD
levalbuterol tartrate 45 mcg/actuation HFA AEROSOL INHALER <b>MO</b>	1	ST,QL(30 per 30 days)
levocetirizine 2.5 mg/5 ml SOLUTION <b>MO</b>	1	QL(300 per 30 days)
levocetirizine 5 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
LIQREV 10 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(180 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(60 per 365 days)
mometasone 50 mcg/actuation SPRAY, NON-AEROSOL <b>MO</b>	1	QL(34 per 30 days)
montelukast 10 mg TABLET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg GRANULES IN PACKET <b>MO</b>	1	QL(30 per 30 days)
montelukast 4 mg, 5 mg CHEWABLE TABLET <b>MO</b>	1	QL(30 per 30 days)
NASONEX 50 MCG/ACTUATION SPRAY, NON-AEROSOL <b>MO</b>	3	QL(34 per 30 days)
NUCALA 100 MG RECON SOLUTION <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML AUTO-INJECTOR <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 100 MG/ML SYRINGE <b>DL</b>	4	PA,QL(3 per 28 days)
NUCALA 40 MG/0.4 ML SYRINGE <b>DL</b>	4	PA,QL(0.4 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL,LA</b>	4	PA,QL(60 per 30 days)
olopatadine 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	1	ST,QL(30.5 per 30 days)
OMNARIS 50 MCG SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(12.5 per 30 days)
OPSUMIT 10 MG TABLET <b>DL,LA</b>	4	PA,QL(30 per 30 days)
ORALAIR 100 INDX REACTIVITY, 100 IR (3) /300 IR (6), 300 INDX REACTIVITY SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
ORENITRAM 0.125 MG TABLET ER <b>DL</b>	4	PA,QL(1000 per 30 days)
ORENITRAM 0.25 MG TABLET ER <b>DL</b>	4	PA,QL(500 per 30 days)
ORENITRAM 1 MG TABLET ER <b>DL</b>	4	PA,QL(720 per 30 days)
ORENITRAM 2.5 MG TABLET ER <b>DL</b>	4	PA,QL(300 per 30 days)
ORENITRAM 5 MG TABLET ER <b>DL</b>	4	PA,QL(150 per 30 days)
ORENITRAM MONTH 1 TITRATION KT 0.125 MG (126)- 0.25 MG (42) TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(168 per 28 days)
ORENITRAM MONTH 2 TITRATION KT 0.125 MG (126)- 0.25 MG (210) TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(336 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ORENITRAM MONTH 3 TITRATION KT 0.125 MG (126)- 0.25 MG(42)-1MG TABLET, ER, DOSE PACK <b>DL</b>	4	PA,QL(252 per 28 days)
ORKAMBI 100-125 MG, 150-188 MG, 75-94 MG GRANULES IN PACKET <b>DL</b>	4	PA,QL(56 per 28 days)
ORKAMBI 100-125 MG, 200-125 MG TABLET <b>DL</b>	4	PA,QL(112 per 28 days)
PATANASE 0.6 % SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(30.5 per 30 days)
PERFORMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	BvsD,QL(120 per 30 days)
<i>pirfenidone</i> 267 mg CAPSULE <b>DL</b>	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 267 mg TABLET <b>DL</b>	4	PA,QL(270 per 30 days)
<i>pirfenidone</i> 534 mg, 801 mg TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
PROAIR DIGIHALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION <b>MO</b>	3	BvsD
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	ST,QL(2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION <b>DL</b>	4	BvsD
QNASL 40 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.8 per 30 days)
QNASL 80 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(10.6 per 30 days)
QUZYTIR 10 MG/ML SOLUTION <b>MO</b>	3	
QVAR REDHALER 40 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(10.6 per 30 days)
QVAR REDHALER 80 MCG/ACTUATION HFA AEROSOL BREATH ACTIVATED <b>MO</b>	3	ST,QL(21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML SOLUTION <b>DL</b>	4	PA
REVATIO 10 MG/ML SUSPENSION FOR RECONSTITUTION <b>DL</b>	4	PA,QL(180 per 30 days)
REVATIO 20 MG TABLET <b>DL</b>	4	PA,QL(90 per 30 days)
<i>roflumilast</i> 250 mcg TABLET <b>MO</b>	1	QL(28 per 365 days)
<i>roflumilast</i> 500 mcg TABLET <b>MO</b>	1	QL(30 per 30 days)
RYALTRIS 665-25 MCG/SPRAY SPRAY, NON-AEROSOL <b>MO</b>	3	ST,QL(29 per 30 days)
RYCLORA 2 MG/5 ML SOLUTION <b>MO</b>	1	
RYVENT 6 MG TABLET <b>MO</b>	1	QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEREVENT DISKUS 50 MCG/DOSE BLISTER WITH DEVICE <b>MO</b>	3	PA,QL(60 per 30 days)
<i>sildenafil (pulm.hypertension) 10 mg/ml SUSPENSION FOR RECONSTITUTION</i> <b>DL</b>	4	PA,QL(180 per 30 days)
<i>sildenafil (pulm.hypertension) 20 mg TABLET</i> <b>MO</b>	1	PA,QL(90 per 30 days)
SINGULAIR 10 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG GRANULES IN PACKET <b>MO</b>	3	PA,QL(30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG CAPSULE, W/INHALATION DEVICE <b>MO</b>	2	QL(30 per 30 days)
STIOLTO RESPIMAT 2.5-2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION MIST <b>MO</b>	2	QL(4 per 30 days)
SYMBICORT 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(10.2 per 30 days)
SYMDEKO 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML SYRINGE <b>MO</b>	2	QL(4 per 30 days)
<i>tadalafil (pulm. hypertension) 20 mg TABLET</i> <b>MO</b>	1	PA,QL(60 per 30 days)
TADLIQ 20 MG/5 ML (4 MG/ML) SUSPENSION <b>DL</b>	4	PA,QL(300 per 30 days)
<i>terbutaline 1 mg/ml SOLUTION</i> <b>MO</b>	1	
<i>terbutaline 2.5 mg, 5 mg TABLET</i> <b>MO</b>	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, ER 24 HR. <b>MO</b>	1	
<i>theophylline 100 mg, 200 mg, 300 mg, 450 mg TABLET, ER 12 HR.</i> <b>MO</b>	1	
<i>theophylline 400 mg, 600 mg TABLET, ER 24 HR.</i> <b>MO</b>	1	
<i>theophylline 80 mg/15 ml ELIXIR</i> <b>MO</b>	1	
<i>theophylline 80 mg/15 ml SOLUTION</i> <b>MO</b>	1	
<i>theophylline in dextrose 5 % 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 800 mg/250 ml PARENTERAL SOLUTION</i> <b>MO</b>	1	
TOBI PODHALER 28 MG CAPSULE, W/INHALATION DEVICE <b>DL</b>	4	PA,QL(224 per 28 days)
TRACLEER 125 MG, 62.5 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
TRACLEER 32 MG TABLET FOR SUSPENSION <b>DL</b>	4	PA,QL(120 per 30 days)
TRELEGY ELLIPTA 100-62.5-25 MCG, 200-62.5-25 MCG BLISTER WITH DEVICE <b>MO</b>	2	QL(60 per 30 days)
<i>treprostinil sodium 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml SOLUTION</i> <b>DL</b>	4	PA
TRIKAFTA 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) TABLET, SEQUENTIAL <b>DL</b>	4	PA,QL(84 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRIKAFTA 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) GRANULES IN PACKET, SEQUENTIAL <b>DL</b>	4	PA,QL(56 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION AEROSOL POWDER BREATH ACTIV. <b>MO</b>	3	PA,QL(1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO DPI 16 MCG (112)- 32 MCG (84) CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(196 per 28 days)
TYVASO DPI 16 MCG, 32 MCG, 48 MCG, 64 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(112 per 28 days)
TYVASO DPI 16(112)-32(112) -48(28) MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(252 per 28 days)
TYVASO DPI 32-48 MCG CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL(224 per 28 days)
TYVASO INSTITUTIONAL START KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
UPTRAVI 1,800 MCG RECON SOLUTION <b>DL</b>	4	PA
UPTRAVI 200 MCG (140)- 800 MCG (60) TABLET, DOSE PACK <b>DL</b>	4	PA,QL(200 per 30 days)
VELETRI 0.5 MG, 1.5 MG RECON SOLUTION <b>DL</b>	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL(36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE <b>MO</b>	3	
wixela inhub 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose BLISTER WITH DEVICE <b>MO</b>	1	QL(60 per 30 days)
XHANCE 93 MCG/ACTUATION AEROSOL BREATH ACTIVATED <b>MO</b>	3	PA,QL(32 per 30 days)
XOPENEX HFA 45 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL(90 per 30 days)
zafirlukast 10 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
zafirlukast 20 mg TABLET <b>MO</b>	1	QL(60 per 30 days)
ZETONNA 37 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL(6.1 per 28 days)
zileuton 600 mg TABLET, ER 12 HR., MULTIPHASE <b>DL</b>	4	ST,QL(120 per 30 days)
ZYFLO 600 MG TABLET <b>DL</b>	4	ST,QL(120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>SKELETAL MUSCLE RELAXANTS</b>		
AMRIX 15 MG, 30 MG CAPSULE, ER 24 HR. <b>DL</b>	4	ST,QL(21 per 30 days)
carisoprodol 250 mg, 350 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
carisoprodol-aspirin 200-325 mg TABLET <b>MO</b>	1	
carisoprodol-aspirin-codeine 200-325-16 mg TABLET <b>DL</b>	1	QL(360 per 30 days)
chlorzoxazone 250 mg TABLET <b>DL</b>	4	ST,QL(360 per 30 days)
chlorzoxazone 375 mg, 750 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
chlorzoxazone 500 mg TABLET <b>MO</b>	1	ST
cyclobenzaprine 10 mg, 5 mg TABLET <b>MO</b>	1	
cyclobenzaprine 15 mg, 30 mg CAPSULE, ER 24 HR. <b>MO</b>	1	ST,QL(21 per 30 days)
cyclobenzaprine 7.5 mg TABLET <b>MO</b>	1	QL(90 per 30 days)
FEXMID 7.5 MG TABLET <b>MO</b>	1	ST,QL(90 per 30 days)
LORZONE 375 MG TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
LORZONE 750 MG TABLET <b>DL</b>	4	ST,QL(120 per 30 days)
metaxalone 400 mg, 800 mg TABLET <b>MO</b>	1	ST,QL(120 per 30 days)
methocarbamol 1,000 mg TABLET <b>DL</b>	4	PA
methocarbamol 100 mg/ml SOLUTION <b>MO</b>	1	
methocarbamol 500 mg, 750 mg TABLET <b>MO</b>	1	
norgesic 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
NORGESIC FORTE 50-770-60 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphenadrine citrate 100 mg TABLET ER <b>MO</b>	1	
orphenadrine citrate 30 mg/ml SOLUTION <b>MO</b>	1	ST
orphenadrine-asa-caffeine 25-385-30 mg TABLET <b>DL</b>	4	PA,QL(240 per 30 days)
orphenadrine-asa-caffeine 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
orphengesic forte 50-770-60 mg TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
ROBAXIN 100 MG/ML SOLUTION <b>DL</b>	4	
SKELAXIN 800 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
SOMA 250 MG, 350 MG TABLET <b>DL</b>	4	PA,QL(120 per 30 days)
vanadom 350 mg TABLET <b>MO</b>	1	QL(120 per 30 days)
<b>SLEEP DISORDER AGENTS</b>		
AMBIEN 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET, ER MULTIPHASE <b>MO</b>	3	PA,QL(30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg TABLET <b>MO</b>	1	PA,QL(30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<i>armodafinil 50 mg TABLET</i> <b>MO</b>	1	PA,QL(60 per 30 days)
BELSOMRA 10 MG TABLET <b>MO</b>	2	QL(60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	2	QL(30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	2	QL(120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>doxepin 3 mg, 6 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET <b>MO</b>	3	
EDLUAR 5 MG SUBLINGUAL TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>estazolam 1 mg, 2 mg TABLET</i> <b>DL</b>	1	QL(30 per 30 days)
<i>eszopiclone 1 mg, 2 mg, 3 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>flurazepam 15 mg CAPSULE</i> <b>DL</b>	1	QL(60 per 30 days)
<i>flurazepam 30 mg CAPSULE</i> <b>DL</b>	1	QL(30 per 30 days)
HALCION 0.25 MG TABLET <b>DL</b>	3	PA,QL(30 per 30 days)
HETLIOZ 20 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
HETLIOZ LQ 4 MG/ML SUSPENSION <b>DL</b>	4	PA,QL(158 per 30 days)
LUMRYZ 4.5 GRAM, 6 GRAM, 7.5 GRAM, 9 GRAM ER GRANULES, PACKET <b>DL</b>	4	PA,QL(30 per 30 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>modafinil 100 mg, 200 mg TABLET</i> <b>MO</b>	1	PA,QL(60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET <b>DL</b>	4	PA,QL(30 per 30 days)
NUVIGIL 50 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)
QUVIVIQ 25 MG, 50 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
<i>ramelteon 8 mg TABLET</i> <b>MO</b>	1	ST,QL(30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE <b>DL</b>	4	PA,QL(30 per 30 days)
ROZEREM 8 MG TABLET <b>MO</b>	3	ST,QL(30 per 30 days)
SILENOR 3 MG, 6 MG TABLET <b>MO</b>	3	QL(30 per 30 days)
<i>sodium oxybate 500 mg/ml SOLUTION</i> <b>DL</b>	4	PA,QL(540 per 30 days)
SUNOSI 150 MG, 75 MG TABLET <b>MO</b>	3	PA,QL(30 per 30 days)
<i>tasimelteon 20 mg CAPSULE</i> <b>DL</b>	4	PA,QL(30 per 30 days)
<i>temazepam 15 mg, 30 mg CAPSULE</i> <b>DL</b>	1	QL(30 per 30 days)
<i>temazepam 22.5 mg, 7.5 mg CAPSULE</i> <b>DL</b>	1	QL(30 per 30 days)
<i>triazolam 0.125 mg, 0.25 mg TABLET</i> <b>DL</b>	1	QL(30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET <b>DL</b>	4	PA,QL(60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

<b>DRUG NAME</b>	<b>TIER</b>	<b>UTILIZATION MANAGEMENT REQUIREMENTS</b>
XYREM 500 MG/ML SOLUTION <b>DL</b>	4	PA,QL(540 per 30 days)
XYWAV 0.5 GRAM/ML SOLUTION <b>DL</b>	4	PA,QL(540 per 30 days)
<i>zaleplon 10 mg, 5 mg CAPSULE</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 1.75 mg, 3.5 mg SUBLINGUAL TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 10 mg, 5 mg TABLET</i> <b>MO</b>	1	QL(30 per 30 days)
<i>zolpidem 12.5 mg, 6.25 mg TABLET, ER MULTIPHASE</i> <b>MO</b>	1	QL(30 per 30 days)
ZOLPIDEM 7.5 MG CAPSULE <b>MO</b>	3	QL(30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) SPRAY, NON-AEROSOL <b>MO</b>	3	QL(23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 10. Need more information about the utilization management requirements? Please go to page 5.

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

## Humana Medicare Employer Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cosmetics - Mail Order Available</b>		
<i>bimatoprost 0.03 % DROPS WITH APPLICATOR</i>	1	
<i>blanche 4 % CREAM</i>	1	
<i>finasteride 1 mg TABLET</i>	1	
<i>hydrocortisone-pramoxine 2.5-1 % CREAM</i>	1	
<i>hydroquinone 4 % CREAM</i>	1	
LATISSE 0.03 % DROPS WITH APPLICATOR	3	
<i>obagi elastiderm 4 % CREAM</i>	1	
<i>obagi nu-derm blender 4 % CREAM</i>	1	
<i>obagi nu-derm clear 4 % CREAM</i>	1	
PROPECIA 1 MG TABLET	3	
<i>refissa 0.05 % CREAM</i>	1	
RENOVA 0.02 % CREAM	3	
<i>sulfacetamide sodium 10 % CLEANSER</i>	1	
<i>sulfacetamide sodium-sulfur 10-5 % (w/w) CREAM</i>	1	
<i>tretinoin (emollient) 0.05 % CREAM</i>	1	
TRI-LUMA 0.01-4-0.05 % CREAM	3	
VANIQA 13.9 % CREAM	3	
<b>Cough/Cold - Mail Order Available</b>		
<i>benzonatate 100 mg, 150 mg, 200 mg CAPSULE</i>	1	
<i>bromfed dm 2-30-10 mg/5 ml SYRUP</i>	1	
<i>brompheniramine-pseudoeph-dm 2-30-10 mg/5 ml SYRUP</i>	1	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Cough/Cold - Mail Order Available</b>		
HYCODAN 5-1.5 MG/5 ML (5 ML) SYRUP	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG TABLET	1	
HYCODAN (WITH HOMATROPINE) 5-1.5 MG/5 ML SYRUP	1	
<i>hydrocodone-chlorpheniramine 10-8 mg/5 ml SUSPENSION, ER 12 HR.</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg TABLET</i>	1	
<i>hydrocodone-homatropine 5-1.5 mg/5 ml, 5-1.5 mg/5 ml (5 ml) SYRUP</i>	1	
<i>hydromet 5-1.5 mg/5 ml SYRUP</i>	1	
OBREDON 2.5-200 MG/5 ML SOLUTION	3	
<i>promethazine vc-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-codeine 6.25-10 mg/5 ml SYRUP</i>	1	
<i>promethazine-dm 6.25-15 mg/5 ml SYRUP</i>	1	
<i>promethazine-phenyleph-codeine 6.25-5-10 mg/5 ml SYRUP</i>	1	
RESPA-AR 8-90-0.24 MG TABLET, ER 12 HR.	3	
TESSALON PERLES 100 MG CAPSULE	3	
TUSSICAPS 10-8 MG CAPSULE, ER 12 HR.	1	
TUXARIN ER 8-54.3 MG TABLET, ER 12 HR.	3	
TUZISTRA XR 14.7-2.8 MG/5 ML SUSPENSION, ER 12 HR.	3	
<b>Erectile Dysfunction - Mail Order Available</b>		
ADDYI 100 MG TABLET	3	
CIALIS 10 MG, 20 MG TABLET	3	QL(6 per 30 days)
<i>sildenafil 100 mg, 25 mg, 50 mg TABLET</i>	1	QL(6 per 30 days)

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Erectile Dysfunction - Mail Order Available</b>		
STENDRA 100 MG, 200 MG, 50 MG TABLET	3	QL(6 per 30 days)
<i>tadalafil 10 mg, 20 mg TABLET</i>	1	QL(6 per 30 days)
<i>vardenafil 10 mg TABLET, DISINTEGRATING</i>	1	QL(6 per 30 days)
<i>vardenafil 10 mg, 2.5 mg, 20 mg, 5 mg TABLET</i>	1	QL(6 per 30 days)
VIAGRA 100 MG, 25 MG, 50 MG TABLET	3	QL(6 per 30 days)
VYLEESI 1.75 MG/0.3 ML AUTO-INJECTOR	3	
<b>Fertility - Mail Order Available</b>		
<i>cetrorelix 0.25 mg KIT</i>	1	
CETROTIDE 0.25 MG KIT	3	
<i>clomid 50 mg TABLET</i>	1	
<i>clomiphene citrate 50 mg TABLET</i>	1	
FOLLISTIM AQ 300 UNIT/0.36 ML, 600 UNIT/0.72 ML, 900 UNIT/1.08 ML CARTRIDGE	3	
<i>fyremadel 250 mcg/0.5 ml SYRINGE</i>	1	
GANIRELIX 250 MCG/0.5 ML SYRINGE	3	
<i>ganirelix 250 mcg/0.5 ml SYRINGE</i>	3	
GONAL-F 1,050 UNIT, 450 UNIT RECON SOLUTION	3	
GONAL-F RFF 75 UNIT RECON SOLUTION	3	
GONAL-F RFF REDI-JECT 300/0.5 UNIT/ML, 450/0.75 UNIT/ML, 900/1.5 UNIT/ML PEN INJECTOR	3	
MENOPUR 75 UNIT RECON SOLUTION	3	
OVIDREL 250 MCG/0.5 ML SYRINGE	3	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy



DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Vitamins/Minerals - Mail Order Available</b>		
<i>ascorbic acid (vitamin c) 500 mg/ml SOLUTION</i>	1	
<i>b complex 100 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>b-complex injection 100-2-100-2-2 mg/ml SOLUTION</i>	1	
<i>cyanocobalamin (vitamin b-12) 1,000 mcg/ml SOLUTION</i>	1	
<i>dodex 1,000 mcg/ml SOLUTION</i>	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE	3	
<i>ergocalciferol (vitamin d2) 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>folic acid 1 mg TABLET</i>	1	
<i>folic acid 5 mg/ml SOLUTION</i>	1	
<i>hydroxocobalamin 1,000 mcg/ml SOLUTION</i>	1	
INFUVITE ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT- 200 MCG/5 ML SOLUTION	3	
M.V.I. ADULT 3,300 UNIT- 150 MCG/10 ML SOLUTION	3	
M.V.I. PEDIATRIC 80-400-200 MG-UNIT-MCG RECON SOLUTION	3	
M.V.I.-12 (WITHOUT VITAMIN K) 3,300 UNIT-200 UNIT/10 ML SOLUTION	3	
MEPHYTON 5 MG TABLET	3	
NASCOBAL 500 MCG/SPRAY SPRAY, NON-AEROSOL	3	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml SYRINGE</i>	1	
<i>phytonadione (vitamin k1) 1 mg/0.5 ml, 10 mg/ml SOLUTION</i>	1	
<i>phytonadione (vitamin k1) 5 mg TABLET</i>	1	
POTABA 500 MG CAPSULE	3	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Vitamins/Minerals - Mail Order Available</b>		
<i>pyridoxine (vitamin b6) 100 mg/ml SOLUTION</i>	1	
<i>thiamine hcl (vitamin b1) 100 mg/ml SOLUTION</i>	1	
<i>vitamin d2 1,250 mcg (50,000 unit) CAPSULE</i>	1	
<i>vitamin k 1 mg/0.5 ml SOLUTION</i>	1	
<i>vitamin k1 10 mg/ml SOLUTION</i>	1	
<b>Weight Loss - Mail Order Available</b>		
<i>adipex-p 37.5 mg CAPSULE</i>	1	
ADIPEX-P 37.5 MG TABLET	1	
<i>benzphetamine 50 mg TABLET</i>	1	
CONTRAVE 8-90 MG TABLET ER	3	QL(120 per 30 days)
<i>diethylpropion 25 mg TABLET</i>	1	
<i>diethylpropion 75 mg TABLET ER</i>	1	
<i>lomaira 8 mg TABLET</i>	1	
<i>phendimetrazine tartrate 105 mg CAPSULE, ER</i>	3	
<i>phendimetrazine tartrate 35 mg TABLET</i>	1	
<i>phentermine 15 mg, 30 mg, 37.5 mg CAPSULE</i>	1	
<i>phentermine 37.5 mg TABLET</i>	1	
PLENITY 0.75 GRAM CAPSULE	3	
PLENITY (WELCOME KIT) 0.75 GRAM CAPSULE	3	
QSYMIA 11.25-69 MG, 15-92 MG, 3.75-23 MG, 7.5-46 MG CAPSULE ER MULTIPHASE 24 HR.	3	QL(30 per 30 days)

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Weight Loss - Mail Order Available</b>		
SAXENDA 3 MG/0.5 ML (18 MG/3 ML) PEN INJECTOR	3	
WEGOVY 0.25 MG/0.5 ML, 0.5 MG/0.5 ML, 1 MG/0.5 ML, 1.7 MG/0.75 ML, 2.4 MG/0.75 ML PEN INJECTOR	3	

Your Humana Medicare Employer Plan has additional coverage for some drugs. These drugs are not normally covered under Medicare Part D. These drugs are not subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

AV - ACIP Covered Part D vaccines • B vs D - Part B vs Part D • CI - Covered Insulin Products • DL - Dispensing Limit • LA - Limited Access • MO - Mail Order • PA - Prior Authorization • PDS - BD/HTL-Droplet are the Preferred Diabetic Supplies • QL - Quantity Limit • ST - Step Therapy

# Index

## A

- abacavir... 72
- abacavir-lamivudine... 72
- abacavir-lamivudine-zidovudine... 72
- ABELCET... 44
- ABILIFY ASIMTUFI... 67
- ABILIFY MAINTENA... 67
- ABILIFY MYCITE MAINTENANCE KIT... 67, 68
- ABILIFY MYCITE STARTER KIT... 68
- ABILIFY MYCITE... 67
- ABILIFY... 67
- abiraterone... 51
- ABRAXANE... 51
- ABRYSVO... 153
- ABSORICA LD... 112
- ABSORICA... 111, 112
- acamprosate... 21
- ACANYA... 112
- acarbose... 80
- ACCOLATE... 179
- ACCUPRIL... 90
- ACCURETIC... 90
- accutane... 112
- acebutolol... 90
- ACETADOTE... 167
- acetaminophen... 167
- acetaminophen-caff-dihydrocod... 11
- acetaminophen-codeine... 11
- acetazolamide sodium... 90
- acetazolamide... 90
- acetic acid... 22, 167
- acetylcysteine... 167, 179
- ACIPHES SPRINKLE... 129
- ACIPHES... 129
- acitretin... 112
- ACTEMRA ACTPEN... 153
- ACTEMRA... 153
- ACTHAR... 137
- ACTHIB (PF)... 153
- ACTICLATE... 22
- ACTIMMUNE... 153
- ACTIQ... 11
- ACTIVEVILLA... 141
- ACTONEL... 165
- ACTOPLUS MET... 80
- ACTOS... 80
- ACULAR LS... 173
- ACULAR... 173
- ACUVAIL (PF)... 173
- acyclovir sodium... 72, 73
- acyclovir... 72
- ACZONE... 112
- ADACEL(TDAP ADOLESN/ADULT)(PF)... 154
- ADAKVEO... 167
- ADALIMUMAB-ADAZ... 154
- ADALIMUMAB-ADB... 154
- ADALIMUMAB-ADB(CF) PEN CROHNS... 154
- ADALIMUMAB-ADB(CF) PEN PS-UV... 154
- ADALIMUMAB-FKJP... 154
- adapalene... 112
- adapalene-benzoyl peroxide... 112
- ADBRY... 154
- ADCETRIS... 51
- ADCIRCA... 179
- ADDERALL XR... 105
- ADDERALL... 105
- ADDYI... 191
- adefovir... 73
- ADEMPAS... 179
- adenosine... 90
- adipex-p... 194
- ADLARITY... 38
- ADLYXIN... 80
- ADMELOG SOLOSTAR U-100 INSULIN... 80

ADMELOG U-100 INSULIN LISPRO... 80	AKYNZEO (NETUPITANT)... 42	almotriptan malate... 48
ADRENALIN... 179	ALA-CORT... 112	ALOCRI... 174
adriamycin... 51	ALA-SCALP... 112	ALOMIDE... 174
adrucil... 51	albendazole... 64	ALOPRIM... 47
ADSTILADRIN... 167	ALBENZA... 64	alosetron... 129
ADVAIR DISKUS... 179	albuterol sulfate... 179	ALPHAGAN P... 174
ADVAIR HFA... 179	ALCAINE... 174	alprazolam intensol... 78
ADZENYS XR-ODT... 105	alclometasone... 112	alprazolam... 78
AEMCOLO... 129	ALCOHOL PADS... 167	ALREX... 174
AFINITOR DISPERZ... 51	ALCOHOL PREP PADS... 167	ALTABAX... 112
AFINITOR... 51	ALCOHOL SWABS... 167	ALTACE... 90
afirmelle... 141	ALCOHOL WIPES... 167	altavera (28)... 141
AFREZZA... 80	ALDACTAZIDE... 90	ALTOPREV... 90
AGGRASTAT CONCENTRATE... 86	ALDACTONE... 90	ALTRENO... 112
AGGRASTAT IN SODIUM CHLORIDE... 86	ALDARA... 112	ALUNBRIG... 51, 52
AGRYLIN... 86	ALDURAZYME... 133	ALVESCO... 180
AIMOVIG AUTOINJECTOR... 48	ALECENSA... 51	alyacen 1/35 (28)... 141
AIRDUO DIGIHALER... 179	alendronate... 165	alyacen 7/7/7 (28)... 141
AIRDUO RESPICLICK... 179	alfuzosin... 136	ALYMSYS... 52
AIRSUPRA... 179	ALIMTA... 51	alyq... 180
AJOVY AUTOINJECTOR... 48	ALIQOPA... 51	amabelz... 141
AJOVY SYRINGE... 48	aliskiren... 90	amantadine hcl... 65
ak-poly-bac... 174	ALKERAN (AS HCL)... 51	AMARYL... 80
AKEEGA... 51	ALKERAN... 51	AMBIEN CR... 187
AKLIEF... 112	ALKINDI SPRINKLE... 137	AMBIEN... 187
AKYNZEO (FOSNETUPITANT)... 42	allopurinol sodium... 47	AMBISOME... 44
	allopurinol... 47	ambrisentan... 180
	ALLZITAL... 167	amcinonide... 112

AMERGE... 48	amitriptyline... 38	AMVUTTRA... 133
amethia... 141	amitriptyline-chlordiazepoxide... 39	AMZEEQ... 112
amethyst (28)... 141	AMJEVITA(CF) AUTOINJECTOR... 154	ANAFRANIL... 39
AMICAR... 86	AMJEVITA(CF)... 154	anagrelide... 86
amikacin... 22	amlodipine... 91	ANAPROX DS... 11
amiloride... 90	amlodipine-atorvastatin... 91	anastrozole... 52
amiloride-hydrochlorothiazide... 90	amlodipine-benazepril... 91	ANCOBON... 44
aminocaproic acid... 86	amlodipine-olmesartan... 91	ANDRODERM... 141
aminophylline... 180	amlodipine-valsartan... 91	ANDROGEL... 141
AMINOSYN II 10 %... 121	amlodipine-valsartan-hcthiazid... 91	ANGELIQ... 141
AMINOSYN II 15 %... 121	ammonium lactate... 112	ANNOVERA... 141
AMINOSYN II 7 %... 121	AMMONUL... 167	ANORO ELLIPTA... 180
AMINOSYN II 8.5 %... 121	amnesteem... 112	ANTARA... 91
AMINOSYN II 8.5 %-ELECTROLYTES... 121	amoxapine... 39	ANTIVERT... 42
AMINOSYN M 3.5 %... 121	amoxicil-clarithromy-lansopraz... 129	anucort-hc... 164
AMINOSYN 10 %... 121	amoxicillin... 22	anusol-hc... 113, 164
AMINOSYN 7 % WITH ELECTROLYTES... 121	amoxicillin-pot clavulanate... 22	ANZEMET... 42
AMINOSYN 8.5 %... 121	amphetamine sulfate... 105	APADAZ... 11
AMINOSYN 8.5 %-ELECTROLYTES... 121	amphetamine... 105	apexicon e... 113
AMINOSYN-HBC 7%... 121	amphotericin b liposome... 44	APIDRA SOLOSTAR U-100 INSULIN... 80
AMINOSYN-PF 10 %... 121	amphotericin b... 44	APIDRA U-100 INSULIN... 80
AMINOSYN-PF 7 % (SULFITE-FREE)... 121	ampicillin sodium... 22	APLENZIN... 39
AMINOSYN-RF 5.2 %... 121	ampicillin... 22	APOKYN... 65
amiodarone... 90, 91	ampicillin-sulbactam... 22	apomorphine... 65
AMITIZA... 129	AMPYRA... 105	APONVIE... 42
	AMRIX... 187	apraclonidine... 174
		aprepitant... 42, 43

APRETUDE... 73	ARTHROTEC 50... 11	ATRIPLA... 73
apri... 141	ARTHROTEC 75... 11	atropine in 0.9 % sod chloride... 129
APRISO... 164	ASACOL HD... 164	ATROPINE SULFATE (PF)... 174
APTENSIO XR... 105	ASCENIV... 154	atropine... 129, 174
APTIOM... 32	ascomp with codeine... 11	ATROVENT HFA... 180
APTIVUS... 73	ascorbic acid (vitamin c)... 193	AUBAGIO... 105
ARALAST NP... 133	asenapine maleate... 68	aubra eq... 141
aranelle (28)... 141	ashlyna... 141	aubra... 141
ARANESP (IN POLYSORBATE)... 86	ASMANEX HFA... 180	AUGMENTIN ES-600... 23
ARAVA... 154	ASMANEX TWISTHALER... 180	AUGMENTIN XR... 23
ARAZLO... 113	ASPARLAS... 52	AUGMENTIN... 23
ARCALYST... 154	aspirin-dipyridamole... 87	aurovela fe 1.5/30 (28)... 141
AREXVY (PF)... 154	ASPRUZYO SPRINKLE... 91	aurovela fe 1-20 (28)... 141
arformoterol... 180	ASTAGRAF XL... 154	aurovela 1.5/30 (21)... 141
ARICEPT... 38	ATACAND HCT... 91	aurovela 1/20 (21)... 141
ARIKAYCE... 23	ATACAND... 91	aurovela 24 fe... 141
ARIMIDEX... 52	atazanavir... 73	AURYXIA... 121
aripiprazole... 68	ATELVIA... 165	AUSTEDO XR TITRATION KT(WK1-4)... 106
ARISTADA INITIO... 68	atenolol... 91	AUSTEDO XR... 106
ARISTADA... 68	atenolol-chlorthalidone... 91	AUSTEDO... 105, 106
ARIXTRA... 86, 87	ATGAM... 154	AUTOJECT 2 INJECTION DEVICE... 167
armodafinil... 187, 188	ATIVAN... 78	AUTOPEN 1 TO 21 UNITS... 167
ARMONAIR DIGIHALER... 180	atomoxetine... 105	AUTOPEN 2 TO 42 UNITS... 167
ARMOUR THYROID... 151	ATORVALIQ... 91	AUVELITY... 39
ARNUIITY ELLIPTA... 180	atorvastatin... 91	AUVI-Q... 180
AROMASIN... 52	atovaquone... 64	AVALIDE... 91
ARRANON... 52	atovaquone-proguanil... 64	
arsenic trioxide... 52	ATRALIN... 113	

AVAPRO... 91	AZOR... 91	BASAGLAR TEMPO
AVASTIN... 52	AZSTARYS... 106	PEN(U-100)INSLN... 80
AVEED... 141	aztreonam... 23	BAVENCIO... 52
AVELOX IN NACL (ISO-OSMOTIC)... 23	AZULFIDINE EN-TABS... 164	BAXDELA... 23
aviane... 141	AZULFIDINE... 164	BCG VACCINE, LIVE (PF)... 154
avidoxy... 23	azurette (28)... 141	BD ALCOHOL SWABS... 167
AVITA... 113	<b>B</b>	BD AUTOSHIELD DUO PEN NEEDLE... 167
AVODART... 136	b complex 100... 193	BD ECLIPSE LUER-LOK... 167
AVONEX... 106	b-complex injection... 193	BD INSULIN SYRINGE (HALF UNIT)... 167
AVSOLA... 154	bacitracin... 23, 174	BD INSULIN SYRINGE MICRO-FINE... 168
AVYCAZ... 23	bacitracin-polymyxin b... 174	BD INSULIN SYRINGE SLIP TIP... 168
AYGESTIN... 141	baclofen... 72	BD INSULIN SYRINGE U-500... 168
ayuna... 141	BACTRIM DS... 23	BD INSULIN SYRINGE ULTRA-FINE... 168
AYVAKIT... 52	BACTRIM... 23	BD INSULIN SYRINGE... 167
azacitidine... 52	BAFIERTAM... 106	BD LO-DOSE MICRO-FINE IV... 168
AZACTAM... 23	bal-care dha... 122	BD NANO 2ND GEN PEN NEEDLE... 168
AZASAN... 154	balanced salt... 174	BD SAFETYGLIDE INSULIN SYRINGE... 168
AZASITE... 174	BALCOLTRA... 141	BD SAFETYGLIDE SYRINGE... 168
azathioprine sodium... 154	balsalazide... 164	BD ULTRA-FINE MICRO PEN NEEDLE... 168
azathioprine... 154	BALVERSA... 52	BD ULTRA-FINE MINI PEN NEEDLE... 168
azelaic acid... 113	balziva (28)... 142	BD ULTRA-FINE NANO PEN NEEDLE... 168
azelastine... 174, 180	BAND-AID GAUZE PADS... 167	
azelastine-fluticasone... 180	BANZEL... 32	
AZELEX... 113	BAQSIMI... 80	
AZILECT... 65	BARACLUDGE... 73	
azithromycin... 23	BASAGLAR KWIKPEN U-100 INSULIN... 80	
AZOPT... 174		



BD ULTRA-FINE ORIG PEN NEEDLE... 168	bepotastine besilate... 174	BICILLIN C-R... 23
BD ULTRA-FINE SHORT PEN NEEDLE... 168	BEPREVE... 174	BICILLIN L-A... 23
BD VEO INSULIN SYR (HALF UNIT)... 168	BERINERT... 155	BICNU... 52
BD VEO INSULIN SYRINGE UF... 168	beser... 113	BIDIL... 92
BECONASE AQ... 180	BESIVANCE... 174	BIJUVA... 142
BELBUCA... 11	BESPONSA... 52	BIKTARVY... 73
BELEODAQ... 52	BESREMI... 155	BILTRICIDE... 64
BELRAPZO... 52	BETADINE OPHTHALMIC PREP... 174	bimatoprost... 174, 190
BELSOMRA... 188	betaine... 133	BINOSTO... 165
benazepril... 91	betamethasone acet,sod phos... 137	BIORPHEN... 92
benazepril-hydrochlorothiazide... 91	betamethasone dipropionate... 113	bismuth subcit k-metronidz-tcn... 129
bendamustine... 52	betamethasone valerate... 113	bisoprolol fumarate... 92
BENDEKA... 52	betamethasone, augmented... 113	bisoprolol-hydrochlorothiazide... 92
BENICAR HCT... 91	BETAPACE AF... 91	BIVIGAM... 155
BENICAR... 91	BETAPACE... 91	blanche... 190
BENLYSTA... 154, 155	BETASERON... 106	bleomycin... 52
BENTYL... 129	betaxolol... 91, 174	BLEPH-10... 174
BENZAACLIN PUMP... 113	bethanechol chloride... 136	BLEPHAMIDE... 174
BENZAACLIN... 113	BETHKIS... 23	blisovi fe 1.5/30 (28)... 142
BENZAMYCIN... 113	BETIMOL... 174	blisovi fe 1/20 (28)... 142
benzhydrocodone-acetaminophen... 11	BETOPTIC S... 174	blisovi 24 fe... 142
benznidazole... 64	BEVESPI AEROSPHERE... 180	BONIVA... 165
benzonatate... 190	bexarotene... 52	BONJESTA... 43
benzphetamine... 194	BEXSERO... 155	BOOSTRIX TDAP... 155
benztropine... 65	BEYAZ... 142	BORDERED GAUZE... 168
	BEYFORTUS... 168	BORTEZOMIB... 52
	bicalutamide... 52	bosentan... 180

BOSULIF... 52	BUNAVAIL... 21	BYDUREON BCISE... 80
BRAFTOVI... 52	bupap... 168	BYETTA... 80
BREO ELLIPTA... 180	BUPHENYL... 133	BYLVAY... 168, 169
bretylium tosylate... 92	bupivacaine (pf)... 19	BYSTOLIC... 92
BREVIBLOC IN NA CL (ISO-OSM)... 92	bupivacaine hcl... 19	<b>C</b>
BREVIBLOC... 92	bupivacaine-dextrose-water(pf)... 19	c-nate dha... 122
BREZTRI AEROSPHERE... 180	bupivacaine-epinephrine (pf)... 19	CABENUVA... 73
briellyn... 142	bupivacaine-epinephrine bitart... 19	cabergoline... 152
BRILINTA... 87	bupivacaine-epinephrine... 19	CABLIVI... 87
brimonidine... 113, 174	BUPRENEX... 11	CABOMETYX... 53
brinzolamide... 174	buprenorphine hcl... 11, 21	CADUET... 92
BRISDELLE... 39	buprenorphine... 11	CAFECIT... 169
BRIUMVI... 106	buprenorphine-naloxone... 21	CAFERGOT... 48
BRIVIACT... 32	bupropion hcl (smoking deter)... 21	caffeine citrate... 169
bromfed dm... 190	bupropion hcl... 39	CALAN SR... 92
bromfenac... 174	bupirone... 78	calcipotriene... 113
bromocriptine... 65	busulfan... 52	calcipotriene-betamethasone... 113
brompheniramine-pseudoeph-dm... 190	BUSULFEX... 53	calcitonin (salmon)... 165
BROMSITE... 174	butalbital compound w/codeine... 11	calcitriol... 113, 165
BRONCHITOL... 180	butalbital-acetaminop-caf-cod... 168	calcium acetate(phosphat bind)... 122
BROVANA... 180	butalbital-acetaminophen... 168	calcium chloride... 122
BRUKINSA... 52	butalbital-acetaminophen-caff... 168	calcium disodium versenate... 169
BRYHALI... 113	butalbital-aspirin-caffeine... 168	calcium gluconate... 122
BSS PLUS... 174	butorphanol... 11	CALDOLOR... 11
BSS... 174	BUTRANS... 11	CALQUENCE (ACALABRUTINIB MAL)... 53
budesonide... 164, 180		CALQUENCE... 53
bumetanide... 92		

calsodore... 113	CARBOCAINE WITH NEO-COBEFRIN... 19	CATAPRES-TTS-2... 93
CAMBIA... 11	CARBOCAINE... 19	CATAPRES-TTS-3... 93
camila... 142	carboplatin... 53	CAYSTON... 181
CAMPTOSAR... 53	carboprost tromethamine... 140	caziant (28)... 142
camrese lo... 142	CARDIZEM CD... 92	cefaclor... 23
camrese... 142	CARDIZEM LA... 92	cefadroxil... 23, 24
CAMZYOS... 92	CARDIZEM... 92	cefazolin in dextrose (iso-os)... 24
CANASA... 164	CARDURA XL... 92	cefazolin... 24
CANCIDAS... 44	CARDURA... 92	cefdinir... 24
candesartan... 92	CARETOUCH ALCOHOL PREP PAD... 169	cefepime in dextrose 5 %... 24
candesartan-hydrochlorothiazid... 92	carglumic acid... 122	cefepime in dextrose,iso-osm... 24
CAPEX... 114	carisoprodol... 187	cefepime... 24
CAPLYTA... 68	carisoprodol-aspirin... 187	cefixime... 24
CAPRELSA... 53	carisoprodol-aspirin-codeine... 187	cefotaxime... 24
captopril... 92	carmustine... 53	cefotetan... 24
captopril-hydrochlorothiazide... 92	CARNITOR (SUGAR-FREE)... 122	cefoxitin in dextrose, iso-osm... 24
CARAC... 114	CARNITOR... 122	cefoxitin... 24
CARAFATE... 129	CAROSPIR... 92	cefpodoxime... 24
CARBAGLU... 122	carteolol... 175	cefprozil... 24
carbamazepine... 32	cartia xt... 92	ceftazidime in d5w... 24
CARBATROL... 33	carvedilol phosphate... 93	ceftazidime... 24
carbidopa... 66	carvedilol... 93	ceftriaxone in dextrose,iso-os... 24
carbidopa-levodopa... 66	CASODEX... 53	ceftriaxone... 24
carbidopa-levodopa-entacapone... 66	caspofungin... 44	cefuroxime axetil... 24
carbinoxamine maleate... 180, 181	cataflam... 11	cefuroxime sodium... 24
CARBOCAINE (PF)... 19	CATAPRES-TTS-1... 93	CELEBREX... 11
		celecoxib... 11, 12
		CELESTONE SOLUSPAN... 137

CELEXA... 39	chloroprocaine (pf)... 19	CINRYZE... 155
CELLCEPT INTRAVENOUS... 155	chloroquine phosphate... 64	CINVANTI... 169
CELLCEPT... 155	chlorothiazide sodium... 93	CIPRO HC... 178
CELONTIN... 33	chlorpromazine... 68	CIPRO... 24, 25
CENTANY... 114	chlorthalidone... 93	CIPRODEX... 178
cephalexin... 24	chlorzoxazone... 187	ciprofloxacin hcl... 25, 175, 178
CEQUA... 175	CHOLBAM... 133	ciprofloxacin in 5 % dextrose... 25
CERDELGA... 133	cholestyramine (with sugar)... 93	ciprofloxacin... 25
CEREBYX... 33	cholestyramine light... 93	ciprofloxacin-dexamethasone... 178
CEREZYME... 133	cholestyramine-aspartame... 93	ciprofloxacin-fluocinolone... 179
CERVIDIL... 169	CHORIONIC GONADOTROPIN, HUMAN... 139	cisplatin... 53
cetirizine... 181	CIALIS... 136, 191	citalopram... 39
cetorelix... 192	CIBINQO... 155	CITRANATAL B-CALM (FE GLUC)... 122
CETROTIDE... 192	ciclodan... 44	cladribine... 53
cevimeline... 111	ciclopirox... 44, 45	CLAFORAN... 25
CHANTIX CONTINUING MONTH BOX... 21	cidofovir... 73	claravis... 114
CHANTIX STARTING MONTH BOX... 21	cilostazol... 87	CLARINEX... 181
CHANTIX... 21	CILOXAN... 175	CLARINEX-D 12 HOUR... 169
charlotte 24 fe... 142	CIMDUO... 73	clarithromycin... 25
chateal (28)... 142	cimetidine hcl... 129	clemastine... 181
chateal eq (28)... 142	cimetidine... 129	CLENPIQ... 129
CHEMET... 122	CIMZIA POWDER FOR RECONST... 155	CLEOCIN HCL... 25
CHENODAL... 129	CIMZIA STARTER KIT... 155	CLEOCIN PEDIATRIC... 25
chloramphenicol sod succinate... 24	CIMZIA... 155	CLEOCIN T... 114
chlordiazepoxide hcl... 78	cinacalcet... 165	CLEOCIN... 25
chlorhexidine gluconate... 111	CINQAIR... 181	CLEVIPREX... 93

CLIMARA PRO... 142	CLINIMIX 4.25%/D10W SULF FREE... 122	clonidine... 93
CLIMARA... 142	CLINIMIX 4.25%/D5W SULFIT FREE... 122	clopidogrel... 87
clindacin etz... 114	CLINIMIX 5%-D20W(SULFITE-FREE)... 122	clorazepate dipotassium... 79
clindacin p... 114	CLINIMIX 6%-D5W (SULFITE-FREE)... 122	CLOTOTEKAL... 19
clindacin... 114	CLINIMIX 8%-D10W(SULFITE-FREE)... 122	clotrimazole... 45
CLINDAGEL... 114	CLINIMIX 8%-D14W(SULFITE-FREE)... 122	clotrimazole-betamethasone... 45
clindamycin hcl... 25	CLINISOL SF 15 %... 122	clozapine... 68
clindamycin in 0.9 % sod chlor... 25	CLINOLIPID... 122	CLOZARIL... 68
clindamycin in 5 % dextrose... 25	clobazam... 33	COARTEM... 64
clindamycin palmitate hcl... 25	clobetasol... 114	codeine sulfate... 12
clindamycin pediatric... 25	clobetasol-emollient... 114	codeine-butalbital-asa-caff... 12
clindamycin phosphate... 25, 114	CLOBEX... 114, 115	COLAZAL... 164
clindamycin-benzoyl peroxide... 114	clocortolone pivalate... 115	colchicine (gout)... 47
clindamycin-tretinoin... 114	clodan... 115	colesevelam... 93
CLINDESSE... 25	CLODERM... 115	COLESTID FLAVORED... 93
CLINIMIX E 2.75%/D5W SULF FREE... 122	clofarabine... 53	COLESTID... 93
CLINIMIX E 4.25%/D10W SUL FREE... 122	clomid... 192	colestipol... 93
CLINIMIX E 4.25%/D5W SULF FREE... 122	clomiphene citrate... 192	colistin (colistimethate na)... 25
CLINIMIX E 5%/D15W SULFIT FREE... 122	clomipramine... 39	COLUMVI... 53
CLINIMIX E 5%/D20W SULFIT FREE... 122	clonazepam... 79	COLY-MYCIN M PARENTERAL... 25
CLINIMIX E 8%-D10W SULFITEFREE... 122	clonidine hcl... 93, 106	COMBIGAN... 175
CLINIMIX E 8%-D14W SULFITEFREE... 122		COMBIPATCH... 142
		COMBIVENT RESPIMAT... 181
		COMBIVIR... 73
		COMETRIQ... 53
		COMPAZINE... 43
		COMPLERA... 73
		complete natal dha... 122

compro... 43	COSENTYX... 155	cyclopentolate... 175
COMTAN... 66	COSMEGEN... 53	cyclophosphamide... 53
CONCERTA... 106	COSOFT (PF)... 175	cycloserine... 50
CONDYLOX... 115	COSOFT... 175	CYCLOSET... 80
CONJUPRI... 93	COTELLIC... 53	cyclosporine modified... 155
constulose... 129	COTEMPLA XR-ODT... 106	cyclosporine... 155
CONTRAVE... 194	COZAAR... 94	CYKLOKAPRON... 87
CONZIP... 12	CREON... 133	CYLTEZO(CF) PEN CROHN'S-UC-HS... 155
COPAXONE... 106	CRESEMBA... 45	CYLTEZO(CF) PEN PSORIASIS-UV... 155
COPIKTRA... 53	CRESTOR... 94	CYLTEZO(CF) PEN... 155
CORDRAN TAPE LARGE ROLL... 115	CRINONE... 142	CYLTEZO(CF)... 155
CORDRAN... 115	cromolyn... 175, 181	CYMBALTA... 39
COREG CR... 93	crotan... 115	cyproheptadine... 181
COREG... 93	cryselle (28)... 142	CYRAMZA... 53
coremino... 25	CRYSVITA... 133	cyred eq... 142
CORGARD... 93	CUBICIN RF... 25	cyred... 142
CORLANOR... 93, 94	CUBICIN... 25	CYSTADANE... 133
CORLOPAM... 94	CUPRIMINE... 122	CYSTADROPS... 175
CORTEF... 115	CURITY ALCOHOL SWABS... 169	CYSTAGON... 133
CORTENEMA... 164	CURITY GAUZE... 169	CYSTARAN... 175
CORTIFOAM... 164	CUTAQUIG... 155	cytarabine (pf)... 53
CORTISPORIN-TC... 179	CUVPOSA... 129	cytarabine... 53
CORTROPHIN GEL... 137	CUVRIOR... 123	CYTOGAM... 155
CORVERT... 94	cyanocobalamin (vitamin b-12)... 193	CYTOMEL... 151
COSENTYX (2 SYRINGES)... 155	cyclafem 1/35 (28)... 142	CYTOTEC... 129
COSENTYX PEN (2 PENS)... 155	cyclafem 7/7/7 (28)... 142	
COSENTYX PEN... 155	cyclobenzaprine... 187	
COSENTYX UNOREADY PEN... 155		

**D**

D.H.E.45... 48	DAYPRO... 12	DEPO-TESTOSTERONE... 143
dabigatran etexilate... 87	daysee... 142	DERMA-SMOOTH/FS BODY OIL... 115
dacarbazine... 53	DAYTRANA... 106	DERMA-SMOOTH/FS SCALP OIL... 115
DACOGEN... 53	DAYVIGO... 188	DERMACEA... 169
dactinomycin... 53	DDAVP... 139	dermacinrx lidocan... 19
dalfampridine... 106	deblitane... 142	DERMOTIC OIL... 179
DALIRESP... 181	decitabine... 54	DESCOVY... 73
DALVANCE... 25	deferasirox... 123	DESFERAL... 123
danazol... 142	deferiprone... 123	desipramine... 39
DANTRIUM... 72	deferoxamine... 123	desloratadine... 181
dantrolene... 72	DEFITELIO... 169	desmopressin... 139
DANYELZA... 54	DELESTROGEN... 142	desog-e.estradiol/e.estradiol... 143
dapsone... 50, 115	DELSTRIGO... 73	desogestrel-ethinyl estradiol... 143
DAPTACEL (DTAP PEDIATRIC) (PF)... 156	DELZICOL... 164	desonide... 115
daptomycin in 0.9 % sod chlor... 26	demeclocycline... 26	DESOWEN... 115
daptomycin... 25, 26	DEMEROL (PF)... 12	desoximetasone... 115
DARAPRIM... 64	DEMEROL... 12	DESOXYN... 106
darifenacin... 136	DEMSE... 94	desrx... 115
DARTISLA... 129	DENAVIR... 73	desvenlafaxine succinate... 39
darunavir ethanolate... 73	DENGVAXIA (PF)... 156	desvenlafaxine... 39
DARZALEX FASPRO... 54	DEPAKOTE ER... 33	DETROL LA... 136
DARZALEX... 54	DEPAKOTE SPRINKLES... 33	DETROL... 136
dasetta 1/35 (28)... 142	DEPAKOTE... 33	DETROL... 136
dasetta 7/7/7 (28)... 142	DEPEN TITRATABS... 123	dexabliss... 137
daunorubicin... 54	DEPO-ESTRADIOL... 142	dexamethasone intensol... 137
DAURISMO... 54	DEPO-MEDROL... 137	dexamethasone sodium phos (pf)... 137, 138
DAYBUE... 106	DEPO-PROVERA... 142, 143	
	DEPO-SUBQ PROVERA 104... 143	

dexamethasone sodium phosphate... 138, 175	dextrose 5%-0.3 % sod.chloride... 123	difluprednate... 175
dexamethasone... 137	dextrose 50 % in water (d50w)... 123	digitek... 94
dexchlorpheniramine maleate... 181	dextrose 70 % in water (d70w)... 123	digox... 94
DEXEDRINE SPANSULE... 106	DHIVY... 66	digoxin... 94
DEXILANT... 129	DIACOMIT... 33	dihydroergotamine... 48
dexlansoprazole... 129	DIASTAT ACUDIAL... 33	DILANTIN EXTENDED... 33
dexmethylphenidate... 106	DIASTAT... 33	DILANTIN INFATABS... 33
dexrazoxane hcl... 54	diazepam intensol... 79	DILANTIN... 33
DEXTENZA... 175	diazepam... 33, 79	DILANTIN-125... 33
dextroamphetamine sulfate... 106, 107	diazoxide... 80	DILAUDID... 12
dextroamphetamine-amphetamine... 107	DIBENZYLIN... 94	dilt-xr... 94
dextrose 10 % and 0.2 % nacl... 123	dichlorphenamide... 133	diltiazem hcl... 94
dextrose 10 % in water (d10w)... 123	DICLEGIS... 43	dimenhydrinate... 43
dextrose 20 % in water (d20w)... 123	diclofenac epolamine... 12	dimethyl fumarate... 107
dextrose 25 % in water (d25w)... 123	diclofenac potassium... 12	DIOVAN HCT... 94
dextrose 30 % in water (d30w)... 123	diclofenac sodium... 12, 115, 175	DIOVAN... 94
dextrose 40 % in water (d40w)... 123	diclofenac-misoprostol... 12	DIPENTUM... 164
dextrose 5 % in water (d5w)... 123	dicloxacillin... 26	DIPHEN... 181
dextrose 5 %-lactated ringers... 123	dicyclomine... 129	diphenhydramine hcl... 181
dextrose 5%-0.2 % sod chloride... 123	didanosine... 73	diphenoxylate-atropine... 129
	diethylpropion... 194	DIPROLENE (AUGMENTED)... 116
	DIFFERIN... 115	dipyridamole... 87
	DIFICID... 26	disopyramide phosphate... 94
	diflorasone... 116	disulfiram... 21
	DIFLUCAN... 45	DITROPAN XL... 136
	diflunisal... 12	DIURIL... 94
		divalproex... 33
		DIVIGEL... 143



dobutamine in d5w... 94	doxorubicin, peg-liposomal... 54	DULERA... 181
dobutamine... 94	doxy-100... 26	duloxetine... 39
DOCEFREZ... 54	doxycycline hyclate... 26	DUOBRII... 116
docetaxel... 54	doxycycline monohydrate... 26	DUOPA... 66
dodex... 193	doxylamine-pyridoxine (vit b6)... 43	DUPIXENT PEN... 156
dofetilide... 94	DRISDOL... 193	DUPIXENT SYRINGE... 156
DOJOLVI... 169	DRIZALMA SPRINKLE... 39	DURAMORPH (PF)... 12
dolishale... 143	dronabinol... 43	DUREZOL... 175
donepezil... 38	droperidol... 68	DURYSTA... 175
dopamine in 5 % dextrose... 95	DROPLET INSULIN SYR(HALF UNIT)... 169	dutasteride... 136
dopamine... 95	DROPLET INSULIN SYRINGE... 169	dutasteride-tamsulosin... 136
DOPRAM... 181	DROPLET MICRON PEN NEEDLE... 169	DUZALLO... 47
DOPTELET (10 TAB PACK)... 87	DROPLET PEN NEEDLE... 169	dvorah... 13
DOPTELET (15 TAB PACK)... 87	DROPSAFE ALCOHOL PREP PADS... 169	DXEVO... 138
DOPTELET (30 TAB PACK)... 87	DROPSAFE INSULIN SYRINGE... 169	DYANAVEL XR... 107
DORYX MPC... 26	DROPSAFE PEN NEEDLE... 169	DYMISTA... 181
DORYX... 26	drosiprenone-e.estradiol-lm.fa... 143	DYRENIUM... 95
dorzolamide... 175	drosiprenone-ethinyl estradiol... 143	d10 %-0.45 % sodium chloride... 123
dorzolamide-timolol (pf)... 175	DROXIA... 169	d2.5 %-0.45 % sodium chloride... 123
dorzolamide-timolol... 175	droxidopa... 95	d5 % and 0.9 % sodium chloride... 123
dotti... 143	DUAKLIR PRESSAIR... 181	d5 %-0.45 % sodium chloride... 123
DOVATO... 73	DUAVEE... 143	
DOVONEX... 116	DUET DHA WITH OMEGA-3... 123	<b>E</b>
doxazosin... 95	DUETACT... 80	E.E.S. GRANULES... 27
doxepin... 79, 116, 188	DUEXIS... 12	E.E.S. 400... 26
doxercalciferol... 166		EASY COMFORT ALCOHOL PAD... 170
DOXIL... 54		
doxorubicin... 54		

EASY TOUCH ALCOHOL PREP PADS... 170	ELIDEL... 116	EMSAM... 40
EC-NAPROSYN... 13	ELIGARD (3 MONTH)... 152	emtricitabine... 73
ec-naproxen... 13	ELIGARD (4 MONTH)... 152	emtricitabine-tenofovir (tdf)... 73
econazole... 45	ELIGARD (6 MONTH)... 152	EMTRIVA... 74
EDARBI... 95	ELIGARD... 152	emverm... 64
EDARBYCLOR... 95	ELIMITE... 116	enalapril maleate... 95
EDECIN... 95	elinest... 143	enalapril-hydrochlorothiazide... 95
edetate calcium disodium... 170	ELIQUIS DVT-PE TREAT 30D START... 87	enalaprilat... 95
EDLUAR... 188	ELIQUIS... 87	ENBREL MINI... 156
EDURANT... 73	ELITEK... 54	ENBREL SURECLICK... 156
efavirenz... 73	ELIXOPHYLLIN... 181	ENBREL... 156
efavirenz-emtricitabin-tenofov... 73	ELLA... 143	ENDARI... 129
efavirenz-lamivu-tenofov disop... 73	ELLECE... 54	endocet... 13
EFFEXOR XR... 39, 40	ELMIRON... 136	ENDOMETRIN... 143
EFFIENT... 87	ELREXFIO... 54	ENGERIX-B (PF)... 156
EFUDEX... 116	eluryng... 143	ENGERIX-B PEDIATRIC (PF)... 156
EGATEN... 64	ELYXYB... 170	ENHERTU... 54
EGRIFTA SV... 139	ELZONRIS... 54	enilloring... 143
ELAPRASE... 133	EMCYT... 54	ENJAYMO... 156
electrolyte-a... 123	EMEND (FOSAPREPITANT)... 43	enoxaparin... 87
electrolyte-148... 123	EMEND... 43	enpresse... 143
electrolyte-48 in d5w... 123	EMFLAZA... 138	enskyce... 143
ELELYSO... 133	EMGALITY PEN... 48	ENSPRYNG... 156
ELESTRIN... 143	EMGALITY SYRINGE... 48	ENSTILAR... 116
eletriptan... 48	emoquette... 143	entacapone... 66
ELEVIDYS... 133	EMPAVELI... 170	ENTADFI... 136
ELFABRIO... 134	EMPLICITI... 54	entecavir... 74
		ENTOCORT EC... 164

ENTRESTO... 95	EPSOLAY... 116	erythromycin-benzoyl peroxide... 116
ENTYVIO PEN... 156	eptifibatide... 87	ESBRIET... 182
ENTYVIO... 156	EPZICOM... 74	escitalopram oxalate... 40
enulose... 130	EQUETRO... 33	ESGIC... 170
ENVARUS XR... 156	ERAXIS(WATER DILUENT)... 45	esmolol in nacl (iso-osm)... 95
EPANED... 95	ERBITUX... 54	esmolol... 95
EPCLUSA... 74	ergocalciferol (vitamin d2)... 193	esomeprazole magnesium... 130
EPIDIOLEX... 33	ergoloid... 38	esomeprazole sodium... 130
EPIDUO FORTE... 116	ERGOMAR... 48	ESOMEPRAZOLE STRONTIUM... 130
EPIDUO... 116	ergotamine-caffeine... 48	estarylla... 143
EPIFOAM... 116	ERIVEDGE... 54	estazolam... 188
epinastine... 175	ERLEADA... 54	ESTRACE... 143
epinephrine... 181	erlotinib... 54	estradiol valerate... 144
EPIPEN JR 2-PAK... 182	ERMEZA... 151	estradiol... 143, 144
EPIPEN JR... 181	errin... 143	estradiol-norethindrone acet... 144
EPIPEN 2-PAK... 181	ERTACZO... 45	ESTRING... 144
EPIPEN... 181	ertapenem... 27	ESTROGEL... 144
epirubicin... 54	ery pads... 116	eszopiclone... 188
epitol... 33	ERY-TAB... 27	ethacrynate sodium... 95
EPIVIR HBV... 74	ERYGEL... 116	ethacrynic acid... 95
EPIVIR... 74	ERYPED 200... 27	ethambutol... 50
EPKINLY... 54	ERYPED 400... 27	ethosuximide... 33
eplerenone... 95	ERYTHROCIN (AS STEARATE)... 27	ethynodiol diac-eth estradiol... 144
EPOGEN... 87	ERYTHROCIN... 27	ETHYOL... 55
epoprostenol (glycine)... 182	erythromycin ethylsuccinate... 27	etodolac... 13
epoprostenol... 182	erythromycin lactobionate... 27	etonogestrel-ethinyl estradiol... 144
EPRONTIA... 48	erythromycin with ethanol... 116	ETOPOPHOS... 55
eprosartan... 95	erythromycin... 27, 175	

etoposide... 55	EXSERVAN... 107	FEMARA... 55
etravirine... 74	EXTAVIA... 107	FEMHRT LOW DOSE... 144
EUCRISA... 116	EXTINA... 45	FEMRING... 144
EULEXIN... 55	EYSUVIS... 175	femynor... 144
EURAX... 116	EZALLOR SPRINKLE... 95	fenofibrate micronized... 96
EUTHYROX... 151	ezetimibe... 95	fenofibrate nanocrystallized... 96
EVAMIST... 144	ezetimibe-atorvastatin... 95	fenofibrate... 96
EVEKEO ODT... 107	ezetimibe-rosuvastatin... 95	fenofibric acid (choline)... 96
EVEKEO... 107	ezetimibe-simvastatin... 96	fenofibric acid... 96
EVENITY... 166	<b>F</b>	FENOGLIDE... 96
everolimus (antineoplastic)... 55	FABIOR... 116	fenoprofen... 13
everolimus (immunosuppressive)... 156	FABRAZYME... 134	FENSOLVI... 152
EVISTA... 144	falmina (28)... 144	fentanyl citrate (pf)... 13
EVKEEZA... 95	famciclovir... 74	fentanyl citrate... 13
EVOCLIN... 116	famotidine (pf)... 130	fentanyl... 13
EVOMELA... 55	famotidine (pf)-nacl (iso-os)... 130	FENTORA... 13
EVOTAZ... 74	famotidine... 130	FERRIPROX (2 TIMES A DAY)... 124
EVOXAC... 111	FANAPT... 69	FERRIPROX... 123, 124
EVRYSDI... 134	FARESTON... 55	fesoterodine... 136
EXELDERM... 45	FARXIGA... 81	FETROJA... 27
EXELON PATCH... 38	FASENRA PEN... 182	FETZIMA... 40
exemestane... 55	FASENRA... 182	FEXMID... 187
EXFORGE HCT... 95	FASLODEX... 55	FIASP FLEXTOUCH U-100 INSULIN... 81
EXFORGE... 95	febuxostat... 47	FIASP PENFILL U-100 INSULIN... 81
EXJADE... 123	felbamate... 33	FIASP U-100 INSULIN... 81
EXKIVITY... 55	FELBATOL... 33	FIBRICOR... 96
EXPAREL (PF)... 19	FELDENE... 13	FILSPARI... 170
	felodipine... 96	

FINACEA... 116	fludrocortisone... 138	FOCALIN XR... 107
finasteride... 136, 190	FLUMADINE... 74	FOCALIN... 107
fingolimod... 107	flumazenil... 170	folic acid... 193
FINTEPLA... 33	flunisolide... 182	FOLLISTIM AQ... 192
finzala... 144	fluocinolone acetonide oil... 179	FOLOTYN... 55
FIORICET WITH CODEINE... 170	fluocinolone and shower cap... 116	fomepizole... 170
fioricet... 170	fluocinolone... 116	fondaparinux... 87
FIRAZYR... 156	fluocinonide... 116, 117	FORFIVO XL... 40
FIRDAPSE... 107	fluocinonide-e... 117	formoterol fumarate... 182
FIRMAGON KIT W DILUENT SYRINGE... 152	fluocinonide-emollient... 117	FORTEO... 166
FIRMAGON... 152	fluorometholone... 175	FORTESTA... 144
FIRVANQ... 27	FLUOROPLEX... 117	FOSAMAX PLUS D... 166
flac otic oil... 179	fluorouracil... 55, 117	FOSAMAX... 166
FLAGYL... 27	fluoxetine... 40	fosamprenavir... 74
FLAREX... 175	fluphenazine decanoate... 69	fosaprepitant... 43
flavoxate... 136	fluphenazine hcl... 69	foscarnet... 74
FLEBOGAMMA DIF... 156	flurandrenolide... 117	FOSCAVIR... 74
flecainide... 96	flurazepam... 188	fosfomycin tromethamine... 27
FLECTOR... 13	flurbiprofen sodium... 175	fosinopril... 96
FLEQSUVY... 72	flurbiprofen... 13	fosinopril-hydrochlorothiazide... 96
FLOLIPID... 96	flutamide... 55	fosphenytoin... 33
FLOMAX... 136	fluticasone propion-salmeterol... 182	FOSRENOL... 124
floxuridine... 55	fluticasone propionate... 117, 182	FOTIVDA... 55
fluconazole in nacl (iso-osm)... 45	fluvastatin... 96	FRAGMIN... 87, 88
fluconazole... 45	fluvoxamine... 40	FROVA... 48
flucytosine... 45	FML FORTE... 175	frovatriptan... 48
fludarabine... 55	FML LIQUIFILM... 175	FULPHILA... 88
		fulvestrant... 55

FURADANTIN... 27	GASTROCROM... 182	GEODON... 69
FUROSCIX... 96	gatifloxacin... 175	GILENYA... 107
furosemide... 96	GATTEX ONE-VIAL... 130	GILOTRIF... 55
FUSILEV... 55	GATTEX 30-VIAL... 130	GIMOTI... 43
FUZEON... 74	GAUZE BANDAGE... 170	GIVLAARI... 170
FYARRO... 55	GAUZE PAD... 170	GLASSIA... 134
fyavolv... 144	gavilyte-c... 130	glatiramer... 107
FYCOMPA... 33, 34	gavilyte-g... 130	glatopa... 107
FYLNETRA... 88	gavilyte-n... 130	GLEEEVEC... 55
fyremadel... 192	GAVRETO... 55	GLEOSTINE... 55, 56
<b>G</b>	GAZYVA... 55	glimepiride... 81
gabapentin... 34	gefitinib... 55	glipizide... 81
GABITRIL... 34	GELNIQUE... 136	glipizide-metformin... 81
GALAFOLD... 134	gemcitabine... 55	GLOPERBA... 48
galantamine... 38	gemfibrozil... 96	GLUCAGEN HYPOKIT... 81
GAMASTAN S/D... 156	gemmily... 144	GLUCAGON (HCL) EMERGENCY KIT... 81
GAMASTAN... 156	GEMTESA... 136	glucagon emergency kit (human)... 81
GAMIFANT... 156	GENERESS FE... 144	GLUCOTROL XL... 81
GAMMAGARD LIQUID... 156	generlac... 130	GLUMETZA... 81
GAMMAGARD S-D (IGA < 1 MCG/ML)... 156	gengraf... 157	glyburide micronized... 81
GAMMAKED... 157	GENOTROPIN MINIQUICK... 140	glyburide... 81
GAMMAPLEX (WITH SORBITOL)... 157	GENOTROPIN... 139	glyburide-metformin... 81
GAMMAPLEX... 157	gentak... 175	GLYCATE... 130
GAMUNEX-C... 157	gentamicin in nacl (iso-osm)... 27	GLYCOPHOS... 124
ganciclovir sodium... 74	gentamicin sulfate (ped) (pf)... 27	glycopyrrolate (pf) in water... 130
GANIRELIX... 192	gentamicin sulfate (pf)... 27	glycopyrrolate (pf)... 130
GARDASIL 9 (PF)... 157	gentamicin... 27, 175	
	GENVOYA... 74	

glycopyrrolate... 130	HADLIMA(CF)... 157	HERCEPTIN HYLECTA... 56
glydo... 19	HAEGARDA... 157	HERCEPTIN... 56
GLYNASE... 81	hailey fe 1.5/30 (28)... 144	HERZUMA... 56
GLYXAMBI... 81	hailey fe 1/20 (28)... 144	HETLIOZ LQ... 188
GOCOVRI... 66	hailey 24 fe... 144	HETLIOZ... 188
GOLYTELY... 130	hailey... 144	HIBERIX (PF)... 157
GONAL-F RFF REDI-JECT... 192	HALAVEN... 56	HIPREX... 27
GONAL-F RFF... 192	halcinonide... 117	HIZENTRA... 157
GONAL-F... 192	HALCION... 188	HORIZANT... 108
GONITRO... 96	HALDOL DECANOATE... 69	HULIO(CF) PEN... 157
GRALISE... 107, 108	halobetasol propionate... 117	HULIO(CF)... 157
granisetron (pf)... 43	haloette... 144	HUMALOG JUNIOR KWIKPEN U-100... 81
granisetron hcl... 43	HALOG... 117	HUMALOG KWIKPEN INSULIN... 81
GRANIX... 88	haloperidol decanoate... 69	HUMALOG MIX 50-50 INSULN U-100... 81
GRASTEK... 182	haloperidol lactate... 69	HUMALOG MIX 50-50 KWIKPEN... 82
griseofulvin microsize... 45	haloperidol... 69	HUMALOG MIX 75-25 KWIKPEN... 82
griseofulvin ultramicrosize... 45	HARVONI... 74	HUMALOG MIX 75-25(U-100)INSULN... 82
guanfacine... 96, 108	HAVRIX (PF)... 157	HUMALOG TEMPO PEN(U-100)INSULN... 82
GVOKE HYPOPEN 1-PACK... 81	heather... 144	HUMALOG U-100 INSULIN... 82
GVOKE HYPOPEN 2-PACK... 81	HECTOROL... 166	HUMATIN... 27
GVOKE PFS 1-PACK SYRINGE... 81	HEMABATE... 140	HUMATROPE... 140
GVOKE PFS 2-PACK SYRINGE... 81	HEMADY... 138	HUMIRA PEN CROHNS-UC-HS START... 157
GVOKE... 81	HEMANGEOL... 97	HUMIRA PEN PSOR-UVEITS-ADOL HS... 157
gynazole-1... 45	hemmorex-hc... 164	
<b>H</b>	heparin (porcine)... 88	
HADLIMA PUSHTOUCH... 157	heparin, porcine (pf)... 88	
HADLIMA... 157	HEPLISAV-B (PF)... 157	
HADLIMA(CF) PUSHTOUCH... 157	HEPSERA... 74	

HUMIRA PEN... 157	HYDREA... 56	HYPERTET (PF)... 158
HUMIRA... 157	hydrochlorothiazide... 97	HYRIMOZ PEN CROHN'S-UC STARTER... 158
HUMIRA(CF) PEDI CROHNS STARTER... 158	hydrocodone bitartrate... 13	HYRIMOZ PEN PSORIASIS STARTER... 158
HUMIRA(CF) PEN CROHNS-UC-HS... 158	hydrocodone-acetaminophen... 13	HYRIMOZ(CF) PEDI CROHN STARTER... 158
HUMIRA(CF) PEN PEDIATRIC UC... 158	hydrocodone-chlorpheniramine... 191	HYRIMOZ(CF) PEN... 158
HUMIRA(CF) PEN PSOR-UV-ADOL HS... 158	hydrocodone-homatropine... 191	HYRIMOZ(CF)... 158
HUMIRA(CF) PEN... 158	hydrocodone-ibuprofen... 13	HYSINGLA ER... 14
HUMIRA(CF)... 157	hydrocortisone acetate... 164	HYZAAR... 97
HUMULIN N NPH INSULIN KWIKPEN... 82	hydrocortisone butyr-emollient... 117	<b>I</b>
HUMULIN N NPH U-100 INSULIN... 82	hydrocortisone butyrate... 117, 118	ibandronate... 166
HUMULIN R REGULAR U-100 INSULN... 82	hydrocortisone valerate... 118	IBRANCE... 56
HUMULIN R U-500 (CONC) INSULIN... 82	hydrocortisone... 117, 164	IBSRELA... 130
HUMULIN R U-500 (CONC) KWIKPEN... 82	hydrocortisone-acetic acid... 179	ibu... 14
HUMULIN 70/30 U-100 INSULIN... 82	hydrocortisone-pramoxine... 190	ibuprofen... 14
HUMULIN 70/30 U-100 KWIKPEN... 82	hydromet... 191	ibuprofen-famotidine... 14
HYCAMTIN... 56	hydromorphone (pf)... 14	ibutilide fumarate... 97
HYCODAN (WITH HOMATROPINE)... 191	hydromorphone... 14	icatibant... 158
HYCODAN... 191	hydroquinone... 190	iclevia... 144
hydralazine... 97	hydroxocobalamin... 193	ICLUSIG... 56
	hydroxychloroquine... 64, 65	IDACIO(CF) PEN CROHN-UC STARTR... 158
	hydroxyurea... 56	IDACIO(CF) PEN PSORIASIS START... 158
	hydroxyzine hcl... 79	IDACIO(CF) PEN... 158
	hydroxyzine pamoate... 182	IDACIO(CF)... 158
	HYFTOR... 118	IDAMYCIN PFS... 56
	HYPERRAB (PF)... 158	
	HYPERRAB S/D (PF)... 158	



idarubicin... 56	INCRUSE ELLIPTA... 182	INSULIN LISPRO PROTAMIN-LISPRO... 82
IDHIFA... 56	indapamide... 97	INSULIN LISPRO... 82
IFEX... 56	INDERAL LA... 97	INSULIN SYRINGE MICROFINE... 170
ifosfamide... 56	INDOCIN... 14	INSULIN SYRINGE NEEDLELESS... 170
IGALMI... 170	indomethacin sodium... 14	INSULIN SYRINGE... 170
ILEVRO... 175	indomethacin... 14	INSULIN SYRINGE-NEEDLE U-100... 170
ILUMYA... 158	INFANRIX (DTAP) (PF)... 158	INTELENCE... 74
imatinib... 56	INFLECTRA... 158	INTRALIPID... 124
IMBRUVICA... 56	INFLIXIMAB... 158	INTRON A... 159
IMFINZI... 56	INFUGEM... 56	INTUNIVER... 108
imipenem-cilastatin... 27	INFUMORPH P/F... 14	INVANZ... 27
imipramine hcl... 40	INFUVITE ADULT... 193	INVEGA HAFYERA... 69
imipramine pamoate... 40	INFUVITE PEDIATRIC... 193	INVEGA SUSTENNA... 69
imiquimod... 118	INGREZZA INITIATION PACK... 108	INVEGA TRINZA... 69
IMITREX STATDOSE PEN... 48	INGREZZA... 108	INVEGA... 69
IMITREX STATDOSE REFILL... 48	INLYTA... 56, 57	INVELTYS... 176
IMITREX... 48	INNOPRAN XL... 97	INVIRASE... 74
IMJUDO... 56	INPEFA... 82	INVOKAMET XR... 83
IMLYGIC... 56	INQOVI... 57	INVOKAMET... 82
IMOGAM RABIES-HT (PF)... 158	INREBIC... 57	INVOKANA... 83
IMOVAX RABIES VACCINE (PF)... 158	INSPIRA... 97	IONOSOL-B IN D5W... 124
IMPAVIDO... 65	INSULIN ASP PRT-INSULIN ASPART... 82	IONOSOL-MB IN D5W... 124
IMPEKLO... 118	INSULIN ASPART U-100... 82	IOPIDINE... 176
IMURAN... 158	INSULIN DEGLUDEC... 82	IPOL... 159
INBRIJA... 66	INSULIN GLARGINE... 82	ipratropium bromide... 182
incassia... 144	INSULIN GLARGINE-YFGN... 82	ipratropium-albuterol... 182
INCONTROL ALCOHOL PADS... 170		
INCRELEX... 140		

irbesartan... 97	IYUZEH... 176	JULUCA... 75
irbesartan-hydrochlorothiazide... 97		junel fe 1.5/30 (28)... 145
IRESSA... 57	JADENU SPRINKLE... 124	junel fe 1/20 (28)... 145
irinotecan... 57	JADENU... 124	junel fe 24... 145
ISENTRESS HD... 75	jaimiess... 144	junel 1.5/30 (21)... 145
ISENTRESS... 75	JAKAFI... 57	junel 1/20 (21)... 145
isibloom... 144	JALYN... 136	JUXTAPID... 97
ISOLYTE S PH 7.4... 124	jantoven... 88	JYNARQUE... 124
ISOLYTE-P IN 5 % DEXTROSE... 124	JANUMET XR... 83	JYNNEOS (PF)(STOCKPILE)... 159
ISOLYTE-S... 124	JANUMET... 83	
isoniazid... 51	JANUVIA... 83	<b>K</b>
ISOPTO CARPINE... 176	JARDIANCE... 83	K-TAB... 124
ISORDIL TITRADOSE... 97	jasmiel (28)... 144	KABIVEN... 124
ISORDIL... 97	JATENZO... 144	KADCYLA... 57
isosorbide dinitrate... 97	javygtor... 134	kaitlib fe... 145
isosorbide mononitrate... 97	JAYPIRCA... 57	KALETRA... 75
isosorbide-hydralazine... 97	JEMPERLI... 57	kalliga... 145
isotretinoin... 118	jencycla... 145	KALYDECO... 182
isradipine... 97	JENTADUETO XR... 83	KANJINTI... 57
ISTALOL... 176	JENTADUETO... 83	KANUMA... 134
ISTODAX... 57	JEVTANA... 57	KAPSPARGO SPRINKLE... 97
ISTURISA... 152	jinteli... 145	KAPVAY... 108
ISUPREL... 97	JOENJA... 134	KARBINAL ER... 182
itraconazole... 45	jolessa... 145	kariva (28)... 145
IV PREP WIPES... 170	JORNAY PM... 108	KATERZIA... 97
ivermectin... 65, 118	joyeaux... 145	KAZANO... 83
IXEMPRA... 57	JUBLIA... 45	KEDRAB (PF)... 159
IXIARO (PF)... 159	juleber... 145	KEFLEX... 27
		kelnor 1-50 (28)... 145

kelnor 1/35 (28)... 145	klor-con m10... 124	lactulose... 130
KENALOG... 138	KLOR-CON M15... 124	LAGEVRIO (EUA)... 170
KENALOG-80... 138	klor-con m20... 124	LAMICTAL ODT STARTER (BLUE)... 34
KENGREAL... 88	KLOR-CON 10... 124	LAMICTAL ODT STARTER (GREEN)... 34
KEPIVANCE... 111	KLOR-CON 8... 124	LAMICTAL ODT STARTER (ORANGE)... 34
KEPPRA XR... 34	klor-con... 124	LAMICTAL ODT... 34
KEPPRA... 34	KLOXXADO... 21	LAMICTAL STARTER (BLUE) KIT... 34
KERENDIA... 97	KONVOMEK... 130	LAMICTAL STARTER (GREEN) KIT... 34
KERYDIN... 45	KORLYM... 170	LAMICTAL STARTER (ORANGE) KIT... 34
KESIMPTA PEN... 108	KOSELUGO... 57	LAMICTAL XR STARTER (BLUE)... 34
ketoconazole... 46	KOSHER PRENATAL PLUS IRON... 124	LAMICTAL XR STARTER (GREEN)... 34
ketodan... 46	kourzeq... 111	LAMICTAL XR STARTER (ORANGE)... 35
ketoprofen... 14	KRAZATI... 57	LAMICTAL XR... 34
ketorolac... 15, 176	KRINTAFEL... 65	LAMICTAL... 34
KEVEYIS... 134	KRISTALOSE... 130	lamivudine... 75
KEVZARA... 159	kurvelo (28)... 145	lamivudine-zidovudine... 75
KEYTRUDA... 57	KUVAN... 134	lamotrigine... 35
KHAPZORY... 57	KYPROLIS... 57	LAMPIT... 65
KIMMTRAK... 57		LAMZEDE... 134
KIMYRSA... 27	<b>L</b>	LANOXIN PEDIATRIC... 98
KINERET... 159	l norgest/e.estradiol-e.estradiol... 145	LANOXIN... 98
KINRIX (PF)... 159	LABETALOL IN DEXTROSE,ISO-OSM... 98	lanreotide... 152
KISQALI FEMARA CO-PACK... 57	LABETALOL IN NACL (ISO-OSMOT)... 98	lansoprazole... 130
KISQALI... 57	labetalol... 98	lanthanum... 124
KITABIS PAK... 27	lacosamide... 34	
KLARON... 28	LACRISERT... 176	
KLISYRI... 118	lactated ringers... 124, 170	
KLONOPIN... 79		

LANTUS SOLOSTAR U-100 INSULIN... 83	LEUKERAN... 58	LEVOXYL... 151
LANTUS U-100 INSULIN... 83	LEUKINE... 88	LEVULAN... 58
lapatinib... 57	leuprolide (3 month)... 152	LEXAPRO... 40
larin fe 1.5/30 (28)... 145	leuprolide... 152	LEXETTE... 118
larin fe 1/20 (28)... 145	levabuterol hcl... 183	LEXIVA... 75
larin 1.5/30 (21)... 145	levabuterol tartrate... 183	LIALDA... 164
larin 1/20 (21)... 145	levamlodipine... 98	LIBTAYO... 58
larin 24 fe... 145	LEVEMIR FLEXPEN... 83	LICART... 15
larissia... 145	LEVEMIR FLEXTOUCH U100 INSULIN... 83	lidocaine (pf) in d7.5w... 19
LASIX... 98	LEVEMIR U-100 INSULIN... 83	lidocaine (pf)... 20, 98
LASTACRAFT... 176	levetiracetam in nacl (iso-os)... 35	lidocaine hcl... 20
latanoprost... 176	levetiracetam... 35	lidocaine in 5 % dextrose (pf)... 98
LATISSE... 190	LEVO-T... 151	lidocaine viscous... 20
LATUDA... 69	levobunolol... 176	lidocaine... 19
LAYOLIS FE... 145	levocarnitine (with sugar)... 124	lidocaine-epinephrine bit... 20
LAZANDA... 15	levocarnitine... 124	lidocaine-epinephrine... 20
leena 28... 145	levocetirizine... 183	lidocaine-prilocaine... 20
leflunomide... 159	levofloxacin in d5w... 28	LIDODERM... 20
LEMTRADA... 108	levofloxacin... 28, 176	lignospan standard... 20
lenalidomide... 57	levoleucovorin calcium... 58	lillow (28)... 146
LENVIMA... 57, 58	levonest (28)... 145	LINCOCIN... 28
LEQVIO... 98	levonorg-eth estrad triphasic... 145	lincomycin... 28
LESCOL XL... 98	levonorgestrel-ethinyl estrad... 145	lindane... 118
lessina... 145	LEVOPHED (BITARTRATE)... 98	linezolid in dextrose 5%... 28
LETAIRIS... 182	levora-28... 146	linezolid... 28
letrozole... 58	levorphanol tartrate... 15	linezolid-0.9% sodium chloride... 28
leucovorin calcium... 58	levothyroxine... 151	LINZESS... 130
		liothyronine... 151

LIPITOR... 98	lomaira... 194	lovastatin... 98, 99
LIPOFEN... 98	LOMOTIL... 130	LOVAZA... 99
LIQREV... 183	LONHALA MAGNAIR REFILL... 183	LOVENOX... 88
lisdexamfetamine... 108	LONHALA MAGNAIR STARTER... 183	low-ogestrel (28)... 146
lisinopril... 98	LONSURF... 58	loxapine succinate... 69
lisinopril-hydrochlorothiazide... 98	loperamide... 131	lubiprostone... 131
LITFULO... 170	LOPID... 98	LUCEMYRA... 21
lithium carbonate... 80	lopinavir-ritonavir... 75	luliconazole... 46
lithium citrate... 80	LOPRESSOR... 98	LUMAKRAS... 58
LITHOBID... 80	LOPROX (AS OLAMINE)... 46	LUMIGAN... 176
LITHOSTAT... 170	LOPROX... 46	LUMIZYME... 134
LIVALO... 98	lorazepam intensol... 79	LUMRYZ... 188
LIVMARLI... 170	lorazepam... 79	LUNESTA... 188
LIVTENCITY... 75	LORBRENA... 58	LUNSUMIO... 58
LO LOESTRIN FE... 146	LOREEV XR... 79	LUPANETA PACK (1 MONTH)... 152
lo-zumandimine (28)... 146	lortab elixir... 15	LUPKYNIS... 159
LOCOID LIPOCREAM... 118	loryna (28)... 146	LUPRON DEPOT (3 MONTH)... 152
LOCOID... 118	LORZONE... 187	LUPRON DEPOT (4 MONTH)... 152
LODINE... 15	losartan... 98	LUPRON DEPOT (6 MONTH)... 152
LODOCO... 98	losartan-hydrochlorothiazide... 98	LUPRON DEPOT... 152
LODOSYN... 66	LOSEASONIQUE... 146	LUPRON DEPOT-PED (3 MONTH)... 152
LOESTRIN FE 1.5/30 (28-DAY)... 146	LOTEMAX SM... 176	LUPRON DEPOT-PED... 152
LOESTRIN FE 1/20 (28-DAY)... 146	LOTEMAX... 176	lurasidone... 69
LOESTRIN 1.5/30 (21)... 146	LOTENSIN HCT... 98	lutra (28)... 146
LOESTRIN 1/20 (21)... 146	LOTENSIN... 98	LUXIQ... 118
lofena... 15	loteprednol etabonate... 176	LUZU... 46
lojaimiess... 146	LOTREL... 98	LYBALVI... 69
LOKELMA... 124	LOTRONEX... 131	

lyleq... 146	magnesium sulfate... 125	MAVYRET... 75
lyllana... 146	MALARONE PEDIATRIC... 65	MAXALT... 48
LYNPARZA... 58	MALARONE... 65	MAXALT-MLT... 49
LYRICA CR... 108	malathion... 118	MAXIDEX... 176
LYRICA... 108	mannitol 10 %... 99	MAXITROL... 176
LYSODREN... 152	mannitol 20 %... 99	MAXZIDE... 99
LYSTEDA... 88	mannitol 25 %... 99	MAXZIDE-25MG... 99
LYTGOBI... 58	mannitol 5 %... 99	MAYZENT STARTER(FOR 1MG MAINT)... 108
LYUMJEV KWIKPEN U-100 INSULIN... 83	maraviroc... 75	MAYZENT STARTER(FOR 2MG MAINT)... 108
LYUMJEV KWIKPEN U-200 INSULIN... 83	MARCAINE (PF)... 20	MAYZENT... 108
LYUMJEV TEMPO PEN(U-100)INSULN... 83	MARCAINE SPINAL (PF)... 20	meclizine... 43
LYUMJEV U-100 INSULIN... 83	MARCAINE... 20	meclofenamate... 15
LYVISPAH... 72	MARCAINE-EPINEPHRINE (PF)... 20	MEDROL (PAK)... 138
lyza... 146	MARCAINE-EPINEPHRINE... 20	MEDROL... 138
<b>M</b>	MARGENZA... 58	medroxyprogesterone... 146
M.V.I. ADULT... 193	MARINOL... 43	mefenamic acid... 15
M.V.I. PEDIATRIC... 193	marlissa (28)... 146	mefloquine... 65
M.V.I.-12 (WITHOUT VITAMIN K)... 193	MARPLAN... 40	megestrol... 146
M-M-R II (PF)... 159	MATULANE... 58	MEKINIST... 58
m-natal plus... 125	matzim la... 99	MEKTOVI... 58
MACROBID... 28	MAVENCLAD (10 TABLET PACK)... 108	meloxicam submicronized... 15
MACRODANTIN... 28	MAVENCLAD (4 TABLET PACK)... 108	meloxicam... 15
mafenide acetate... 118	MAVENCLAD (5 TABLET PACK)... 108	melphalan hcl... 58
magnesium sulfate in d5w... 125	MAVENCLAD (6 TABLET PACK)... 108	melphalan... 58
magnesium sulfate in water... 125	MAVENCLAD (7 TABLET PACK)... 108	memantine... 38
	MAVENCLAD (8 TABLET PACK)... 108	MENACTRA (PF)... 159
	MAVENCLAD (9 TABLET PACK)... 108	

MENEST... 146	METHADOSE... 15	metoprolol succinate... 99
MENOPUR... 192	methamphetamine... 108	metoprolol ta-hydrochlorothiaz... 99
MENOSTAR... 146	methazolamide... 99	metoprolol tartrate... 99
MENQUADFI (PF)... 159	methenamine hippurate... 28	METRO I.V.... 28
MENTAX... 46	methergine... 170	METROCREAM... 28
MENVEO A-C-Y-W-135-DIP (PF)... 159	methimazole... 153	METROGEL VAGINAL... 28
meperidine (pf)... 15	METHITEST... 146	METROGEL... 28
meperidine... 15	methocarbamol... 187	METROLOTION... 28
MEPHYTON... 193	methotrexate sodium (pf)... 159	metronidazole in nacl (iso-os)... 28
meprobamate... 79	methotrexate sodium... 159	metronidazole... 28
MEPRON... 65	methoxsalen... 118	metyrosine... 99
MEPSEVII... 134	methscopolamine... 131	mexiletine... 99
mercaptapurine... 58	methsuximide... 35	MIACALCIN... 166
meropenem... 28	methyldopa... 99	mibelas 24 fe... 146
meropenem-0.9% sodium chloride... 28	methyldopa-hydrochlorothiazide... 99	micafungin... 46
merzee... 146	methyldopate... 99	MICARDIS HCT... 99
mesalamine... 164, 165	methylergonovine... 170	MICARDIS... 99
mesna... 58	METHYLIN... 109	miconazole nitrate-zinc ox-pet... 46
MESNEX... 58, 59	methylphenidate hcl... 109	miconazole-3... 46
MESTINON TIMESPAN... 50	methylphenidate... 109	microgestin fe 1.5/30 (28)... 147
MESTINON... 50	methylprednisolone acetate... 138	microgestin fe 1/20 (28)... 147
metadate er... 108	methylprednisolone sodium succ... 138	microgestin 1.5/30 (21)... 146
metaxalone... 187	methylprednisolone... 138	microgestin 1/20 (21)... 146
metformin... 83	methyltestosterone... 146	microgestin 24 fe... 146
methadone intensol... 15	metoclopramide hcl... 43	midodrine... 99
methadone... 15	metolazone... 99	MIEBO... 176
		migergot... 49

miglitol... 84	MOBIC... 16	MULTAQ... 100
miglustat... 134	modafinil... 188	mupirocin calcium... 118
MIGRANAL... 49	moexipril... 100	mupirocin... 118
mili... 147	molindone... 70	MUTAMYCIN... 59
millipred dp... 138	mometasone... 118, 183	MVASI... 59
millipred... 138	mondoxyne nl... 29	MYALEPT... 131
milrinone in 5 % dextrose... 99	MONJUVI... 159	MYAMBUTOL... 51
milrinone... 99	mono-lyyah... 147	MYCAMINE... 46
mimvey... 147	MONODOX... 29	MYCAPSSA... 152
MINASTRIN 24 FE... 147	montelukast... 183	MYCOBUTIN... 51
MINIPRESS... 99	MONUROL... 29	mycophenolate mofetil (hcl)... 159
minitran... 99	morgidox... 29	mycophenolate mofetil... 159
MINIVELLE... 147	morphine (pf)... 16	mycophenolate sodium... 159
MINOCIN... 28	morphine concentrate... 16	MYDAYIS... 109
minocycline... 28, 29	morphine... 16	MYFEMBREE... 170
MINOLIRA ER... 29	MOTEGRITY... 131	MYFORTIC... 159
minoxidil... 100	MOTOFEN... 131	MYLOTARG... 59
MIOSTAT... 176	MOUNJARO... 84	myorisan... 118
MIRAPEX ER... 66	MOVANTIK... 131	MYRBETRIQ... 136
MIRAPEX... 66	MOVIPREP... 131	MYSOLINE... 35
MIRCETTE (28)... 147	MOXEZA... 176	MYTESI... 131
mirtazapine... 40	moxifloxacin... 29, 176	<b>N</b>
MIRVASO... 118	moxifloxacin-sod.ace,sul-water... 29	nabumetone... 16
misoprostol... 131	moxifloxacin-sod.chloride(iso)... 29	nadolol... 100
MITIGARE... 48	MOZOBIL... 88	nafcillin in dextrose iso-osm... 29
mitigo (pf)... 15	MS CONTIN... 16	nafcillin... 29
mitomycin... 59	MULPLETA... 88	naftifine... 46
mitoxantrone... 59		NAFTIN... 46



NAGLAZYME... 134	NATPARA... 166	NESINA... 84
nalbuphine... 16	NATROBA... 118	neuac... 118
NALFON... 17	NAYZILAM... 35	NEULASTA ONPRO... 88
nalmeffene... 21	nebivolol... 100	NEULASTA... 88
nalocet... 17	NEBUPENT... 65	NEUPOGEN... 88
naloxone... 21	necon 0.5/35 (28)... 147	NEUPRO... 66
naltrexone... 21	nefazodone... 40	NEURONTIN... 35
NAMENDA TITRATION PAK... 38	nelarabine... 59	NEVANAC... 177
NAMENDA XR... 38	NEMBUTAL SODIUM... 35	nevirapine... 75
NAMENDA... 38	neo-polycin hc... 176	NEXAVAR... 59
NAMZARIC... 38	neo-polycin... 176	NEXIUM IV... 131
NAPRELAN CR... 17	NEO-SYNALAR... 118	NEXIUM PACKET... 131
NAPROSYN... 17	neomycin... 29	NEXIUM... 131
naproxen sodium... 17	neomycin-bacitracin-poly-hc... 176	NEXLETOL... 100
naproxen... 17	neomycin-bacitracin-polymyxin... 176	NEXLIZET... 100
naproxen-esomeprazole... 17	neomycin-polymyxin b gu... 171	NEXTERONE... 100
naratriptan... 49	neomycin-polymyxin b-dexameth... 176, 177	NEXTSTELLIS... 147
NARCAN... 21	neomycin-polymyxin-gramicidin... 177	NEXVIAZYME... 134
NARDIL... 40	neomycin-polymyxin-hc... 177, 179	NGENLA... 140
NAROPIN (PF)... 20	NEONATAL COMPLETE... 125	niacin... 100
NASCOBAL... 193	NEONATAL PLUS VITAMIN... 125	niacor... 100
NASONEX... 183	NEONATAL-DHA... 125	NIASPAN EXTENDED-RELEASE... 100
NATACHEW (FE BIS-GLYCINATE)... 125	NEORAL... 159	nicardipine... 100
NATACYN... 176	NERLYNX... 59	NICOTROL NS... 21
NATAZIA... 147	NESACAINE... 20	NICOTROL... 21
nateglinide... 84	NESACAINE-MPF... 20	nifedipine... 100
NATESTO... 147		nikki (28)... 147
		NILANDRON... 59

nilutamide... 59	norethindrone ac-eth estradiol... 147	NOURIANZ... 66
nimodipine... 100	norethindrone acetate... 147	NOVAREL... 140
NINLARO... 59	norethindrone-e.estradiol-iron... 147	NOVOLIN N FLEXPEN... 84
NIPENT... 59	NORGESIC FORTE... 187	NOVOLIN N NPH U-100 INSULIN... 84
nisoldipine... 100	norgesic... 187	NOVOLIN R FLEXPEN... 84
nitazoxanide... 65	norgestimate-ethinyl estradiol... 147	NOVOLIN R REGULAR U100 INSULIN... 84
nitisinone... 134	NORITATE... 29	NOVOLIN 70-30 FLEXPEN U-100... 84
NITRO-BID... 100	NORLIQVA... 101	NOVOLIN 70/30 U-100 INSULIN... 84
NITRO-DUR... 100	norlyda... 147	NOVOLOG FLEXPEN U-100 INSULIN... 84
nitrofurantoin macrocrystal... 29	NORMOSOL-M IN 5 % DEXTROSE... 125	NOVOLOG MIX 70-30 U-100 INSULIN... 84
nitrofurantoin monohyd/m-cryst... 29	NORMOSOL-R IN 5 % DEXTROSE... 125	NOVOLOG MIX 70-30FLEXPEN U-100... 84
nitrofurantoin... 29	NORMOSOL-R PH 7.4... 125	NOVOLOG PENFILL U-100 INSULIN... 84
nitroglycerin in 5 % dextrose... 100	NORPACE CR... 101	NOVOLOG U-100 INSULIN ASPART... 84
nitroglycerin... 100	NORPACE... 101	NOVOPEN ECHO... 171
NITROLINGUAL... 101	NORPRAMIN... 40	NOXAFIL... 46
NITROSTAT... 101	NORTHERA... 101	np thyroid... 151
NITYR... 134	nortrel 0.5/35 (28)... 147	NUBEQA... 59
NIVESTYM... 88, 89	nortrel 1/35 (21)... 147	NUCALA... 183
nizatidine... 131	nortrel 1/35 (28)... 147	NUCYNTA ER... 17
NOCDURNA (MEN)... 140	nortrel 7/7/7 (28)... 147	NUCYNTA... 17
NOCDURNA (WOMEN)... 140	nortriptyline... 40	NUEDEXTA... 109
nolix... 118, 119	NORVASC... 101	
nora-be... 147	NORVIR... 75	
NORDITROPIN FLEXPEN... 140		
norepinephrine bitartrate... 101		
noreth-ethinyl estradiol-iron... 147		
norethindrone (contraceptive)... 147		

NULIBRY... 134	OALIVA... 131	omeprazole... 131
NULYTELY LEMON-LIME... 131	ocella... 148	omeprazole-sodium bicarbonate... 131
NUPLAZID... 70	OCREVUS... 109	OMNARIS... 183
NURTEC ODT... 171	OCTAGAM... 160	OMNIPOD CLASSIC PODS (GEN 3)... 171
NUTRILIPID... 125	octreotide acetate... 153	OMNIPOD DASH INTRO KIT (GEN 4)... 171
NUTROPIN AQ NUSPIN... 140	OCUFLOX... 177	OMNIPOD DASH PODS (GEN 4)... 171
NUVARING... 147	ODACTRA... 183	OMNIPOD GO PODS 10 UNITS/DAY... 171
NUVESSA... 29	ODEFSEY... 75	OMNIPOD GO PODS 15 UNITS/DAY... 171
NUVIGIL... 188	ODOMZO... 59	OMNIPOD GO PODS 20 UNITS/DAY... 171
NUZYRA... 29	OFEV... 183	OMNIPOD GO PODS 25 UNITS/DAY... 171
nyamyc... 46	ofloxacin... 29, 177, 179	OMNIPOD GO PODS 30 UNITS/DAY... 171
nylia 1/35 (28)... 148	OGIVRI... 59	OMNIPOD GO PODS 40 UNITS/DAY... 171
nylia 7/7/7 (28)... 148	olanzapine... 70	OMNIPOD GO PODS... 171
NYMALIZE... 101	olanzapine-fluoxetine... 41	OMNIPOD 5 G6 INTRO KIT (GEN 5)... 171
nymyo... 148	OLINVYK... 17	OMNIPOD 5 G6 PODS (GEN 5)... 171
nystatin... 46	olmesartan... 101	OMNITROPE... 140
nystatin-triamcinolone... 46	olmesartan-amlodipin-hcthiazyd... 101	ONCASPAR... 59
nystop... 47	olmesartan-hydrochlorothiazide... 101	ondansetron hcl (pf)... 44
NYVEPRIA... 89	olopatadine... 177, 183	ondansetron hcl... 43, 44
<b>O</b>	OLPRUVA... 134	ondansetron... 43
O-CAL PRENATAL... 125	OLUMIANT... 160	ONEXTON... 119
OB COMPLETE ONE... 125	OLUX... 119	
OB COMPLETE PETITE... 125	OLUX-E... 119	
OB COMPLETE PREMIER... 125	OMECLAMOX-PAK... 131	
obagi elastiderm... 190	omega-3 acid ethyl esters... 101	
obagi nu-derm blender... 190	OMEGAVEN... 125	
obagi nu-derm clear... 190		
OBREDON... 191		

ONFI... 35	ORIAHNN... 171	oxacillin in dextrose(iso-osm)... 29
ONGENTYS... 66	ORILISSA... 153	oxacillin... 29
ONIVYDE... 59	ORKAMBI... 184	oxaliplatin... 59
ONPATTRO... 134	ORLADEYO... 160	oxandrolone... 148
ONTRUZANT... 59	orlistat... 171	oxaprozin... 17
ONUREG... 59	orphenadrine citrate... 187	OXAYDO... 17
ONZETRA XSAIL... 49	orphenadrine-asa-caffeine... 187	oxazepam... 79
OPDIVO... 59	orphengesic forte... 187	OXBRYTA... 171
OPDUALAG... 59	ORSERDU... 59	oxcarbazepine... 35
opium tincture... 131	orsythia... 148	OXERVATE... 177
OPSUMIT... 183	ORTHO TRI-CYCLEN (28)... 148	oxiconazole... 47
OPVEE... 22	ORTHO-NOVUM 7/7/7 (28)... 148	OXISTAT... 47
OPZELURA... 119	ORTIKOS... 165	OXLUMO... 171
ORACEA... 29	oseltamivir... 75, 76	OXTELLAR XR... 35
ORALAIR... 183	OSENI... 84	oxybutynin chloride... 136
oralone... 111	OSMITROL 10 %... 101	oxycodone... 17
ORAPRED ODT... 138	OSMITROL 15 %... 101	oxycodone-acetaminophen... 17, 18
ORBACTIV... 29	OSMITROL 20 %... 101	OXYCONTIN... 18
ORENCIA CLICKJECT... 160	OSMITROL 5 %... 101	oxymorphone... 18
ORENCIA... 160	OSMOLEX ER... 66	oxytocin... 171
ORENITRAM MONTH 1 TITRATION KT... 183	OSMOPREP... 131	OXYTROL... 137
ORENITRAM MONTH 2 TITRATION KT... 183	OSPHENA... 148	OZEMPIC... 84
ORENITRAM MONTH 3 TITRATION KT... 184	OTEZLA STARTER... 119	<b>P</b>
ORENITRAM... 183	OTEZLA... 119	PACERONE... 101
ORFADIN... 134	OTOVEL... 179	paclitaxel protein-bound... 59
ORGOVYX... 153	OTREXUP (PF)... 160	paclitaxel... 59
	OVIDE... 119	PADCEV... 59
	OVIDREL... 192	

PALFORZIA (LEVEL 1)... 171	paroex oral rinse... 111	penicillin g sodium... 30
PALFORZIA (LEVEL 10)... 172	paromomycin... 29	penicillin v potassium... 30
PALFORZIA (LEVEL 11 UP-DOSE)... 172	paroxetine hcl... 41	PENNSAID... 18
PALFORZIA (LEVEL 2)... 171	paroxetine mesylate(menop.sym)... 41	PENTACEL (PF)... 160
PALFORZIA (LEVEL 3)... 171	PASER... 51	PENTAM... 65
PALFORZIA (LEVEL 4)... 171	PATANASE... 184	pentamidine... 65
PALFORZIA (LEVEL 5)... 171	PAXIL CR... 41	PENTASA... 165
PALFORZIA (LEVEL 6)... 171	PAXIL... 41	pentazocine-naloxone... 18
PALFORZIA (LEVEL 7)... 171	PAXLOVID... 172	pentobarbital sodium... 35
PALFORZIA (LEVEL 8)... 171	PEDIAPRED... 138	pentoxifylline... 101
PALFORZIA (LEVEL 9)... 171	PEDIARIX (PF)... 160	pepcid... 132
PALFORZIA INITIAL DOSE... 172	PEDVAX HIB (PF)... 160	PERCOCET... 18
PALFORZIA LEVEL 11 MAINTENANCE... 172	peg 3350-electrolytes... 131	PERFOROMIST... 184
paliperidone... 70	peg-electrolyte soln... 131	PERIKABIVEN... 125
PALYNZIQ... 134	peg-prep... 132	perindopril erbumine... 101
PAMELOR... 41	PEGASYS... 160	periogard... 111
pamidronate... 166	peg3350-sod sul-nacl-kcl-asb-c... 132	PERJETA... 60
PANCREAZE... 134	PEMAZYRE... 60	permethrin... 119
PANDEL... 119	pemetrexed disodium... 60	perphenazine... 70
PANRETIN... 59	pemetrexed... 60	perphenazine-amitriptyline... 41
pantoprazole... 131	PEN NEEDLE, DIABETIC... 172	PERSERIS... 70
PANZYGA... 160	penciclovir... 76	PERTZYE... 135
paraplatin... 60	penicillamine... 125	PEXEVA... 41
paricalcitol... 166	penicillin g pot in dextrose... 29	pfizerpen-g... 30
PARLODEL... 66	penicillin g potassium... 29	PHEBURANE... 135
PARNATE... 41	penicillin g procaine... 29	phenazopyridine... 172
		phendimetrazine tartrate... 194
		phenelzine... 41

PHENERGAN... 44	PIQRAY... 60	PONVORY 14-DAY STARTER PACK... 109
phenobarbital sodium... 36	pirfenidone... 184	PONVORY... 109
phenobarbital... 35, 36	pirmella... 148	portia 28... 148
phenoxybenzamine... 101	piroxicam... 18	PORTRAZZA... 60
phentermine... 194	PITOCIN... 172	posaconazole... 47
phenylephrine hcl... 101	PLAQUENIL... 65	POTABA... 193
PHENYTEK... 36	PLASMA-LYTE A... 125	potassium acetate... 125
phenytoin sodium extended... 36	PLASMA-LYTE 148... 125	potassium chlorid-d5-0.45%nacl... 125
phenytoin sodium... 36	PLAVIX... 89	potassium chloride in lr-d5... 126
phenytoin... 36	PLEGRIDY... 109	potassium chloride in water... 126
PHESGO... 60	PLENAMINE... 125	potassium chloride in 0.9%nacl... 126
PHEXXI... 172	PLENITY (WELCOME KIT)... 194	potassium chloride in 5 % dex... 126
philith... 148	PLENITY... 194	potassium chloride... 126
PHOSLYRA... 125	PLENVU... 132	potassium chloride-d5-0.2%nacl... 126
PHOSPHOLINE IODIDE... 177	PLIAGLIS... 20	potassium chloride-d5-0.3%nacl... 126
PHYSIOLYTE... 172	pnv-dha... 125	potassium chloride-d5-0.9%nacl... 126
PHYSIOSOL IRRIGATION... 172	pnv-omega... 125	potassium chloride-0.45 % nacl... 126
phytonadione (vitamin k1)... 193	podofilox... 119	potassium citrate... 126
PIFELTRO... 76	POLIVY... 60	POTELIGEO... 60
pilocarpine hcl... 111, 177	polocaine... 20	pr natal 400 ec... 126
pimecrolimus... 119	polocaine-mpf... 20	pr natal 400... 126
pimozide... 70	polycin... 177	pr natal 430 ec... 126
pimtrea (28)... 148	polymyxin b sulf-trimethoprim... 177	pr natal 430... 126
pindolol... 101	polymyxin b sulfate... 30	
pioglitazone... 84	POLYTRIM... 177	
pioglitazone-glimepiride... 84	POMALYST... 60	
pioglitazone-metformin... 84		
piperacillin-tazobactam... 30		

PRADAXA... 89	prenatal plus (calcium carb)... 126	PRIVIGEN... 160
PRALUENT PEN... 101	prenatal plus dha... 126	PRO COMFORT ALCOHOL PADS... 172
pramipexole... 66	prenatal plus vitamin-mineral... 126	PROAIR DIGIHALER... 184
prasugrel... 89	prenatal vitamin plus low iron... 126	PROAIR HFA... 184
pravastatin... 101	prenatal-u... 126	PROAIR RESPICLICK... 184
praziquantel... 65	PRENATE ELITE... 127	probenecid... 48
prazosin... 102	preplus... 127	probenecid-colchicine... 48
PRECOSE... 84	PRESTALIA... 102	procainamide... 102
PRED FORTE... 177	PRETOMANID... 51	PROCALAMINE 3%... 127
PRED MILD... 177	PREVACID SOLUTAB... 132	PROCARDIA XL... 102
PRED-G... 177	PREVACID... 132	procentra... 109
prednicarbate... 119	prevalite... 102	prochlorperazine edisylate... 44
prednisolone acetate... 177	PREVDUO... 172	prochlorperazine maleate... 44
prednisolone sodium phosphate... 138, 177	previfem... 148	prochlorperazine... 44
prednisolone... 138	PREVYMIS... 76	PROCRIT... 89
prednisone intensol... 138	PREZCOBIX... 76	procto-med hc... 119
prednisone... 138	PREZISTA... 76	PROCTOFOAM HC... 165
PREFEST... 148	PRIALT... 172	proctosol hc... 119
pregabalin... 109	PRIFTIN... 51	proctozone-hc... 119
PREGNYL... 140	PRILOSEC... 132	PROCYSBI... 135
PREHEVBRIO (PF)... 160	primaquine... 65	progesterone micronized... 148
PREMARIN... 148	PRIMAXIN IV... 30	progesterone... 148
PREMASOL 10 %... 126	primidone... 36	PROGLYCEM... 84
PREMPHASE... 148	primlev... 18	PROGRAF... 160
PREMPRO... 148	PRIMSOL... 30	PROLASTIN-C... 135
PRENATA... 126	PRINIVIL... 102	prolate... 18
PRENATABS FA... 126	PRIORIX (PF)... 160	PROLENSA... 177
	PRISTIQ... 41	PROLEUKIN... 60

PROLIA... 166	PROVIGIL... 188	QUDEXY XR... 49
PROMACTA... 89	PROZAC... 41	QUESTRAN LIGHT... 102
promethazine vc... 172	PRUDOXIN... 119	QUESTRAN... 102
promethazine vc-codeine... 191	PULMICORT FLEXHALER... 184	quetiapine... 70
promethazine... 44	PULMICORT... 184	QUILLICHEW ER... 110
promethazine-codeine... 191	PULMOZYME... 184	QUILLIVANT XR... 110
promethazine-dm... 191	PURE COMFORT ALCOHOL PADS... 172	quinapril... 102
promethazine-phenyleph-codeine... 191	PURIXAN... 60	quinapril-hydrochlorothiazide... 102
promethazine-phenylephrine... 172	PYLERA... 132	quinidine gluconate... 102
promethegan... 44	pyrazinamide... 51	quinidine sulfate... 102
PROMETRIUM... 148	PYRIDIDIUM... 172	quinine sulfate... 65
propafenone... 102	pyridostigmine bromide... 50	QULIPTA... 49
proparacaine... 177	pyridoxine (vitamin b6)... 194	QUTENZA... 172
PROPECIA... 190	pyrimethamine... 65	QUVIVIQ... 188
propranolol... 102	PYRUKYND... 89	QUZYTIR... 184
propranolol-hydrochlorothiazid... 102	<b>Q</b>	<b>R</b>
propylthiouracil... 153	QALSODY... 110	RABAVERT (PF)... 160
PROQUAD (PF)... 160	QBRELIS... 102	rabeprazole... 132
PROSCAR... 137	QBREXZA... 119	RADICAVA ORS STARTER KIT SUSP... 110
PROSOL 20 %... 127	QELBREE... 110	RADICAVA ORS... 110
protamine... 172	QINLOCK... 60	RADICAVA... 110
PROTONIX... 132	QNASL... 184	RAGWITEK... 184
PROTOPIC... 119	QSYMIA... 194	raloxifene... 148
protriptyline... 41	QTERN... 84	ramelteon... 188
PROVENTIL HFA... 184	QUADRACEL (PF)... 160	ramipril... 102
PROVERA... 148	QUALAQUIN... 65	RANEXA... 102
	QUARTETTE... 148	



ranolazine... 102	RELEUKO... 89	RETROVIR... 76
RAPAFLO... 137	RELEXII... 110	REVATIO... 184
RAPAMUNE... 160	RELISTOR... 132	REVCIVI... 135
rasagiline... 66	RELPA... 49	revonto... 72
RASUVO (PF)... 160, 161	RELTONE... 132	REXULTI... 70
RAVICTI... 135	RELYVRIO... 110	REYATAZ... 76
RAYALDEE... 166	REMERON SOLTAB... 41	REYVOW... 49
RAYOS... 139	REMERON... 41	REZLIDHIA... 60
RAZADYNE ER... 38	REMICADE... 161	REZUROCK... 161
REBIF (WITH ALBUMIN)... 110	REMODULIN... 184	REZVOGLAR KWIKPEN... 84
REBIF REBIDOSE... 110	RENACIDIN... 172	REZZAYO... 47
REBIF TITRATION PACK... 110	RENAGEL... 127	RHOFAD... 119
REBLOZYL... 89	RENFLEXIS... 161	RHOPHYLAC... 161
REBYOTA... 172	RENOVA... 190	RHOPRESSA... 177
RECARBRIO... 30	REVELA... 127	RIABNI... 60
RECLAST... 166	repaglinide... 84	RIASTAP... 89
reclipsen (28)... 148	REPATHA PUSHTRONEX... 102	ribavirin... 76, 172
RECOMBIVAX HB (PF)... 161	REPATHA SURECLICK... 102	RIDAURA... 161
RECORLEV... 152	REPATHA SYRINGE... 102	rifabutin... 51
RECTIV... 172	RESPA-AR... 191	RIFADIN... 51
REDITREX (PF)... 161	RESTASIS MULTIDOSE... 177	rifampin... 51
refissa... 190	RESTASIS... 177	RILUTEK... 110
REGLAN... 44	RESTORIL... 188	riluzole... 110
REGONOL... 50	RETACRIT... 89	rimantadine... 76
REGRANEX... 119	RETEVMO... 60	RIMSO-50... 172
RELAFEN DS... 18	RETIN-A MICRO PUMP... 119	ringer's... 127, 172
RELAFEN... 18	RETIN-A MICRO... 119	RINVOQ... 161
RELENZA DISKHALER... 76	RETIN-A... 119	RIOMET ER... 84

RIOMET... 84	ROTATEQ VACCINE... 161	sajazir... 161
risedronate... 166	ROWASA... 165	SALAGEN (PILOCARPINE)... 111
RISPERDAL CONSTA... 70	roweepra xr... 36	SAMSCA... 127
RISPERDAL... 70	roweepra... 36	SANCUSO... 44
risperidone... 70, 71	ROXICODONE... 18	SANDIMMUNE... 161
RITALIN LA... 110	ROXYBOND... 18	SANDOSTATIN LAR DEPOT... 153
RITALIN... 110	ROZEREM... 188	SANDOSTATIN... 153
ritonavir... 76	ROZLYTREK... 60	SANTYL... 119
RITUXAN HYCELA... 60	RUBRACA... 60	SAPHNELO... 161
RITUXAN... 60	RUCONEST... 161	SAPHRIS... 71
rivastigmine tartrate... 38	rufinamide... 36	sapropterin... 135
rivastigmine... 38	RUKOBIA... 76	SARCLISA... 61
rivelsa... 148	RUXIENCE... 60	SAVAYSA... 89
rizatriptan... 49	RYALTRIS... 184	SAVELLA... 110
ROBAXIN... 187	RYBELSUS... 85	saxagliptin... 85
ROBINUL FORTE... 132	RYBREVANT... 61	saxagliptin-metformin... 85
ROBINUL... 132	RYCLORA... 184	SAXENDA... 195
ROCALTROL... 166	RYDAPT... 61	SCSEMBLIX... 61
ROCKLATAN... 177	RYLAZE... 61	scopolamine base... 44
roflumilast... 184	RYSTIGGO... 161	se-natal 19 chewable... 127
ROLVEDON... 89	RYTARY... 67	SEASONIQUE... 148
romidepsin... 60	RYTHMOL SR... 102	SECONAL SODIUM... 36
ropinirole... 67	RYVENT... 184	SECUADO... 71
ropivacaine (pf)... 20		SEGLENTIS... 18
rosadan... 30	SABRIL... 36	SEGLUROMET... 85
rosuvastatin... 102	SAFYRAL... 148	SELECT-OB (FOLIC ACID)... 127
ROSZET... 102	SAIZEN SAIZENPREP... 140	SELECT-OB + DHA... 127
ROTARIX... 161	SAIZEN... 140	SELECT-OB... 127

**S**

selegiline hcl... 67	SIGNIFOR LAR... 153	SLYND... 149
selenium sulfide... 119	SIGNIFOR... 153	SMOFLIPID... 127
SELZENTRY... 76	SIKLOS... 172	SOAANZ... 103
SEMGLEE PEN U-100 INSULIN... 85	sildenafil (pulm.hypertension)... 185	sodium benzoate-sod phenylacet... 172
SEMGLEE U-100 INSULIN... 85	sildenafil... 191	sodium bicarbonate... 127
SEMGLEE(INSULIN GLARG-YFGN)PEN... 85	SILENOR... 188	sodium chloride 0.45 %... 127
SEMGLEE(INSULIN GLARGINE-YFGN)... 85	SILIQ... 161	sodium chloride 0.9 %... 127
SENSIPAR... 166	silodosin... 137	sodium chloride 3 % hypertonic... 127
SENSORCAINE... 20	SILVADENE... 119	sodium chloride 5 % hypertonic... 127
sensorcaine-epinephrine... 20	silver sulfadiazine... 120	sodium chloride... 127, 172
sensorcaine-mpf spinal... 21	SIMBRINZA... 177	SODIUM EDECIN... 103
SENSORCAINE-MPF... 21	simliya (28)... 149	sodium oxybate... 188
sensorcaine-mpf/epinephrine... 21	simpesse... 149	sodium phenylbutyrate... 135
SEREVENT DISKUS... 185	SIMPONI ARIA... 162	sodium phosphate... 127
SEROQUEL XR... 71	SIMPONI... 162	sodium polystyrene sulfonate... 127
SEROQUEL... 71	SIMULECT... 162	sodium,potassium,mag sulfates... 132
SEROSTIM... 140	simvastatin... 103	SOGROYA... 140
sertraline... 41	SINEMET... 67	SOHONOS... 172
setlakin... 149	SINGULAIR... 185	solifenacin... 137
sevelamer carbonate... 127	sirolimus... 162	SOLIQUA 100/33... 85
sevelamer hcl... 127	SIRTURO... 51	SOLIRIS... 162
SEYSARA... 30	SITAVIG... 76	SOLODYN... 30
SEZABY... 36	SIVEXTRO... 30	SOLOSEC... 30
SFROWASA... 165	SKELAXIN... 187	SOLTAMOX... 61
sharobel... 149	SKLICE... 65	
SHINGRIX (PF)... 161	SKYCLARYS... 110	
	SKYRIZI... 162	
	SKYTROFA... 140	

SOLU-CORTEF ACT-O-VIAL (PF)... 139  
 SOLU-CORTEF... 139  
 SOLU-MEDROL (PF)... 139  
 SOLU-MEDROL... 139  
 SOMA... 187  
 SOMATULINE DEPOT... 153  
 SOMAVERT... 153  
 SOOLANTRA... 120  
 sorafenib... 61  
 sorbitol-mannitol... 173  
 SORIATANE... 120  
 SORILUX... 120  
 sorine... 103  
 sotalol af... 103  
 sotalol... 103  
 SOTYKTU... 162  
 SOTYLIZE... 103  
 SOVALDI... 76, 77  
 SPEVIGO... 162  
 spinosad... 120  
 SPIRIVA RESPIMAT... 185  
 SPIRIVA WITH HANDIHALER... 185  
 spironolacton-hydrochlorothiaz... 103  
 spironolactone... 103  
 SPORANOX PULSEPAK... 47  
 SPORANOX... 47  
 sprintec (28)... 149  
 SPRITAM... 36  
 SPRIX... 18  
 SPRYCEL... 61  
 SPS (WITH SORBITOL)... 127  
 sronyx... 149  
 SSD... 120  
 STALEVO 100... 67  
 STALEVO 125... 67  
 STALEVO 150... 67  
 STALEVO 200... 67  
 STALEVO 50... 67  
 STALEVO 75... 67  
 stavudine... 77  
 STEGLATRO... 85  
 STEGLUJAN... 85  
 STELARA... 162  
 STENDRA... 192  
 STIOLTO RESPIMAT... 185  
 STIVARGA... 61  
 STRATTERA... 110  
 STRENSIQ... 135  
 streptomycin... 30  
 STRIBILD... 77  
 STRIVERDI RESPIMAT... 185  
 STROMECTOL... 65  
 SUBOXONE... 22  
 SUBSYS... 18  
 subvenite starter (blue) kit... 36  
 subvenite starter (green) kit... 36  
 subvenite starter (orange) kit... 36  
 subvenite... 36  
 SUCRAID... 135  
 sucralfate... 132  
 SUFLAVE... 132  
 SULAR... 103  
 sulfacetamide sodium (acne)... 30  
 sulfacetamide sodium... 30, 177, 190  
 sulfacetamide sodium-sulfur... 190  
 sulfacetamide-prednisolone... 177  
 sulfadiazine... 30  
 sulfamethoxazole-trimethoprim... 30  
 SULFAMILYLON... 120  
 sulfasalazine... 165  
 SULFATRIM... 30  
 sulindac... 18  
 sumatriptan succinate... 49  
 sumatriptan... 49  
 sumatriptan-naproxen... 49  
 sunitinib malate... 61  
 SUNLENCA... 77  
 SUNOSI... 188  
 SUPRAX... 30  
 SUPREP BOWEL PREP KIT... 132

SURE COMFORT ALCOHOL PREP PADS... 173	SYNRIBO... 61	taperdex... 139
SURE-PREP ALCOHOL PREP PADS... 173	SYNTHROID... 151	TARCEVA... 61
SUSTIVA... 77	SYPRINE... 127	TARGADOX... 30
SUTAB... 132	<b>T</b>	TARGRETIN... 61
SUTENT... 61	TABLOID... 61	tarina fe 1-20 eq (28)... 149
syeda... 149	TABRECTA... 61	tarina fe 1/20 (28)... 149
SYLVANT... 162	TACLONEX... 120	tarina 24 fe... 149
SYMBICORT... 185	tacrolimus... 120, 162	TARPEYO... 165
SYMBYAX... 41	tadalafil (pulm. hypertension)... 185	TASCENSO ODT... 110
SYMDEKO... 185	tadalafil... 137, 192	TASIGNA... 61
SYMFI LO... 77	TADLIQ... 185	tasimelteon... 188
SYMFI... 77	TAFINLAR... 61	TASMAR... 67
SYMJEPI... 185	tafluprost (pf)... 177	tavaborole... 47
SYMLINPEN 120... 85	TAGRISSO... 61	TAVALISSE... 89
SYMLINPEN 60... 85	TAKHZYRO... 162	TAVNEOS... 162
SYMPAZAN... 36	TALICIA... 132	taysofy... 149
SYMPROIC... 132	TALTZ AUTOINJECTOR (2 PACK)... 162	TAYTULLA... 149
SYMTUZA... 77	TALTZ AUTOINJECTOR (3 PACK)... 162	tazarotene... 120
SYNAGIS... 173	TALTZ AUTOINJECTOR... 162	tazicef... 30
SYNALAR... 120	TALTZ SYRINGE... 162	TAZORAC... 120
SYNAREL... 153	TALVEY... 61	taztia xt... 103
SYNDROS... 44	TALZENNA... 61	TAZVERIK... 61
SYNERA... 21	TAMIFLU... 77	TDVAX... 162
SYNERCID... 30	tamoxifen... 61	TECENTRIQ... 61
SYNJARDY XR... 85	tamsulosin... 137	TECFIDERA... 110
SYNJARDY... 85	TAPAZOLE... 153	TECVAYLI... 62
		TEFLARO... 31
		TEGRETOL XR... 37

TEGRETOL... 36	TESSALON PERLES... 191	TIBSOVO... 62
TEGSEDI... 135	TESTIM... 149	TICOVAC... 163
TEKTURNA HCT... 103	testosterone cypionate... 149	TIGAN... 44
TEKTURNA... 103	testosterone enanthate... 149	tigecycline... 31
telmisartan... 103	testosterone... 149	TIGLUTIK... 110
telmisartan-amlodipine... 103	TETANUS,DIPHTHERIA TOX PED(PF)... 163	TIKOSYN... 103
telmisartan-hydrochlorothiazid... 103	tetrabenazine... 110	tilia fe... 149
temazepam... 188	tetracycline... 31	timolol maleate (pf)... 178
TEMIXYS... 77	TEXACORT... 120	timolol maleate... 104, 177
TEMODAR... 62	TEZSPIRE... 163	TIMOPTIC OCUDOSE (PF)... 178
TEMOVATE... 120	THALITONE... 103	TIMOPTIC... 178
temsirolimus... 62	THALOMID... 62	TIMOPTIC-XE... 178
tencon... 173	THAM... 127	tinidazole... 31
teniposide... 62	THEO-24... 185	tiopronin... 137
TENIVAC (PF)... 163	theophylline in dextrose 5 %... 185	tirofiban-0.9% sodium chloride... 89
tenofovir disoproxil fumarate... 77	theophylline... 185	TIROSINT... 151
TENORETIC 100... 103	thiamine hcl (vitamin b1)... 194	TIROSINT-SOL... 151
TENORETIC 50... 103	THIOLA EC... 137	TIVDAK... 62
TENORMIN... 103	THIOLA... 137	TIVICAY PD... 77
TEPADINA... 62	thioridazine... 71	TIVICAY... 77
TEPEZZA... 173	thiotepa... 62	tizanidine... 72
TEPMETKO... 62	thiothixene... 71	TLANDO... 149
terazosin... 103	THYMOGLOBULIN... 163	TOBI PODHALER... 185
terbinafine hcl... 47	THYQUIDITY... 151	TOBI... 31
terbutaline... 185	tiadylt er... 103	TOBRADEX ST... 178
terconazole... 47	tiagabine... 37	TOBRADEX... 178
teriflunomide... 110	TIAZAC... 103	tobramycin in 0.225 % nacl... 31
		tobramycin sulfate... 31

tobramycin with nebulizer... 31	tramadol... 18, 19	TREZIX... 19
tobramycin... 31, 178	tramadol-acetaminophen... 19	tri femynor... 149
tobramycin-dexamethasone... 178	trandolapril... 104	tri-estarylla... 149
TOBREX... 178	trandolapril-verapamil... 104	tri-legest fe... 149
tolcapone... 67	tranexamic acid... 89	tri-linyah... 149
tolmetin... 18	TRANSDERM-SCOP... 44	tri-lo-estarylla... 149
TOLSURA... 47	TRANXENE T-TAB... 79	tri-lo-marzia... 149
tolterodine... 137	tranylcypromine... 41	tri-lo-mili... 149
tolvaptan... 128	TRAVASOL 10 %... 128	tri-lo-sprintec... 150
TOPAMAX... 49	TRAVATAN Z... 178	TRI-LUMA... 190
TOPICORT... 120	travoprost... 178	tri-mili... 150
topiramate... 49, 50	TRAZIMERA... 62	tri-nymyo... 150
toposar... 62	trazodone... 42	tri-previfem (28)... 150
topotecan... 62	TREANDA... 62	tri-sprintec (28)... 150
TOPROL XL... 104	TRECATOR... 51	tri-vylibra lo... 150
toremifene... 62	TRELEGY ELLIPTA... 185	tri-vylibra... 150
TORISEL... 62	TRELSTAR... 153	triamcinolone acetonide... 111, 139
toremide... 104	TREMFYA... 163	triamterene... 104
TOSYMRA... 50	treprostinil sodium... 185	triamterene-hydrochlorothiazid... 104
TOTECT... 62	TRESIBA FLEXTOUCH U-100... 85	trianex... 139
TOUJEO MAX U-300 SOLOSTAR... 85	TRESIBA FLEXTOUCH U-200... 85	triazolam... 188
TOUJEO SOLOSTAR U-300 INSULIN... 85	TRESIBA U-100 INSULIN... 85	TRIBENZOR... 104
tovet emollient... 120	tretinoin (antineoplastic)... 62	TRICARE... 128
TOVIAZ... 137	tretinoin (emollient)... 190	TRICOR... 104
TPN ELECTROLYTES... 128	tretinoin microspheres... 120	triderm... 139
TRACLEER... 185	tretinoin... 120	trientine... 128
TRADJENTA... 85	TREXALL... 163	trifluoperazine... 71
	TREXIMET... 50	

trifluridine... 178	TRUE COMFORT ALCOHOL PADS... 173	TYRVAYA... 178
trihexyphenidyl... 67	TRUE COMFORT PRO ALCOHOL PADS... 173	TYSABRI... 111
TRIJARDY XR... 85	TRULANCE... 132	TYVASO DPI... 186
TRIKAFTA... 185, 186	TRULICITY... 85	TYVASO INSTITUTIONAL START KIT... 186
TRILEPTAL... 37	TRUMENBA... 163	TYVASO REFILL KIT... 186
TRILIPIX... 104	TRUSELTIQ... 62	TYVASO STARTER KIT... 186
trimethobenzamide... 44	TRUSOPT... 178	TYVASO... 186
trimethoprim... 31	TRUVADA... 77	TZIELD... 173
trimipramine... 42	TRUXIMA... 62	<b>U</b>
trinatal rx 1... 128	TUDORZA PRESSAIR... 186	UBRELVY... 173
TRINTELLIX... 42	TUKYSA... 62	UCERIS... 165
TRIOSTAT... 152	tulana... 150	UDENYCA AUTOINJECTOR... 90
TRIPTODUR... 153	TURALIO... 62	UDENYCA... 90
TRISENOX... 62	TUSSICAPS... 191	ULORIC... 48
TRISTART DHA... 128	TUXARIN ER... 191	ULTILET ALCOHOL SWAB... 173
tritocin... 139	TUZISTRA XR... 191	ULTOMIRIS... 163
TRIUMEQ PD... 77	TWINRIX (PF)... 163	ULTRACET... 19
TRIUMEQ... 77	TWYNEO... 120	ULTRAM... 19
trivora (28)... 150	TWYNSTA... 104	ULTRAVATE... 120
TRIZIVIR... 77	TYBLUME... 150	UNASYN... 31
TRODELVY... 62	TYBOST... 77	UNITHROID... 152
TROGARZO... 77	tydemy... 150	UNITUXIN... 62
TROKENDI XR... 50	TYGACIL... 31	UPLIZNA... 163
TROPHAMINE 10 %... 128	TYKERB... 62	UPTRAVI... 186
tropicamide... 178	TYMLOS... 166	UROCIT-K 10... 128
trospium... 137	TYPHIM VI... 163	UROCIT-K 15... 128
TRUDHESA... 50		UROCIT-K 5... 128



UROXATRAL... 137

URSO FORTE... 132

URSO 250... 132

ursodiol... 132, 133

UVADEX... 121

UZEDY... 71

**V**

V-GO 20... 173

V-GO 30... 173

V-GO 40... 173

VABOMERE... 31

VAGIFEM... 150

valacyclovir... 77

VALCHLOR... 63

VALCYTE... 77

valganciclovir... 77

VALIUM... 79

valproate sodium... 37

valproic acid (as sodium salt)... 37

valproic acid... 37

valrubicin... 63

valsartan... 104

valsartan-hydrochlorothiazide... 104

VALSTAR... 63

VALTOCO... 37

VALTRES... 77

vanadom... 187

VANCOGIN... 31

vancomycin in dextrose 5 %... 31

vancomycin in 0.9 % sodium chl... 31

vancomycin... 31

vancomycin-diluent combo no.1... 31

VANDAZOLE... 31

VANFLYTA... 63

VANIQA... 190

VANOS... 121

VAPRISOL IN 5 % DEXTROSE... 128

VAQTA (PF)... 163

vardenafil... 192

varenicline... 22

VARIVAX (PF)... 163

VARIZIG... 163

VARUBI... 44

VASCEPA... 104

VASERETIC... 104

VASOTEC... 104

VAZCULEP... 104

vecamyl... 104

VECTIBIX... 63

VECTICAL... 121

VEGZELMA... 63

VELCADE... 63

VELETRI... 186

velivet triphasic regimen (28)... 150

VELPHORO... 128

VELTASSA... 128

VELTIN... 121

VEMLIDY... 77

VENCLEXTA STARTING PACK... 63

VENCLEXTA... 63

VENLAFAXINE BESYLATE... 42

venlafaxine... 42

VENTAVIS... 186

VENTOLIN HFA... 186

VEOPOZ... 163

VEOZAH... 173

verapamil... 104, 105

VERDESO... 121

VEREGEN... 121

VERELAN PM... 105

VERELAN... 105

VERIPRED 20... 139

VERKAZIA... 178

VERQUOVO... 105

VERSACLOZ... 71

VERZENIO... 63

VESICARE LS... 137

VESICARE... 137

vestura (28)... 150

VFEND IV... 47

VFEND... 47

VIAGRA... 192	virt-c dha... 128	VOQUEZNA DUAL PAK... 133
VIBATIV... 31	virt-nate dha... 128	VOQUEZNA TRIPLE PAK... 133
VIBERZI... 133	virt-pn dha... 128	voriconazole... 47
VIBRAMYCIN (CALCIUM)... 31	virt-pn plus... 128	VOSEVI... 78
VIBRAMYCIN... 31	VISTARIL... 186	VOTRIENT... 63
VICTOZA 2-PAK... 86	VISTOGARD... 63	VOWST... 173
VICTOZA 3-PAK... 86	VITAFOL FE PLUS... 128	VOXZOGO... 173
VIDAZA... 63	VITAFOL GUMMIES... 128	VP-PNV-DHA... 128
VIEKIRA PAK... 78	VITAFOL NANO... 128	VPRIV... 135
vienva... 150	VITAFOL ULTRA... 128	VRAYLAR... 71
vigabatrin... 37	VITAFOL-OB... 128	VTAMA... 121
vigadrone... 37	VITAFOL-OB+DHA... 128	vtol lq... 173
VIGAMOX... 178	VITAFOL-ONE... 128	VUITY... 178
VIIBRYD... 42	VITAMED MD ONE RX... 128	VUMERITY... 111
VIJOICE... 135	vitamin d2... 194	VUSION... 47
vilazodone... 42	vitamin k... 194	VYEPTI... 50
VIMOVO... 19	vitamin k1... 194	vyfemla (28)... 150
VIMPAT... 37	VITRAKVI... 63	VYJUVEK... 173
vinblastine... 63	vivacaine... 21	VYLEESI... 192
vincasar pfs... 63	VIVELLE-DOT... 150	vylibra... 150
vincristine... 63	VIVITROL... 22	VYNDAMAX... 135
vinorelbine... 63	VIVJOA... 47	VYNDAQEL... 135
VIOKACE... 135	VIVLODEX... 19	VYTORIN 10-10... 105
viorele (28)... 150	VIZIMPRO... 63	VYTORIN 10-20... 105
VIRACEPT... 78	VOCABRIA... 78	VYTORIN 10-40... 105
VIRAMUNE XR... 78	VOGELXO... 150	VYTORIN 10-80... 105
VIRAZOLE... 173	volnea (28)... 150	VYVANSE... 111
VIREAD... 78	VONJO... 63	VYVGART HYTRULO... 163

VYVGART... 163	XANAX XR... 80	XIMINO... 32
VYXEOS... 63	XANAX... 80	XOFLUZA... 78
VYZULTA... 178	XARELTO DVT-PE TREAT 30D START... 90	XOLAIR... 164
<b>W</b>	XARELTO... 90	XOLEGEL... 47
WAKIX... 188	XATMEP... 163	XOPENEX HFA... 186
warfarin... 90	XCOPRI MAINTENANCE PACK... 37	XOSPATA... 63
water for irrigation, sterile... 173	XCOPRI TITRATION PACK... 37	XPOVIO... 63
WEBCOL... 173	XCOPRI... 37	XTAMPZA ER... 19
WEGOVI... 195	XDEMVY... 173	XTANDI... 64
WELCHOL... 105	XELJANZ XR... 163	xulane... 150
WELIREG... 63	XELJANZ... 163	XULTOPHY 100/3.6... 86
WELLBUTRIN SR... 42	XELPROS... 178	XURIDEN... 135
WELLBUTRIN XL... 42	XELSTRYM... 111	XYOSTED... 150
wera (28)... 150	XEMBIFY... 163	XYREM... 189
wescap-pn dha... 128	XENAZINE... 111	XYWAV... 189
wesnatal dha complete... 128	XENICAL... 173	<b>Y</b>
wesnate dha... 128	XENLETA... 31, 32	YASMIN (28)... 150
westab plus... 128	XENPOZYME... 135	YAZ (28)... 150
westgel dha... 128	XEPI... 121	YCANTH... 173
WINLEVI... 121	XERAVA... 32	YERVOY... 64
WINRHO SDF... 163	XERESE... 78	YF-VAX (PF)... 164
wixela inhub... 186	XERMELO... 133	YONDELIS... 64
wymzya fe... 150	XGEVA... 166	YONSA... 64
<b>X</b>	XHANCE... 186	YOSPRALA... 90
XACIATO... 31	XIFAXAN... 133	YUFLYMA(CF) AUTOINJECTOR... 164
XADAGO... 67	XIGDUO XR... 86	YUFLYMA(CF)... 164
XALATAN... 178	XIIDRA... 178	YUPELRI... 186
XALKORI... 63		YUSIMRY(CF) PEN... 164

yuvafem... 150	ZENPEP... 136	ziprasidone hcl... 71
<b>Z</b>	zenzedi... 111	ziprasidone mesylate... 71
zafemy... 150	ZEPATIER... 78	ZIPSOR... 19
zafirlukast... 186	ZEPOSIA STARTER KIT (28-DAY)... 111	ZIRABEV... 64
zaleplon... 189	ZEPOSIA STARTER KIT (37-DAY)... 111	ZIRGAN... 78
ZALTRAP... 64	ZEPOSIA STARTER PACK (7-DAY)... 111	ZITHROMAX TRI-PAK... 32
ZANAFLEX... 72	ZEPOSIA... 111	ZITHROMAX Z-PAK... 32
ZANOSAR... 64	ZEPZELCA... 64	ZITHROMAX... 32
zarah... 150	ZERBAXA... 32	ZOCOR... 105
ZARONTIN... 37	ZERVIATE... 178	ZOFRAN... 44
ZARXIO... 90	ZESTORETIC... 105	ZOKINVY... 136
zatean-pn dha... 129	ZESTRIL... 105	ZOLADEX... 153
zatean-pn plus... 129	ZETIA... 105	zoledronic ac-mannitol-0.9nacl... 167
ZAVESCA... 135	ZETONNA... 186	zoledronic acid... 167
ZAVZPRET... 173	ZIAC... 105	zoledronic acid-mannitol-water... 167
ZCORT... 139	ZIAGEN... 78	ZOLINZA... 64
ZEBUTAL... 173	ZIANA... 121	zolmitriptan... 50
ZEGALOGUE AUTOINJECTOR... 86	zidovudine... 78	ZOLOFT... 42
ZEGALOGUE SYRINGE... 86	ZIEXTENZO... 90	zolpidem... 189
ZEGERID... 133	zileuton... 186	ZOLPIMIST... 189
ZEJULA... 64	ZILRETTA... 139	ZOMACTON... 140
ZELAPAR... 67	ZILXI... 121	zomig... 50
ZELBORAF... 64	ZIMHI... 22	ZONALON... 121
ZEMAIRA... 135	zingiber... 173	ZONEGRAN... 37
ZEMBRACE SYMTOUCH... 50	ZINPLAVA... 133	ZONISADE... 37
ZEMDRI... 32	ZIOPTAN (PF)... 178	zonisamide... 37
ZEMPLAR... 167		
zenatane... 121		

ZONTIVITY... 90  
ZORTRESS... 164  
ZORVOLEX... 19  
ZORYVE... 121  
ZOSYN IN DEXTROSE (ISO-OSM)... 32  
zovia 1-35 (28)... 151  
zovia 1/35e (28)... 151  
ZOVIRAX... 78  
ZTALMY... 37  
ZTLIDO... 21  
ZUBSOLV... 22  
ZULRESSO... 42  
zumandimine (28)... 151  
ZYCLARA... 121  
ZYDELIG... 64  
ZYFLO... 186  
ZYKADIA... 64  
ZYLET... 178  
ZYLOPRIM... 48  
ZYMAXID... 178  
ZYNLONTA... 64  
ZYNRELEF... 173  
ZYNYZ... 64  
ZYPITAMAG... 105  
ZYPREXA RELPREVV... 71, 72  
ZYPREXA ZYDIS... 72  
ZYPREXA... 71  
ZYTIGA... 64

# Important

---

## At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender, gender identity, ancestry, ethnicity, marital status, religion, or language. Discrimination is against the law. Humana and its subsidiaries comply with applicable federal civil rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:  
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618  
If you need help filing a grievance, call **1-866-396-8810** or if you use a TTY, call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at **<https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>**, or at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019**, **800-537-7697 (TDD)**.
- **California residents:** You may also call the California Department of Insurance toll-free hotline number: **1-800-927-HELP (4357)**, to file a grievance.

Complaint forms are available at **<https://www.hhs.gov/ocr/office/file/index.html>**.

**Auxiliary aids and services, free of charge, are available to you. 1-866-396-8810 (TTY: 711)**

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

## Multi-Language Insert

### Multi-language Interpreter Services

**English:** We have free interpreter services to answer any questions you may have about our health or drug plan. To get an interpreter, just call us at 1-877-320-1235 (TTY: 711). Someone who speaks English can help you. This is a free service.

**Spanish:** Tenemos servicios de intérprete sin costo alguno para responder cualquier pregunta que pueda tener sobre nuestro plan de salud o medicamentos. Para hablar con un intérprete, por favor llame al 1-877-320-1235 (TTY: 711). Alguien que hable español le podrá ayudar. Este es un servicio gratuito.

**Chinese Mandarin:** 我们提供免费的翻译服务，帮助您解答关于健康或药物保险的任何疑问。如果您需要此翻译服务，请致电 1-877-320-1235 (听障专线：711)。我们的中文工作人员很乐意帮助您。这是一项免费服务。

**Chinese Cantonese:** 您對我們的健康或藥物保險可能存有疑問，為此我們提供免費的翻譯服務。如需翻譯服務，請致電 1-877-320-1235 (聽障專線：711)。我們講中文的人員將樂意為您提供幫助。這是一項免費服務。

**Tagalog:** Mayroon kaming libreng serbisyo sa pagsasaling-wika upang masagot ang anumang mga katanungan ninyo hinggil sa aming planong pangkalusugan o panggagamot. Upang makakuha ng tagasaling-wika, tawagan lamang kami sa 1-877-320-1235 (TTY: 711). Maaari kayong tulungan ng isang nakakapagsalita ng Tagalog. Ito ay libreng serbisyo.

**French:** Nous proposons des services gratuits d'interprétation pour répondre à toutes vos questions relatives à notre régime de santé ou d'assurance-médicaments. Pour accéder au service d'interprétation, il vous suffit de nous appeler au 1-877-320-1235 (TTY: 711). Un interlocuteur parlant Français pourra vous aider. Ce service est gratuit.

**Vietnamese:** Chúng tôi có dịch vụ thông dịch miễn phí để trả lời các câu hỏi về chương sức khỏe và chương trình thuốc men. Nếu quý vị cần thông dịch viên xin gọi 1-877-320-1235 (TTY: 711) sẽ có nhân viên nói tiếng Việt giúp đỡ quý vị. Đây là dịch vụ miễn phí.

**German:** Unser kostenloser Dolmetscherservice beantwortet Ihren Fragen zu unserem Gesundheits- und Arzneimittelplan. Unsere Dolmetscher erreichen Sie unter 1-877-320-1235 (TTY: 711). Man wird Ihnen dort auf Deutsch weiterhelfen. Dieser Service ist kostenlos.

**Korean:** 당사는 의료 보험 또는 약품 보험에 관한 질문에 대해 드리고자 무료 통역 서비스를 제공하고 있습니다. 통역 서비스를 이용하려면 전화 1-877-320-1235 (TTY: 711) 번으로 문의해 주십시오. 한국어를 하는 담당자가 도와 드릴 것입니다. 이 서비스는 무료로 운영됩니다.

**Russian:** Если у вас возникнут вопросы относительно страхового или медикаментного плана, вы можете воспользоваться нашими бесплатными услугами переводчиков. Чтобы воспользоваться услугами переводчика, позвоните нам по телефону 1-877-320-1235 (TTY: 711). Вам окажет помощь сотрудник, который говорит по-русски. Данная услуга бесплатная.

**Arabic:** إننا نقدم خدمات المترجم الفوري المجانية للإجابة عن أي أسئلة تتعلق بخططنا الصحية أو خطة الأدوية الموصوفة لدينا. للحصول على مترجم فوري، ليس عليك سوى الاتصال بنا على 1-877-320-1235 (TTY: 711). سيقوم شخص ما يتحدث العربية بمساعدتك. هذه خدمة مجانية.

**Hindi:** हमारे स्वास्थ्य या दवा की योजना के बारे में आपके किसी भी प्रश्न के जवाब देने के लिए हमारे पास मुफ्त दुभाषिया सेवाएँ उपलब्ध हैं। एक दुभाषिया प्राप्त करने के लिए, बस हमें 1-877-320-1235 (TTY: 711) पर फोन करें। कोई व्यक्ति जो हिन्दी बोलता है आपकी मदद कर सकता है। यह एक मुफ्त सेवा है।

**Italian:** È disponibile un servizio di interpretariato gratuito per rispondere a eventuali domande sul nostro piano sanitario e farmaceutico. Per un interprete, contattare il numero 1-877-320-1235 (TTY: 711). Un nostro incaricato che parla Italianovi fornirà l'assistenza necessaria. È un servizio gratuito.

**Portuguese:** Dispomos de serviços de interpretação gratuitos para responder a qualquer questão que tenha acerca do nosso plano de saúde ou de medicação. Para obter um intérprete, contacte-nos através do número 1-877-320-1235 (TTY: 711). Irá encontrar alguém que fale o idioma Português para o ajudar. Este serviço é gratuito.

**French Creole:** Nou genyen sèvis entèprèt gratis pou reponn tout kesyon ou ta genyen konsènan plan medikal oswa dwòg nou an. Pou jwenn yon entèprèt, jis rele nou nan 1-877-320-1235 (TTY: 711). Yon moun ki pale Kreyòl kapab ede w. Sa a se yon sèvis ki gratis.

**Polish:** Umożliwiamy bezpłatne skorzystanie z usług tłumacza ustnego, który pomoże w uzyskaniu odpowiedzi na temat planu zdrowotnego lub dawkowania leków. Aby skorzystać z pomocy tłumacza znającego język polski, należy zadzwonić pod numer 1-877-320-1235 (TTY: 711). Ta usługa jest bezpłatna.

**Japanese:** 当社の健康保険と処方薬プランに関するご質問にお答えするために、無料の通訳サービスをご用意しています。通訳をご用命になるには、1-877-320-1235 (TTY:711) にお電話ください。日本語を話す者が支援いたします。これは無料のサービスです。











This formulary was updated on 10/11/2023. For more recent information or other questions, please contact the Humana Medicare Employer Plan with any questions at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m., Eastern time. Our automated phone system is available after hours, weekends, and holidays. Our website is also available 24 hours a day, 7 days a week, by visiting **Humana.com**.

**Humana**<sup>®</sup>

Humana.com